




شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



شبكة المعلومات الجامعية
@ ASUNET



شبكة المعلومات الجامعية التوثيق الالكتروني والميكرو فيلم




شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من ١٥-٢٥ مئوية ورطوبة نسبية من ٢٠-٤٠ %

To be Kept away from Dust in Dry Cool place of
15-25- c and relative humidity 20-40 %

بعض الوثائق الأصلية تالفة

جامعة عين شمس
شبكة المعلومات الجامعية
@ ASUNET

بالرسالة صفحات لم

ترد بالاصل

Ain Shams University Information Network
جامعة عين شمس

شبكة المعلومات الجامعية
@ ASUNET

***TUMOR NECROSIS FACTOR-ALPHA(TNF- α)
LEVEL IN PATIENTS WITH BURNS***

THESIS

*Submitted for partial fulfillment of
Master degree*

In

Basic Medical Science (Microbiology & Immunology)

By

SOHA ABD EL RAHMAN EL HADY

M.B., B.Ch.

**Demonstrator of Microbiology and Immunology
Faculty of Medicine- Ain Shams University**

Supervised by

Prof. Dr. Samir Ibrahim Abd El-Hady

**Professor of Microbiology and Immunology
Faculty of Medicine- Ain Shams University**

Dr. Nehal Ibrahim Draz

**Lecturer of Microbiology and Immunology
Faculty of Medicine- Ain Shams University**

Dr. Hazem Maher Mohamed Aly

**Assistant professor of Plastic & Reconstructive Surgery
Faculty of Medicine- Ain Shams University**

*Faculty of Medicine
Ain Shams University*


2001

B
017-

بسم الله الرحمن الرحيم

(وَقُلْ رَبِّ زِدْنِي عِلْمًا)

صدق الله العظيم



ACKNOWLEDGEMENT

It is a great honor to express my deep gratitude and appreciation to **Prof. Dr. Samir Ibrahim Abd El Hady.** Prof. of Microbiology and Immunology. Faculty of medicine, Ain Shams university, for his continuous guidance and meticulous supervision. He sacrificed a lot of his precious time to revise each and every step of this thesis. It is difficult for me to find the appropriate words that would do his favors.

I was fortunate to carry out this work under the guidance of **Dr. Nehal Ibrahim Draz.** Lecturer of Microbiology and Immunology. Faculty of medicine, Ain Shams university. I am sincerely grateful for her kind support and sweet patience to accomplish this work.

I would like to express my special thanks to **Dr. Hazem Maher Mohamed Aly.** Assistant Prof. of plastic and reconstructive surgery. Faculty of medicine, Ain Shams university for his encouragement and constant advice during this study.

Last, but not least, my Thanks and best regards to the **Staff members** of Microbiology and Immunology department. Faculty of medicine, Ain Shams university. To my Professors and colleagues, for their cooperation and giving me the chance to learn in the department.

Soha El Hady.

CONTENTS

I. Introduction and Aim of the work	1
II. Review of Literature	
• Anatomy of the skin	3
• Classification of Burns	10
• Pathology of Burns	16
• Burn wound infection	23
• The skin as Immune organ	43
• Cytokines	46
• Effect of burn on immune system	49
• Tumor necrosis factor (TNF)	61
• TNF in burned patients	70
• Burn controls	82
III. Material and Methods	87
IV. Results	98
V. Discussion	115
VI. Summary and Conclusion	123
VII. Recommendation	125
VIII. References	126
Arabic Summary	

LIST OF FIGURES

<u>Fig. 1</u>	Histological section of normal skin.	5
<u>Fig. 2</u>	Degree of burn.	9
	(A) First degree burn.	
	(B) Superficial second degree burn.	
	(C) Deep second degree burn.	
	(D) Third degree (full-thickness) burn.	
<u>Fig. 3</u>	Wallace's Rule of Nines for calculating extent of burns.	13
<u>Fig. 4</u>	Aetiological distribution of burn group.	99
<u>Fig. 5</u>	Distribution of burn group by the degree of burn.	99
<u>Fig. 6</u>	Incidence of different organisms caused burn wound infection.	102
<u>Fig. 7</u>	Incidence of different organisms caused postoperative wound infection.	106
<u>Fig. 8</u>	TNF- α level in patients and controls.	108
<u>Fig. 9</u>	TNF- α level in the infected and non-infected burn groups.	108
<u>Fig. 10</u>	Regression analysis showing correlation between TNF- α level and TBSA among burned patient group.	114

LIST OF TABLES

Table 1: Different types of burn wound infection.

Table 2: Clinical picture of Gram-positive and Gram-negative infections.

Table 3: Distribution of burned patients by the age.

Table 4: Aetiological distribution of burn group.

Table 5: Distribution of burn group by the degree of burn.

Table 6: Degree of burn in relation to burn wound infection.

Table 7: Age of patients in relation to burn wound infection.

Table 8: Distribution of different organisms caused burn wound infection.

Table 9: Incidence of different organisms caused burn wound infection.

Table 10: Distribution of different bacterial isolates according to the degree of burn.

Table 11: Distribution of different bacterial isolates according to the site of burn.

Table 12: Distribution of mixed bacterial infection in burn wounds according to the site of burn.

Table 13: Distribution of different bacterial isolates according to the age of burned patients.

Table 14: Distribution of different bacterial isolates according to the sex of burned patients.