



Ain Shams University
Women's College for Arts,
Science and Education

ROLE OF CATALYST PREPARATIONS FOR THE REMOVAL OF ENVIRONMENTAL HAZARDS

A Thesis
Submitted for the M .Sc .Degree in Science
(Physical Chemistry)

By

Amira Said Hassan Mohamed

Supervised by
Prof. Dr. Essam Mohamed Ezzo
Professor of Physical Chemistry
Chemistry Department
University College for Women
(Arts, Science and Education)
Ain Shams University

Dr.Suzan Ahmad Hassan
Ass .Prof. of Physical Chemistry
Chemistry Department
University College for Women
(Arts, Science and Education)
Ain Shams University

Dr Magda Abdel Basset Elkherbawi
Lecturer of Physical Chemistry
Chemistry Department
University College for Women
(Arts, Science and Education)
Ain Shams University

Ain Shams University
2015



Ain Shams University
Women's College for Arts,
Science and Education

APPROVAL SHEET
ROLE OF CATALYST PREPARATIONS FOR
THE REMOVAL OF ENVIRONMENTAL
HAZARDS

A Thesis
Submitted for the M .Sc .Degree in Science
(Physical Chemistry)

By

Amira Said Hassan Mohamed

Board of Advisors Approved

Prof. Dr. Essam Mohamed Ezzo

Ass. Prof .Suzan Ahmad Hassan

Dr. Magda Abdel Basset Elkherbawi

Head of chemistry department



Ain Shams University
Women's College for Arts,
Science and Education

QUALIFICATION

Student name: Amira said Hassan Mohamed Hassan

Scientific degree: B.Sc. (Chemistry)

Department: Chemistry

Faculty: Women's College for Arts, Science and
Education

University: Ain Shams University

Date of graduate: 2011

Date of granted: 2015



Ain Shams University
Women's College for Arts,
Science and Education

ACKNOWLEDGEMENT

In the name of Allah, I start by thanking him for giving me the strength and patience to complete this study.

Words are on real assistance to express my deepest gratitude and thanks to Prof. Dr. Essam Mohamed Ezzo Professor of Physical Chemistry ,Chemistry Department, University College for women (Arts, Science and Education), Ain Shams University I would like to thank him for his guidance , patience and mentorship .in addition to his technical knowledge , his support has made it easier to go through the ups and downs of research .

Also, I am indebted to express my sincere thank to Dr.Suzan Ahmad Hassan and Dr Magda Abdel Basset Chemistry Department , University College for Women (Arts, Science and Education), Ain Shams University for their encouragement continuous help and careful guidance, through the accomplishment of this work. Finally , my deep thanks to all staff members at my department for their encouragement and moral support .

Amira said Hassan

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

قال الله تعالى :

(قَالُوا سُبْحَانَكَ لَا عِلْمَ لَنَا إِلَّا مَا
عَلَّمْتَنَا إِنَّكَ أَنْتَ الْعَلِيمُ الْحَكِيمُ)



سورة البقرة (34)

CONTENTS

| Subjects | Page |
|--|-------------|
| ABBREVIATIONS | V |
| List of Tables | VI |
| List of Figures | XVIII |
| ABSTRACT | XXII |
| CHABTER I | 1 |
| I. INTRODUCTION | 1 |
| I.A. Active Carbon | 3 |
| I.B . Mechanism of Heterogeneous Catalytic Conversion of Cyclohexane | 3 |
| I.C. Kinetics of Heterogenous Catalytic Reaction in Flow system: | 25 |
| I.D. The Role of the Prepared Catalysts for the Removal of Environmental Hazards. | 26 |
| CHABTER II | 30 |
| II. EXPERIMENTAL | 30 |
| II.A. STARTINGE MATERIALS | 30 |
| II.A. 1 . Materials | 30 |
| II.A. 2 . Catalyst Preparation | 30 |
| II.A. 3. Preparation of Cu/ AC Catalysts | 32 |

| | |
|--|----|
| II.A. 4. Preparation of Adsorbate Solutions | 32 |
| II.B. PHYSICAL STUDIES | 33 |
| II.B. 1. BET Surface Areas Measurements | 33 |
| II.B. 2. X-Ray Diffraction | 38 |
| II.B. 3. Thermogravimetric Analysis (TGA) and (DTA). | 44 |
| II.C. KINETIC STUDY OF THE HETEROGENEOUS CATALYTIC CONVERSION OF CYCLOHEXANE | 47 |
| II.C.1.1. Catalytic Apparatus of Flow Type | 48 |
| II.C.1. 2. Calibration of The micro – Dose Pump | 50 |
| II.C.1.3. Analysis of The liquid Product by Gas- liquid Chromatograph . | 50 |
| II.C.1.4. Determination of the order of reaction. | 52 |
| II.C.1.5. Determination of Apparent Activation Energy for Conversion of Cyclohexane. | 53 |
| II.C.1.6. Study of The effect of Catalysts particle size on the Conversion of Cyclohexane . | 54 |
| II .C.1.7. Determination of the change in weight of the catalysts | 54 |

| | |
|--|------------|
| II.D. REMOVAL OF ENVIRONMENTAL HAZARDS | 55 |
| BY ADSORPTION . | |
| II.D.1 . Initial Heavy Metal Ions Concentrations | 55 |
| II.D.2. Adsorption Isotherm Models. | 55 |
| CHAPTER III | 58 |
| III. RESULTS AND DISCUSSION | 58 |
| III.A. PHYSIOCHEMICAL STUDIES OF THE | 58 |
| PREPERARD SOLIDS | |
| III.A.1. Surface and Textural Characteristic | 58 |
| III.A.2. The X-ray Diffraction. | 69 |
| III.A.3. Thermogravimetric and Differential Thermal | 72 |
| Analysis. | |
| III.B. KINETICS OF HETEROGENEOUS CATALYTIC | 79 |
| CONVERSION IN FLOW SYSTEM OVER THE | |
| CuAC CATALYSTS . | |
| III.B. i. Determination of the Rate of Conversion of | 80 |
| Cyclohexane Over CuAC Catalysts in Flow System. | |
| III.B.ii. Determination of the Apparent Activation Energy for | 124 |
| The catalytic Conversion of Cyclohexane over | |
| CuAC Catalysts . | |

| | |
|--|-----|
| III.C. REMOVAL F ENVEROMENTAL HAZARDS BY ADSORPTION OVER THE PREPARED SOLIDS. | 173 |
| III.C.a. Removal of heavy metal ions from aqueous solution over CuACP and/ or CuACS sorbents . | 173 |
| III.C.a..1. Effect of initial concentration. | 173 |
| III.C.a..2. Adsorption models isotherm analysis. | 175 |
| CONCLUSIONS | 182 |
| SUMMARY | 184 |
| REFERENCE | 187 |
| ARABIC SUMMARY | |

LIST OF FIGURES

| NO | NAME | Page |
|-----------|--|-------------|
| 1 | Allotropes of carbon | 3 |
| 2 | The transitions of hydrogen atoms | 11 |
| 3 | Flow system apparatus | 49 |
| 4 | The calibration curve for the microdose apump | 51 |
| 5 | Gas –liquid chromatograph (perkin Elmar 8600) | 52 |
| 6 a | Adsorption -desorption isotherm of nitrogen. For CuACP(I-III) | 60 |
| 6b | Adsorption -desorption isotherm of nitrogen. For CuACS(I-III) | 60 |
| 7a | The linear plots for nitrogen adsorption For CuACP(I-III) | 61 |
| 7b | The linear plots for nitrogen adsorption For CuACS(I-III) | 61 |
| 8a | The V-t plots of CuACP(I-III) catalysts | 64 |

| | | |
|-----|--|----|
| 8b | The V-t plots of CuACS(I-III) catalysts | 65 |
| 9a | The Pore volume distribution curves for CuACP(I-III) catalysts | 66 |
| 9b | The Pore volume distribution curves for CuACS(I-III) catalysts | 66 |
| 10a | X-RAY Diffraction for CuACP(I-III) catalysts | 70 |
| 10b | X-RAY Diffraction for CuACS(I-III) catalysts | 71 |
| 11 | The TGA and DTA curves of (a - CuACPI , b- CuACP II and c- CuACP III . | 74 |
| 12 | The TGA and DTA curves of (a - CuACSI , b- CuACSII and c- CuACSIII . | 75 |
| 13a | Effect of variation of time of contact on the catalytic conversion of cyclohexane over CuACPI catalyst time , | 81 |
| 13b | Effect of variation of time of contact on the catalytic conversion of cyclohexane over CuACP II catalyst time , | 83 |
| 13C | Effect of variation of time of contact on the catalytic conversion of cyclohexane over CuACP III catalyst time , | 85 |
| 14a | Effect of variation of time of contact on the catalytic conversion of cyclohexane over CuACSI catalyst time | 88 |

| | | |
|------|--|-----|
| 14b | Effect of variation of time of contact on the catalytic conversion of cyclohexane over CuACSII catalyst time | 90 |
| 14c | Effect of variation of time of contact on the catalytic conversion of cyclohexane over CuACSIII catalyst time | 92 |
| 15 | Effect of temperature on the catalytic conversion of cyclohexane on a-CuACPI , b-CuACPII and c-CuACPIII catalysts preactivated in dry air CO ₂ free for 0.5-2.5 h | 125 |
| 16 | Effect of temperature on the catalytic conversion of cyclohexane on a-CuACSI , b-CuACSII and c-CuACSIII catalysts preactivated in dry air CO ₂ free for 0.5-2.5 h | 128 |
| 17a | Effect of composition of a -CuACP on the specific activity and selectivity for alkylation and condensation at 280-380 ⁰ C. | 161 |
| 17 b | Effect of composition of a -CuACS on the specific activity and selectivity for alkylation and condensation at 280-380 ⁰ C. | 163 |
| 18 a | Balandin's kinetic equation for the catalytic conversion of cyclohexane over a -CuACP | 166 |
| 18 b | Balandin's kinetic equation for the catalytic conversion of cyclohexane over a -CuACS | 167 |

LIST OF TABLES

| NO | Title | Page |
|-----------|--|-------------|
| 1 | The chemical composition of the date stones | 2 |
| 2 | The minerals content in date seed | 2 |
| 3 | An overview of supports used in catalysts for various reactions. | 7 |
| 4 | A compilation of some studies on AC adsorption of different heavy metals | 29 |
| 5 | Represents the solid used from AC | 32 |
| 6a | Adsorption - desorption isotherm for nitrogen at -195 °C for CuACP(I-III) | 35 |
| 6b | Adsorptio- desorption isotherm for nitrogen at -195 °C for CuACS(I-III) | 36 |
| 7a | The value of d-spacing of the prepared solids calcinated at 500 °C .a- CuACPI. | 39 |
| 7b | The value of d-spacing of the prepared solids calcinated at 500 °C .b- CuACPIL. | 39 |
| 7c | The value of d-spacing of the prepared solids calcinated at 500 °C .c- CuACPIII. | 40 |
| 7d | The value of d-spacing of the prepared solids calcinated at 500 °C .d- ACS. | 40 |
| 7e | The value of d-spacing of the prepared solids calcinated at 500 °C .e- CuACSI. | 41 |

| | | |
|----|---|----|
| 7f | The value of d-spacing of the prepared solids calcinated at 500 °C .f- CuACSII. | 42 |
| 7g | The value of d-spacing of the prepared solids calcinated at 500 °C .g- CuACSI. | 43 |
| 8 | Textural characteristic of the samples investigated. | 63 |
| 9 | The thermodynamic activation parameters of decomposition process . | 76 |
| 10 | The effect of space velocity on the catalytic conversion of cyclohexane over 0.500 g of CuACPI catalyst pretreated by air at 500 °C in flow system under normal pressure at 280 °C | 94 |
| 11 | The effect of space velocity on the catalytic conversion of cyclohexane over 0.500 g of CuACPI catalyst pretreated by air at 500 °C in flow system under normal pressure at 280 °C | 95 |
| 12 | The effect of space velocity on the catalytic conversion of cyclohexane over 0.500 g of CuACPI catalyst pretreated by air at 500 °C in flow system under normal pressure at 330 °C | 96 |
| 13 | The effect of space velocity on the catalytic conversion of cyclohexane over 0.500 g of CuACPI catalyst pretreated by air at 500 °C in flow system under normal pressure at 350 °C | 97 |
| 14 | The effect of space velocity on the catalytic conversion of cyclohexane over 0.500 g of CuACPI catalyst pretreated by air at 500 °C in flow system under normal pressure at 380 °C | 98 |
| 15 | The effect of space velocity on the catalytic conversion of cyclohexane over 0.500 g of CuACPII catalyst pretreated by air at 500 °C in flow system under normal pressure at 280 °C | 99 |

| | | |
|----|--|-----|
| 16 | The effect of space velocity on the catalytic conversion of cyclohexane over 0.500 g of CuACPII catalyst pretreated by air at 500 °C in flow system under normal pressure at 300 °C | 100 |
| 17 | The effect of space velocity on the catalytic conversion of cyclohexane over 0.500 g of CuACPII catalyst pretreated by air at 500 °C in flow system under normal pressure at 330 °C | 101 |
| 18 | The effect of space velocity on the catalytic conversion of cyclohexane over 0.500 g of CuACPII catalyst pretreated by air at 500 °C in flow system under normal pressure at 350 °C | 102 |
| 19 | The effect of space velocity on the catalytic conversion of cyclohexane over 0.500 g of CuACPII catalyst pretreated by air at 500 °C in flow system under normal pressure at 380 °C | 103 |
| 20 | The effect of space velocity on the catalytic conversion of cyclohexane over 0.500 g of CuACPIII catalyst pretreated by air at 500 °C in flow system under normal pressure at 280 °C | 104 |
| 21 | The effect of space velocity on the catalytic conversion of cyclohexane over 0.500 g of CuACPIII catalyst pretreated by air at 500 °C in flow system under normal pressure at 300 °C | 105 |