

شبكة المعلومات الجامعية







شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

### جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

#### قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ١٥-٥٠ مئوية ورطوبة نسبية من ٢٠-٠٠% To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%



# بعض الوثائـــق الإصليــة تالفــة



# بالرسالة صفحات لم ترد بالإصل



## MOLECULAR AND SEROLOGIC DIAGNOSIS OF DENGUE VIRUS.

#### **Thesis**

Submitted in partial Fulfillment for the Degree of Ph. D. Microbiology

Ву

Eiman Ahmad Salama Elbishbishi

Womens's College Department of Botany and Microbiology Ein- Shams University.



Name:

Eiman Ahmad Salama El-Bishbeishi.

Title:

Molecular and serological Diagnosis of Dengue Virus.

#### This thesis has been approved by:

Professor Dr. Kouka Sand El-Din Abdel-Wahab 1.

Professor of Virology

Faculty of Medicine for Girls

Al Azhar University

Professor Dr. Sohair Abd Al Aziz Mostafa 2.

Professor of Microbiology

Botany Department

Woman's College

Ain Shams University

Dr. Rifky Mohammed Al-Karamany 3.

Virology Consultant

Biomedical Research Center

Cairo

(3 (2) (2)

Head of Botany and Microbiology Department

Professor Dr. Sohair Abd Al Aziz

•

·

#### TABLE OF CONTENTS

LIST OF TABLES	
LIST OF FIGURES	
ABBREVIATIONS	
AIM OF STUDY	1
INTRODUCTION	3
MATERIALS	53
METHODS	60
RESULTS	65
DISCUSSION	108
CONCLUSIONS AND RECOMMENDATIONS.	137
SUMMARY	140
APPENDIX A	147
APPENDIX B	185
REFERENCES	227
ARABIC SUMMARY	
ADADIC ARCTDACT	

#### LIST OF TABLES

Table 1: Classification of viruses into families based on chemical and physical properties

 Table 2:
 Major Arthropod-Borne Viral Zoonoses

Table 3: Members of the Flaviviridae

Table 4: Classification of dengue viruses into -genotypes

Table 5: Clinical grades of dengue hemorrhagic fever.

**Table 6:** Prevalence of IgG antibodies against dengue viruses 1, 2, 3 and 4 in sera from various age groups of feverish Kuwaitis

Table 7: Prevalence of IgG antibodies against Dengue viruses 1.2,3 and 4 in sera from various age groups of Expatriates, Feverish Patients.

Table 8: Dengue antibody seroprevalence rates of feverish Expatriates resident in Kuwait according to their nationals

**Table 9:** Prevalence of IgM antibodies against dengue viruses 1, 2, 3, and 4 in sera from various age groups of feverish Kuwaiti patients.

Table 10: Prevalence of IgM antibodies against Dengue viruses 1, 2, 3, and 4 in sera from various age groups of feverish Expatriates.

Table 11: Prevalence of IgM antibodies against dengue viruses I, 2, 3 and 4 in sera from various groups of feverish Kuwaiti travelers

- **Table 12:** Prevalence of IgM antibodies against Dengue viruses 1, 2, 3 and 4 in sera from various groups of feverish Expatriates
- **Table 13:** The prevalence of IgM and IgG Dengue antibodies in sera from feverish patients admitted to Kuwaiti Hospitals:- Comparison of Results by different methods.
- Table 14: The prevalence of IgG antibodies against Dengue viruses 1,2,3 and 4 in sera from various age groups of healthy expatriates, workers.
- **Table 15:** Level of TNF-α in the culture supernatant (CS) of DV infected human PBL.
- Table 16: Level of IFN-γ in the culture supernatant (CS) of DV infected human PBL.
- **Table 17:** Level of IL-2 in the culture supernatant (CS) of DV infected human PBL.
- **Table 18:** Level of IL-6 in the culture supernatant (CS) of DV infected human PBL.
- Table 19: Level of IL-4 in the culture supernatant (CS) of DV infected human PBL.
- Table 20: Level of IL-5 in the culture supernatant (CS) of DV infected human PBL.
- Table 21: Level of IL-10 in the culture supernatant (CS) of DV infected human PBL.

#### LIST OF FIGURES

- Fig. 1: Shapes and relative sizes of animal viruses of families that include human pathogens in some diagrams certain internal structures of the particles are represented
- Fig. 2: Transmission cycles of two flaviviruses, yellow fever and dengue viruses
- Fig. 3: Steps required for flavivirus infection and transmission by an arthropod.
- Fig. 4: Transmission cycles of Dengue Virus
- Fig. 5: World distribution map of dengue and A aegypti in 1998
- Fig. 6: Immunopathological mechanisms underlying the pathogenesis of dengue hemorrhagic fever.
- Fig. 7: Inside view of PanBio Dengue Rapid Test.
- Fig 8: The reactive control and non reactive control for dot blot IgG ELISA. Positive and negative samples were shown on the work sheet.
- Fig 9: The reactive control and non reactive control for dot blot IgM ELISA.

  Positive and negative samples were shown on the work sheet.
- Fig. 10: Panbio Dengue Rapid Test Device showing the result obtained with serum taken from the patients with secondary dengue virus infection
- Fig 11: PanBio Dengue Rapid Test Device showing the result obtained with serum taken from a patient with primary dengue virus infection
- Fig 12: PanBio Dengue Rapid Test Device showing the result obtained with serum taken from a patient with no dengue infection..
- Fig 13: Agarose gel analysis of the DNA product from RT-PCR of Dengue virus.

- Fig. 14: Agarose gell analysis of DNA product from RT-PCR of the control primers are designed from the human β actin mRNA gene and produce a 661-bp lane 2. Lane 1-shows M.W.123 bp. Lane 3 control negative
- Fig 15: Prevalence of IgG antibodies against dengue viruses 1,2,3, and 4 in sera from various age groups of resident (Bedwins and Travelers Kuwaitis). Sera were tested by dot blot ELISA.
- Fig 16: Prevalence of IgG antibodies against dengue viruses 1,2,3 and 4 in sera from various group of feverish expatriates. Sera were tested by a dot-blot ELISA
- Fig 17: Comparison of the prevalence of dengue IgG antibodies in sera from resident, Bedwins feverish travelers Kuwaitis and expatriates.
- Fig 18: The distribution of percent of positivity according to regions.
- Fig 19: Prevalence of IgM antibodies against dengue viruses 1,2,3 and 4 in sera from various age groups of feverish Kuwaitis. Sera were tested by dot -blot ELISA.
- Fig 20: Prevalence of IgM antibodies against dengue viruses 1,2,3 and 4 in sera from various age groups of feverish expatiates. Sera were tested by dot-blot ELISA
- Fig 21: Comparison of the prevalence of dengue IgM antibodies in sera from the Kuwaiti who traveled and expatriates. The sera were tested by dot blot ELISA
- Fig 22: Prevalence of IgM antibodies against dengue viruses 1,2,3 and 4 in feverish sera from various groups of Kuwaitis travelers. Sera were tested by IgM capture ELISA.
- Fig 23: Prevalence of IgM antibodies against dengue viruses 1,2,3 and 4 in sera from various groups of Expatriates feverish patients. Sera were tested by IgM capture ELISA.