



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكرو فيلم

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم



نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد اعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



شبكة المعلومات الجامعية




بالرسالة صفحات

لم ترد بالأصل

B 2 V A 9

The Acknowledgement



Acknowledgement

I wish to express my sincere thanks and deepest gratitude to **Prof. Dr. Adel Dissawy Bakry Dept. of pharmacology and therapeutics Faculty of Medicine, Ain Shams university**, for giving me the honor of working under his supervision, his kind continuous guidance, persistent encouragement, enthusiastic support, valuable help and keen interest throughout the present work.

I would also wish to express my sincere thanks and gratitude to **Assistant Prof. dr. Salwa Abdel Khalek Nowashi, Dept of pharmacology and therapeutic Faculty of Medicine, Ain Shams University**, who gave me much of her time and experience, for her valuable supervision, patience, fruitful criticism and sincere guidance throughout the present work.

I am also grateful and sincerely thankful to **Dr. Lobna Fouad lecturer in pharmacology and therapeutics Faculty of Medicine, Ain Shams university**, for her guidance, generous advice, stimulating suggestions, and great encouragement throughout the present work.

I would also like to express my thanks to **Mr. Essam A. Ghazaly Assistant lecturer of pharmacology** in the same department for teaching me the technique of isolated rabbit aorta and helping me in the statistical analysis program throughout the present work.

I would also like to extend my thanks to my senior staff and my colleagues at the department of pharmacology for their support and encouragement.

Contents

<i>Subject</i>	<i>Page</i>
Introduction	1
Aim of the work	62
Materials and Method :	
Materials	63
Methods	65
Statistical analysis	75
Results	77
Discussion	133
Summary and Conclusions	142
English Abstract	145
References	146
Arabic Summary	
Arabic Abstract	

List of Figures

	<i>Page</i>
Fig. (1) Electrical and chemical gradients for K^+ in a resting cardiac cell.	24
Fig. (2) Functional characteristics of Na^+ pump and K^+ - Na^+ "leak" channels.	25
Fig. (3) Transport of sodium and potassium ions through protein channels.	26
Fig. (4) Several ion channels play their parts in the secretion of insulin.	31
Fig. (5) Chemical structure of sulphonylureas	33
Fig. (6) Mechanism of action of glimepiride	40
Fig. (7) The effects of streptozotocin on blood glucose level in rats received a single dose of 45 mg/kg IP after 3 weeks.	78
Fig. (8) The effects of glibenclamide on blood glucose level in streptozotocin induced diabetic rats after 3 weeks medication of repeated oral dose 0.9 mg/kg and 1.8 mg/kg daily.	80
Fig. (9) The effects of glimepiride on blood glucose level in streptozotocin induced diabetic rats after 3 weeks medication of repeated oral dose 0.18 mg/kg and 0.72 mg/kg daily.	82
Fig. (10) The effects of glibenclamide on arterial blood pressure in streptozotocin induced diabetic rats after 3 weeks medication of repeated oral dose 0.9 mg/kg and 1.8 mg/kg daily.	86

List of Figures

Page

- Fig. (11) Measuring of the arterial blood pressure showing the effects of streptozotocin 45 mg/kg single dose IP in rats after 3 weeks. 87
- Fig. (12) Measuring of the arterial blood pressure showing the effects of glibenclamide 0.9 mg/kg in streptozotocin induced diabetic rats after 3 weeks of daily oral dose. 88
- Fig. (13) Measuring of the arterial blood pressure showing the effects of glibenclamide 1.8 mg/kg in streptozotocin induced diabetic rats after 3 weeks of daily oral dose. 88
- Fig. (14) The effects of glimepiride on the arterial blood pressure in streptozotocin induced diabetic rats after 3 weeks medication of repeated oral dose 0.18 mg/kg and 0.72 mg/kg daily. 90
- Fig. (15) Measurement of the arterial blood pressure showing the effects of glimepiride 0.18 mg/kg in streptozotocin induced diabetic rats after 3 weeks of daily oral dose. 91
- Fig. (16) Measurement of the arterial blood pressure showing the effects of glimepiride 0.72 mg/kg in streptozotocin induced diabetic rats after 3 weeks of daily oral dose. 91

