



Chemical Studies on the Separation and Purification of Certain Actinides and Fission products by Selected Membranes

A Thesis Submitted by

Zeinab Hasanien Ismail

B.Sc., M.Sc. in Chemistry

Hot Laboratories Centre

Atomic Energy Authority

For

***The Degree of Doctor of Philosophy of Science
(Chemistry)***

To

Chemistry Department

Faculty of Science

Ain Shams University

2008



Chemical Studies on the Separation and Purification of Certain Actinides and Fission products by Selected Membranes

A Thesis Submitted by

Zeinab Hasanien Ismail

**B.Sc., M.Sc. in Chemistry
Hot Laboratories Centre
Atomic Energy Authority**

To

**Chemistry Department
Faculty of Science
Ain Shams University**

For

**The Ph.D. Degree of Science
(Chemistry)**

Supervised by

***Prof. Dr. Sayed S. Abd El-Rehim*
Prof. of Physical Chemistry
Faculty of Science
Ain Shams University**

***Prof. Dr. Hisham F. Aly*
Prof. of Nuclear Chemistry
Ex-Chairman of Atomic
Energy Authority**

***Dr. Eman E. Zaki*
Assist. Prof. of Radiochemistry
Hot Laboratories Center
Atomic Energy Authority**

2008

Approval Sheet for Submission

Title of the thesis: **"Chemical Studies on the Separation and Purification of Certain Actinides and Fission Products by Selected Membranes"**

Name of the Candidate: **Zeinab Hasanien Ismail Hasanien**

This thesis has been approved for submission by Supervisors:

1- Prof. Dr. Sayed Sabet Abd El-Rehim

Signature:.....

Prof. of Physical Chemistry
Faculty of Science, Chemistry Department,
Ain Shams Univeristy

2- Prof. Dr. Hisham Fouad Aly

Signature:.....

Prof. of Nuclear Chemistry &
Ex- Chairman of Atomic Energy Authority



3- Dr. Eman Ezzat Zaki

Signature:.....

Assist. Prof. of Radiochemistry
Hot Lab. Center, Atomic Energy Authority

Prof. Dr. El-Sayed Ahmed Soliman

Chairman of Chemistry Department
Faculty of Science- Ain Shams University



TO My Husband
and
My Family



CONTENTS

	page
ACKNOWLEDGEMENT.....	I
LIST OF TABLES.....	II
LIST OF FIGURES.....	VII
LIST OF SYMBOLS.....	XVII
 <u>1. INTRODUCTION</u>	 1
1.1. General Considerations.....	1
1.2. Actinides and chemistry of Uranium.....	1
1.3. Fission Products.....	5
1.3.1. Strontium and yttrium.....	10
1.3.2. Uranium and zirconium.....	13
1.4. Basic Concept of Membrane Separation Technique.....	16
1.5. Liquid Membranes (LMs).....	18
1.5.1. Solute transport through LMs.....	19
1.5.2. Types and selection of carriers.....	24
1.5.2.1. Ionquest 801.....	27
1.5.3. General types of liquid membrane techniques.....	28
1.5.3.1. Bulk liquid membrane (BLM).....	29
1.5.3.2. Supported liquid membrane (SLM).....	29



CONTENTS

1.5.3.2.1. <i>Stability of supported liquid membranes (SLMs)</i>	34
1.5.3.3. Emulsion liquid membrane (ELM).....	36
1.5.3.3.1. <i>Factors affecting the performance of the ELMs</i>	40
1.5.3.3.2. <i>Instability of ELM and swelling of emulsion</i>	43
1.5.3.3.3. <i>Remediation of the ELM instability</i>	46
1.5.4. Comparison between different types of the LMs.....	47
1.6. Literature Survey	47
1.6.1. Y/Sr system.....	47
1.6.2. Zr/U system.....	58
1.6.3. 2-ethylhexyl phosphonic acid mono-2-ethylhexyl ester (Ionquest 801, EHEHPA).....	66
1.7. Aim of Work	67
<u>2. EXPERIMENTAL</u>	69
2.1. Chemicals and Reagents	69
2.2. Instrumentation	69
2.2.1. General.....	69
2.2.2. Spectrophotometric measurements.....	71
2.2.3. Atomic absorption spectroscopic measurements.....	72
2.2.4. IR spectroscopic measurements.....	72
2.3. Preparation of Main Working Solutions	72
2.3.1. Preparation of aqueous solutions.....	72
2.3.2. Preparation of organic Solutions.....	73
2.4. Procedures of Solvent Extraction and Stripping Experiments	73

2.5. Supported Liquid Membrane System.....	74
2.5.1. Apparatus.....	74
2.5.2. Preparation of supported liquid membrane.....	75
2.5.3. Transport experiment in SLM system.....	75
2.6. Emulsion Liquid Membrane System.....	76
2.6.1. Preparation of emulsion liquid membrane	76
2.6.2. Transport experiment in ELM system.....	76
2.6.3. Stability of the ELM.....	76
2.7. Analytical Techniques.....	77
2.7.1. Spectrophotometric determination of yttrium, uranium, and zirconium.....	77
2.7.1.1. Determination of yttrium.....	77
2.7.1.2. Determination of uranium.....	78
2.7.1.3. Determination of zirconium.....	81
2.7.2. Determination of strontium using atomic absorption spectrometry.....	81
 <u>3. RESULTS AND DISCUSSIONS</u>	 88
3.1. Sr(II)/Y(III) System.....	89
3.1.1. Liquid-Liquid Extraction of Y(III) and Sr(II) by EHEHPA.....	89
3.1.1.1. Effect of shaking time.....	89
3.1.1.2. Effect of pH.....	90
3.1.1.3. Effect of EHEHPA concentration.....	94
3.1.1.4. Effect of metal ion concentration.....	94
3.1.1.5. Extraction equilibrium of yttrium.....	97



CONTENTS

3.1.1.6. Extraction equilibrium of strontium.....	102
3.1.1.7. Infrared spectra.....	104
3.1.1.8. Effect of temperature and thermodynamic functions.....	107
3.1.1.9. Separation factor.....	110
3.1.2. Extraction with Saponified EHEHPA.....	112
3.1.2.1. Effect of sodium salts.....	112
3.1.2.2. Effect of shaking period.....	116
3.1.2.3. Effect of diluent.....	118
3.1.2.4. Effect of hydrogen ion concentration.....	121
3.1.2.5. Effect of extractant concentration.....	124
3.1.2.6. Effect of metal ion concentration.....	124
3.1.2.7. Loading capacity of EHEHPA with Y(III).....	128
3.1.2.8. Effect of chloride ion concentration.....	128
3.1.2.9. Extraction equilibrium of yttrium.....	131
3.1.2.10. Extraction equilibrium of strontium.....	135
3.1.2.11. Infrared spectra.....	138
3.1.2.12. Effect of temperature and thermodynamic functions.....	138
3.1.2.13. Separation factor.....	142
3.1.3. Extraction of Y(III) and Sr(II) from Their Admixture.....	142
3.1.4. Stripping Investigations.....	142
3.1.5. Conclusion.....	145
3.1.6. Separation of Y(III) and Sr(II) by SLM.....	145
3.1.6.1. Effect of hydrodynamic conditions.....	148
3.1.6.2. Influence of the aqueous phases.....	151
3.1.6.2.1. <i>Effect of hydrogen ion concentration (pH) of the feed solution.....</i>	<i>151</i>

3.1.6.2.2. <i>Effect of initial metal concentration in the feed solution</i>	155
3.1.6.2.3. <i>Effect of stripping solution</i>	158
3.1.6.2.4. <i>Effect of NaCl concentration in the feed solution</i>	158
3.1.6.3. <i>Influence of membrane characteristics</i>	163
3.1.6.3.1. <i>Effect of carrier concentration</i>	163
3.1.6.3.2. <i>Effect of the nature of the supporting film</i>	163
3.1.6.4. <i>Modeling of transport across SLM</i>	168
3.1.6.4.1. <i>Transport mechanism</i>	168
3.1.6.4.2. <i>Mathematical modeling</i>	171
3.1.6.5. <i>Membrane efficiency</i>	183
3.1.6.5.1. <i>Membrane stability</i>	183
3.1.7. Separation of Y(III) and Sr(II) with ELM	188
3.1.7.1. <i>Investigation of the stability, efficiency and selectivity of the ELM</i>	188
3.1.7.1.1. <i>Effect of surfactant type</i>	189
3.1.7.1.2. <i>Effect of surfactant concentration</i>	189
3.1.7.1.3. <i>Effect of emulsification time and rotating speed</i>	193
3.1.7.1.4. <i>Effect of stirring speed (speed of agitation)</i>	193
3.1.7.1.5. <i>Effect of extractant concentration</i>	197
3.1.7.1.6. <i>Effect of stripper concentration</i>	200
3.1.7.1.7. <i>Effect of volume fraction of the internal phase</i>	200
3.1.7.1.8. <i>Effect of pH of the feed phase</i>	204
3.1.7.1.9. <i>Effect of the volume ratio of the W/O emulsion to feed solution</i>	204
3.1.7.1.10. <i>Effect of Sr(II) concentration in the feed solution at constant Y(III) Concentration</i>	209
3.1.7.1.11. <i>Effect of NaCl concentration in the feed phase</i>	209



CONTENTS

3.1.7.1.12. <i>Effect of addition of paraffin oil to the membrane phase</i>	212
3.1.7.1.13. <i>Effect of temperature</i>	212
3.1.7.2. Investigation of the demulsification of the ELM.....	212
3.1.7.3. Modeling of the permeation process.....	218
3.1.7.3.1. <i>Evaluation of model parameters</i>	223
3.2. Zr(IV)/U(VI) System	236
3.2.1. Liquid-Liquid Extraction of Zr(IV) and U(VI) by EHEHPA	237
3.2.1.1. Effect of Type of media.....	237
3.2.1.2. Effect of sodium salts.....	239
3.2.1.3. Effect of shaking period.....	239
3.2.1.4. Effect of diluent.....	242
3.2.1.5. Effect of initial pH of the aqueous solution.....	243
3.2.1.6. Effect of chloride ion concentration.....	246
3.2.1.7. Effect of extractant concentration.....	249
3.2.1.8. Effect of metal ion concentration.....	249
3.2.1.9. Extraction equilibrium of zirconium.....	254
3.2.1.10. Extraction equilibrium of uranium.....	255
3.2.1.11. Infrared spectra.....	258
3.2.1.12. Effect of temperature and thermodynamic functions.....	261
3.2.1.13. Separation factor.....	263
3.2.2. Extraction of ZrO(II) and UO₂(II) from Their Admixture	265
3.2.3. Stripping Investigations	265
3.2.4. Conclusion	269
3.2.5. Separation of ZrO(II) and UO₂(II) with ELM	269

3.2.5.1. Effect of surfactant concentration.....	270
3.2.5.2. Effect of emulsification time and rotating speed.....	274
3.2.5.3. Effect of paraffin oil concentration.....	274
3.2.5.4. Effect of stirring speed (speed of agitation).....	278
3.2.5.5. Effect of extractant concentration.....	278
3.2.5.6. Effect of stripper concentration.....	278
3.2.5.7. Effect of volume fraction of the internal phase.....	282
3.2.5.8. Effect of pH of the feed phase.....	282
3.2.5.9. Effect of the volume ratio of the W/O emulsion to feed solution.	282
3.2.5.10. Effect of $\text{UO}_2(\text{II})$ concentration in the feed solution at constant ZrO(II) Concentration.....	286
3.2.5.11. Effect of NaCl concentration in the feed phase.....	286
3.2.5.12. Investigation of the demulsification of the ELM.....	289
3.2.5.13. Modeling of the permeation process.....	289
3.2. General Conclusion.....	301
SUMMARY.....	307
REFERENCES.....	314
ARABIC SUMMARY.....	332



LIST OF TABLES

	Page
Table (1-1) Comparison of the characteristics of liquid membranes.....	47
Table (1-2) Composition of the synthetic cationic mixture	65
Table (2-1) Main chemicals, reagents and extractants used.....	70
Table (3-1) Extraction constant ($K_{ex,Y}$) of 100 mg/l yttrium in pH 3.2 by different concentrations of Ionquest 801 in kerosene at 25 °C....	103
Table (3-2) Extraction constant ($K_{ex,Y}$) of 100 mg/l yttrium by 0.015 M Ionquest 801 in kerosene at different pHs and 25 °C.....	103
Table (3-3) Extraction constant ($K_{ex,Sr}$) of 500 mg/l strontium in pH 3.2 by different concentrations of Ionquest 801 in kerosene at 25 °C	105
Table (3-4) Extraction constant ($K_{ex,Sr}$) of 500 mg/l strontium by 0.015 M Ionquest 801 in kerosene at different pHs and 25 °C.....	105
Table (3-5) Thermodynamic functions for 100 mg/l yttrium extracted from chloride medium at pH 3.2 by 0.015 M Ionquest 801 in kerosene.....	110
Table (3-6) Effect of neutralizing Ionquest 801 [0.015 M] by different NaOH concentrations on the extraction of Y(III) from aqueous chloride solution of pH 3.2.....	113
Table (3-7) Effect of neutralizing Ionquest 801 [0.015 M] by different sodium salts concentrations in the aqueous solution on the extraction of Y(III) from solution of pH 3.2.....	114
Table (3-8) Effect of neutralizing Ionquest 801 [0.015 M] with 2.0 M NaOH on the extraction of Y(III) from aqueous medium containing different sodium salts concentrations at pH 3.2.....	115

Table (3-9)	Dependence of the extraction of Y(III) and Sr(II) by saponified EHEHPA on the nature of diluent.....	118
Table (3-10)	Effect of chloride ion concentration in the aqueous phase on the extraction% of Sr(II) from solution of pH 1.7 by saponified 0.015 M Ionquest 801.....	132
Table (3-11)	Effect of chloride ion concentration in the aqueous phase on the extraction% of Y(III) from solution of pH 1.7 by saponified 0.015 M Ionquest 801.....	132
Table (3-12)	Extraction constant ($K_{ex,Y}$) of 100 mg/l yttrium in chloride medium of pH 1.7 by different concentrations of saponified EHEHPA in kerosene at 25 °C.....	134
Table (3-13)	Extraction constant ($K_{ex,Y}$) of 100 mg/l yttrium in chloride medium by saponified EHEHPA [0.015 M] in kerosene at different pHs and 25 °C	134
Table (3-14)	Extraction constant ($K_{ex,Sr}$) of 500 mg/l strontium in chloride medium by saponified EHEHPA [0.015 M] in kerosene at different pHs and 25 °C.....	137
Table (3-15)	Extraction constant ($K_{ex,Sr}$) of 500 mg/l strontium in chloride medium of pH 1.7 by different concentrations of saponified EHEHPA in kerosene at 25 °C.....	137
Table (3-16)	Thermodynamic functions for yttrium extraction from chloride medium, 2.0 M NaCl, at pH 1.7 by 0.015 M Ionquest 801 in kerosene.....	140
Table (3-17)	Extraction of Y(III) and Sr(II) from their admixture with 0.04 M EHEHPA in kerosene, the aqueous solution containing 2.0 M NaCl at pH 1.7 and at 25 °C.....	144
Table (3-18)	Stripping of Y(III) and Sr(II) from loaded Ionquest 801.....	146
Table (3-19)	Influence of the support used in the membrane phase on the Y(III) and Sr(II) transport.....	166

