Adult Congenital Heart Disease a Growing Population: A Registry of Adult Congenital Heart Disease in Ain Shams University

Thesis

Submitted for Partial Fulfillment of Doctorate Degree in Cardiology

By

Amira Ahmed Nour Eldin

Ain Shams University

Under supervision of

Azza Abdallah Elfiky

Professor of Cardiology Ain Shams University

Hebatallah Mohamed Attia

Assistant Professor of Cardiology Ain Shams University

Alaa Mahmood Roshdy

Assistant Professor of Cardiology Ain Shams University

Dina Adel Ezzeldin

Lecturer of Cardiology Ain Shams University

Ain Shams University **2017**



سورة البقرة الآية: ٣٢



First thanks to **ALLAH** to whom I relate any success in achieving any work in my life.

I'd like to express my respectful thanks and profound gratitude to Azza Abdallah Elfiky, Professor of Cardiology Ain Shams University for her keen guidance, kind supervision, valuable advice and continuous encouragement, which made possible the completion of this work.

I am also delighted to express my deepest gratitude and thanks to **Hebatallah Mohamed Attia**, Assistant Professor of Cardiology Ain Shams University, for her kind care, continuous supervision, valuable instructions, constant help and great assistance throughout this work.

I am deeply thankful to **Alaa Mahmood Roshdy,**Assistant Professor of Cardiology Ain Shams University, for his great help, active participation and guidance.

I wish to introduce my deep respect and thanks to **Dina Adel Ezzeldin**, Lecturer of Cardiology Ain Shams University, for her kindness, supervision and cooperation in this work.

Amira Ahmed Nour Eldin

List of Contents

Title Page No.
List of Tables
List of Figures
List of Abbreviations
Introduction
Aim of the Work
Review of Literature
■ The Scope of the Problem 4
• Natural History and Manegment of Adult Congenital Heart Disease
• Eisenmenger Syndrome 104
Patients and Methods
Results
Discussion
Summary
Limitations & recommendations
Conclusion
References
Master Sheet
Arabic summary

List of Tables

Table No.	Title Pag	ge No.
Table (1):	Recurrence risks of maternal abnormalities.	
Table (2):	Cardiac conditions at highest risk of	
	infective endocarditis for which prophylaxis is recommended when a high-risk procedure is performed	26
Table (3):	Recommendations for prophylaxis of infective endocarditis in highest risk patients according to the type of	
m 11 (4)	procedure at risk	
Table (4):	Recommended prophylaxis for high-risk dental procedures in high-risk patients	
Table (5):	Baseline characteristics of the study group.	
Table (6):	Disease distribution of the study group	
Table (7):	The mode of discovery and the complaint	
Table (8):	Assessment of the functional status of	
	the patient at first Presentation through NYHA class and 6 min walk test	
Table (9):	The incidence and the percentage of the	
_ = = = = = = = = = = = = = = = = = = =	clinical signs	
Table (10):	Previous management of the study population	
Table (11):	Previous surgical intervention in the whole study population	
Table (12):	Previous cardiac catheterization of the study group	
Table (13):	Conservative management in the study	100
	group	139

List of Tables cont...

Table No.	Title	Page No.
Toble (14).	Diagnostic authorograpion in the stu	d
Table (14):	Diagnostic catheterization in the stu group	-
Table (15):	Percutaneous intervention in the stu	
14510 (15).	group	•
Table (16):	Surgical intervention in the stu	
20020 (20)	group	•
Table (17):	Showing the number of GUCH patier	
	who needed Re-intervention eith	
	surgical or catheter	145
Table (18):	Post-operative complications in t	he
	GUCH patients.	146
Table (19):	Number of hospital admissions a	
	exchange transfusion among the stu	dy
	group	
Table (20):	The associated comorbidities in t	
T 11 (01)	whole study population	
Table (21):	Follow up status of the study group	
Table (22):	Gender distribution among the stu	•
T-11- (99).	subgroups.	
Table (23):	Comparison between group 1(acyano group) and group 2 (cyanotic) gro	
	regarding the baseline characteristics.	-
Table (24):	Comparison between the 2 subgroups	
14510 (24).	regard associated comorbidities	
Table (25):	Comparison between the mean PAP,	
10.010 (20)	min walk test and NYHA class, LVI	
	and RVEF at baseline and follow up	
	the whole study population	156
Table (26):	Showing the comparison between t	
	mean PAP, 6 min walk test, NYF	ΗA
	class, LVEF and RVEF at baseline a	nd
	follow up in group 1(acyanotic)	158

List of Tables cont...

Table No.	Title	Page No.
Table (27):	Comparison between the mean PAI min walk test, NYHA, LVEF and RV class at baseline and follow up in gr 2 (cyanotic).	VEF coup
Table (28):	Marital status among female patient the child bearing period included in	ts in
Table (29):	registry	ales the
Table (30):	cyanotic)	162 nong stry
Table (31):	anomalous	HDs rom
Table (32):	Showing the distribution of Cl transmission in the offsprings f patients with CHDs.	HDs rom

List of Figures

Fig. No.	Title	Page No.
Figure (1): Figure (2):	Types of ASD	ting a 1.4 caval view the site of
Figure (3):	ASD Amplatzer device	39
Figure (4):	A, Parasternal long-axis echocy view of a perimemebranous parasternal long axis view of muscular VSD with left to right	VSD. B , of a mid
Figure (5):	Apical 4 chamber echocardiographic complete AVSD with mild right sided AV regurgiatation	hic view of t and left
Figure (6):	A, Parasternal short -axis echooview with a color PDA. Note the the PDA is seen originating from with flow from the aorta enterio (left to right shunt)	ampulla of the aorta ng the PA
Figure (7):	A, suprasternal notch view show coarcation with prominent poster followed by a segment of posterior dilatation in the descending aorta. B, continuous —wave Doppethe COA. Segment shows a hig systsolic amplitude (4.5m/s) with	ving Aortic erioir ridge st stenotic thorathic pler across gh velocity
Figure (8):	Multislice CT showing tigle coaraction just distal to the orient subclavian <i>Goubergrits et a</i>	ht aortic gin of the
Figure (9):	Subcoastal right oblique view RVOT in TOF	

Fig. No.	Title	Page No.
Figure (10):	Magnetic resonance image of th an infant with tetralogy of Fallot.	
Figure (11):	A, anatomy of pulmonary atr	esia with
	VSD, B ,parasternal short a angled up to the pulmonary value side to side comparison with 2I and color Doppler	lve with a D imaging
Figure (12):	2D echo in in severe Ebstein and	maly79
Figure (13):	A, anatomy of D-transpostion of vessels. B, parasternal long demostarting the parallel greaters.	axis view
	charterstic of D- TGA	
Figure (14):	A, anatomy of the Congenitally	
	TGA, B, Apical 2 D view of the L	TGA88
Figure (15):	Double inlet LV apica; 4 chamber v	iew92
Figure (16):	Tricuspid atresia	
Figure (17):	Bidirectional Glenn, Doppler pro Bidirectional Glenn demonstara	
	velocity phasic flow	96
Figure (18):	Pie chart showing gender distr	
	the study group.	
Figure (19):	Pie chart showing marita	
E: (90).	distribution of the study group	
Figure (20):	Baseline characteristics of t group	
Figure (21):	Pie chart showing disease distr	
1 iguit (21).	the study population	
Figure (22):	Pie chart showing the mode of	
	among the study population	

Fig. No.	Title	Page No.
Figure (23):	Pie chart showing the different complaint	
Figure (24):	Pie chart showing assessmen	
_	functional status of the patien	t at first
D ! (0 F)	presentation through NYHA clas	
Figure (25):	Pie chart showing the assessment of the potional status of the potion	
	functional status of the patien presentation through 6 minute w	
Figure (26):	Pie chart showing the incidence	
119410 (20).	percentage of the clinical signs	
Figure (27):	Pie chart showing the incidence	
	percentage of arrhythmias in t	
	population	
Figure (28):	Pie chart showing the previous ma	
E' (90)	of the study population	
Figure (29):	Pie chart showing previous interventions in the study group.	•
Figure (30):	Pie chart showing previous	
1 igure (90).	catheterization distribution of	
	group	v
Figure (31):	Pie chart showing the percenta	
	patients who were	_
	conservatively	
Figure (32):	Pie chart showing the percenta	•
Figure (33):	diagnostic catheter in the study a Pie chart showing the perce	-
rigure (55):	Catheter intervention in the stud	•
Figure (34):	Pie chart showing the perce	
g ()-	surgical intervention in the study	•
Figure (35):	Pie chart showing distribution o	
	who needed Re-intervention	
	surgical or percutaneous	145

Fig. No.	Title	Page No.
Figure (36):	Pie chart showing the post	-
Figure (37):	complications in the study population showing the post operative continuous the study population	mplications
Figure (38):	Pie chart showing the number of	
	transfusion in the study popula	_
Figure (39):	Pie chart showing associated c extracardia comorbidities in	
	population	
Figure (40):	Pie chart showing the follow u	-
Figure (41):	in the study population Gender distribution among the	
rigure (41).	(acyanotic and cyanotic)	
Figure (42):	Comparison between group	
	group) and group 2 (cyano	tic) group
T1 (40)	regarding the baseline characte	
Figure (43):	Comparison between the 2 su	
Figure (44):	regard associated comorbidities Comparison between the mea	
rigure (44).	min walk test and NYHA class,	•
	RVEF at baseline and follow	
	whole study population	157
Figure (45):	Comparison between the mea	•
	min walk test NYHA class,	
	RVEF at baseline and follow u 1(acyanotic)	
Figure (46):	Comparison between the mea	
119410 (10).	min walk test, NYHA, LVEF	
	class at baseline and follow up	
	(cyanotic)	
Figure (47):	Pie chart showing the mark	
	among female patients in bearing period included in this:	
	pearing period included in this i	Teater 101

Fig. No.	Title	Page No.
Figure (48):	Distribution of females in the bearing period among the two	o major
Figure (49):	subgroupsPie chart showing disease dist	
	among the pregnant females	
Figure (50):	Pie chart showing incidence of	
3	transmission in the offsprings of the	
	population	•
Figure (51):	Patient no 1	167
Figure (52):	Patient no 2	168
Figure (53):	Patient no 3	168
Figure (54):	Patient no 4	169
Figure (55):	Patient no 5	169
Figure (56):	Patient no 5	170
Figure (57):	Patient no 6	170
Figure (58):	Patient no 7	171
Figure (59):	Patient no 7	171
Figure (60):	Patient no 8	173
Figure (61):	Patient no 9	173
Figure (62):	Patient no 10	174
Figure (63):	Patient no 11	174
Figure (64):	Patient no 12	175
Figure (65):	Patient no 13	
Figure (66):	Patient no 14	
Figure (67):	Patient no 15	178
Figure (68):	Patient no 15	
Figure (69):	Patient no 16	
Figure (70):	Patient no 16	
Figure (71):	Patient no 17	
Figure (72):	Patient no 17	
Figure (73):	Patient no 18	181
Figure (74):	Patient no 19	181

Fig. No.	Title	Page No.
	D / 10	100
Figure (75):	Patient no 19	
Figure (76):	Patient no 19	
Figure (77):	Patient no 20	
Figure (78):	Patient no 20	183
Figure (79):	Patient no 20	184
Figure (80):	Patient no 21	184
Figure (81):	Patient no 21	185
Figure (82):	Patient no 21	185
Figure (83):	Patient no 22:	186
Figure (84):	Patient no 22:	186
Figure (85):	Patient no 23	187
Figure (86):	Patient no 24	189
Figure (87):	Patient no 25	189
Figure (88):	Patient no 26:	190
Figure (89):	Patient no 26:	190
Figure (90):	Patient no 27	
Figure (91):	Patient no 28	192
Figure (92):	Patient no 29:	
Figure (93):	Patient no 29:	193
Figure (94):	Patient no 30:	
Figure (95):	Patient no 31	
Figure (96):	Patient no 32	
Figure (97):	Patient no 33	
Figure (98):	Patient no 34:	
Figure (99):	Patient no 35	
Figure (100):	Patient no 36	
Figure (101):	Patient no 37	

List of Abbreviations

Abb.	Full term
ADD	A , · 111 1
	Arterial blood pressure
	Angiotensin converting enzyme inhibitor
	Adult congenital heart disease
	Atrial fibrillation
	American heart association
	Automatic implantable cardiac defibrillators
	Aortopulmonary window
	Activated partial thromboplastin time
	Aortic regurgitation
<i>AS</i>	
	Atrial septal defect
AV	Atrioventricular
AV block	Atrioventricular block.
AVconcordance	Atrioventricular concordance
AVA	Aortic valve area
<i>AVR</i>	Aortic valve replacement
AVSD	Atrioventricular septal defect
	Beta human chorionic
<i>CBC</i>	Complete blood picture
	Congenitally corrected TGA
	Congenital heart disease
	Congestive heart failure
	Cardiac magnetic resonance
COP	
	Cesarean section
CXR	Chest X-ray
	Double chambered RV
	Dextro transposition of the great vessels
	Deep vein thrombosis
	Electric cardiogram
	Echocardiography
	European society of cardiology
	Grown-Up congenital heart disease
	I I I I I I I I I I I I I I I I I I

List of Abbreviations cont...

Abb.	Full term
HACEK	Haemophilus,Aggregatibacter,Cardiobacteruim
1110211	hominis, Ekinella , Kingenella
<i>IAA</i>	Interrupted aortic arch
	Intracardiac defibrillator
	Intracardiac echocardiography
	Infective endocarditis.
	International normalization ratio
	Intrauterine growth retardation
<i>IV</i>	_
	Inferior vena cava
	Interventricular septum
<i>LA</i>	_
	Low molecular weight heparin
<i>L-R</i>	~ -
	Levo transposition of the great vessels
LV	
	Left ventricular end diastolic pressure
	Left ventricular ejection fraction
	Left ventricular hypertrophy
LVOT	Left ventricular outflow tract
LVOTO	Left ventricular outflow tract obstruction
MAPCAS	Major aorto pulmonary collaterals
MBT shunt	Modified Blalock Taussig shunt
<i>ME</i>	Mid esophageal
<i>Mg</i>	Milligrams
<i>MPA</i>	Main pulmonary ,
<i>MPAP</i>	Mean pulmonary artery pressure
<i>MRA</i>	Magnetic resonance angiography
<i>MRI</i>	Magnetic resonance imaging
<i>MSCT</i>	Multislice computed tomography
<i>MV</i>	Mitral valve
<i>MVR</i>	Mitral valve replacement
<i>NYHA</i>	New York heart association