



Ain Shams University
College of Women
For Arts, Science and Education
Chemistry Department

Updating Microanalytical Methods for the Determination of Some Heterocyclic Compounds

**A Thesis Submitted for the Degree of Master
In
Inorganic and Analytical Chemistry**

Presented

By

Abdallah Ali Abdallah Ahmed

B. Sc. (1996)

Faculty of science
Chemistry Department
Ain Shams University

Supervised

By

Prof.Dr. Mona Abd El-Aziz Ahmed

Prof. of Analytical Chemistry, Chemistry Department ,College of Women for
Arts, Science and Education, Ain Shams University

Dr. Hassan Abdou Mahmoud Arida

Assistant Prof. of analytical Chemistry, Analytical Chemistry Department Hot
Lab Center – Atomic Energy Authority, Cairo, Egypt

2009

QUALIFICATIONS

Name: Abdallah Ali Abdallah Ahmed

Scientific Degree : B. Sc.

Department : Chemistry

Faculty : Faculty of science

University : Ain Shams University

B. Sc. Graduation Year : 1996

DEDICATION

To

my distinguished parents

I do appreciate my God

for giving me wonderfull parents

who are always supporting me

in all my life.

I also thanks my family

for continuous encouragement and help.

And many thanks my wife and my sons,and my

dughters

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

إِنَّا فَتَحْنَا لَكَ

فَتْحًا مُبِينًا

صَدَقَ اللَّهُ الْعَظِيمُ



Ain Shams University
College of Women
For Arts, Science and Education
Chemistry Department

Updating Microanalytical Methods for the Determination of Some Heterocyclic Compounds

Thesis Advisors

Thesis Approved

Prof. Dr. Mona Abd El-Aziz Ahmed

Prof. of Analytical Chemistry, Chemistry Department
College of Women for Arts, Science and Education, Ain Shams University

A. Prof. Dr. Hassan Abdou Mahmoud Arida

Assistant Prof. of analytical Chemistry, Analytical Chemistry Department Hot
Lab Center – Atomic Energy Authority, Cairo, Egypt

Head of Chemistry Department

Prof. Dr. Samia Mokhtar

Approval of Chemistry Department Council / /2009

Approval of Faculty Council / /2009

Approval of University Council / /2009

Contents

List of Content

List of Figures

List of Tables

Summery

Chapter I

General introductions

I.1. Introduction

I.2 Principle of Potentiometry

I.2.1 Reference Electrode

I.2.1.1. SHE(Standard Hydrogen Electrode)

I.2.1.2. Saturated Calomel Electrode

I.2.1.3. Silver_Silver Chloride Electrode

I.2.2 Indicator electrode

I.2.2.1Metal Indicator Electrodes

I.2.2.2 Ion Selective Electrodes (Membrane Indicator Electrodes)

I.3 Principle of Ion Selective Electrode

I.4 Methods for Determination of Potentiometric

Selectivity Coefficient

I.4.1 Fixed Interference Method (FIM).

I.4.2 Separate Solutions Method (SSM).

I.4.3-Mixed Solutions Method (MSM)

I.4.4 Matched Potential Method (MPM)

I.5 Characterization and Nomenclature of an Ion-Selective Electrode

I.5 .1. Activity.

I.5 .2. Activity Coefficient

I.5.3. Calibration Plot

I.5.4. Combination Electrode

I.5.5.Potentiometric Selectivity Coefficient

I.5.6. Detection Limit

I.5.7. Response Time

I.6 Classification of Ion Selective Membrane Electrodes

I.6.1. Solid Membranes Electrodes

I.6.1.1. Glass Membrane Electrode

I.6.1.2. Homogenous or Conventional Solid-State-Membrane Electrodes

I.6.1.3. Heterogeneous Solid-State-Membrane Electrodes

I.6.2. Liquid Membrane Electrodes

I.6.3. Liquid/Polymeric Anion-Selective Membrane Electrodes

I.6.4. Modified ISEs (Special Membranes Electrodes)

I.6.4.1. Gas-Sensing Membrane Probes

I.6.4.2. Enzyme Electrodes

I.7 Reference

Chapter II

Determination of Pyrimethamine by Ion Selective Membrane Electrode

II.1. Introduction

II.2. Important Methods Reported for the Determination of Pyrimethamine

II.2.1. Voltametry

II.2.2. Chromatography

II.2.3. Spectrophotometry

II.3. Experimental

II.3.1. Instrumentations

II.3.2. Reagents and Materials

II.4. Procedure

II.4.1 Preparation of Pyrimethamine -Phosphomolibdate Ion-Pair Complex

II.4.2 Preparation of Pyrimethamine –Tetraphenylborate Ion Pair Complex

II.4.3 Preparation of Pyrimethamine – Phosphotungstate Ion Pair Complex

II.4.4. Preparation of the Electroactive Membrane Material

II.4.5. Construction of Membrane Electrodes

II.4.6. Calibration of the Electrodes

II.4.7. Determination of Electrode Selectivity Coefficients

II.4.8. Effect of pH on the Electrode Response

II.4.9 Determination of Pyrimethamine in Pharmaceutical Preparations

II.5. Results and Discussion

II.5.1. Nature and Composition of Pyrimethamine Based Selective Membranes Electrode

II.5.2 Potential Response of Pyrimethamine Electrodes

II.5.3 Response Time and Stability of the Membranes

II.5.4 Effect of pH

II.5.5. Potentiometric Selectivity Coefficients

II.5.6. Analytical Application of Pyrimethamine Electrodes

II.6. Conclusion

II.7. References

Chapter III

Domperidone Selective Electrode and its Pharmaceutical Application

III.1 Introduction

III.2. Important Methods Reported for The Determination of Domperdone

III.2.1. Chromatography

III.2.2. Spectrophotometry

III.3. Experimental

III.3.1. Instrumentation

III.3.2. Reagents and Materials

III.3.3. Membrane and Electrode Preparation

III.3.4. Calibration of the Electrodes

III.3.5. Determination of Electrode Selectivity Coefficients

III.3.6. Effect of pH on the Electrode Response

III.3.7 Determination of Domperidone in Pharmaceutical Preparations

III.4. Results and Discussion

III.4.1. Nature and Composition of Domperidone Based Membrane Electrodes

III.4.2. Potential Response of Domperidone Electrodes

III.4.3 Response Time and Stability of the Membranes

III.4.4. Effect of pH on Domperidone Electrodes

III.4.5 Potentiometric Selectivity Coefficients

III.4.6 Analytical Application of Domperidone Electrodes

III.5. Conclusion

III.6. Reference

Chapter IV
Preparation, Characterization, and Analytical Application of Ramipril Membrane Based Ion Selective Electrode

- IV.1. Introduction
- IV.2. the Important Methods Reported for the Determination of Ramipril
 - IV.2.1. Chromatography
 - IV.2.2. Spectrophotometry
 - IV.2.3. Voltametry
 - IV.2.4. Ion Selective Membrane
- IV.3. Experimental
 - IV.3.1. Instrumentation
 - IV.3.2. Reagents and Materials
 - IV.3.3. Ramipril Membrane Based Ion Selective Electrodes
 - IV.3.4. Electrochemical Evaluation of the Electrodes
 - IV.3.5. Analytical Application of Ramipril Electrodes
- IV.4. Results and Discussion
 - IV.4.1. Nature and Composition of Ramipril Based Membranes
 - IV.4.2. Electrochemical Evaluation of Ramipril Electrodes
 - IV.4.2.1 Calibration Curve
 - IV.4.2.2 Dynamic Response
 - IV.4.2.3 Effect of pH
 - IV.4.2.4 Selectivity Coefficient
 - IV.4.3. Analytical Application of Ramipril Electrodes
- IV.5. Comparison with a Previous Electrode
- IV.6. Conclusion
- IV.7. References

List of Figures

Chapter I

Fig. (I.1) Galvanic Cell Diagram

Fig. (I.2) Schematic Diagram of Membrane Electrode Measuring Circuit and Cell Assembly.

Fig. (I.3) Definition of the Upper and Lower Detection Limits of an Ion-Selective Electrode

Fig. (I.4) Response Time

Chapter II

Fig. (II.1) Structure of Pyrimethamine

Fig. (II.2) PVC Matrix Ion Selective Electrode

Fig. (II.3) Potentiometric Calibration Response of Pyrimethamine Based Selective Electrodes

Fig. (II.4) The Dynamic Response Time of Pyrimethamine-Phosphomolibdate Electrode

Fig. (II.5) The Dynamic Response Time of Pyrimethamine-Tetraphenylborate Electrode

Fig. (II.6) The Dynamic Response Time of Pyrimethamine-phosphotungstate Electrode

Fig. (II.7) Effect of pH on the Potential of The Pyrimethamine Phosphomolibdate PVC Membrane Electrode

Fig. (II.8) Effect of pH on the Potential of the Pyrimethamine – Tetraphenylborate PVC Membrane Electrode

Fig. (II.9) Effect of pH on the Potential of The Pyrimethamine Phosphotungstate PVC Membrane Electrode

Chapter III

Fig. (III.1) Structure of Domperidone

Fig. (III.2): Potentiometric Calibration Response of Domperidone Based Selective Electrode

Figure (III.3): The Dynamic Response Time of Domperidone Tetraphenylborate Based Electrode

Fig. (III 4): The Dynamic Response Time of Domperidone-Phosphomolibdate Based Electrode

Fig. (III. 5): Effect of pH on the Potential of Domperidone-Tetraphenylborate PVC Membrane Electrode

Fig. (III. 6): Effect of pH on the Potential of Domperidone

Phosphomolibdate PVC Membrane Electrode.

Chapter IV

Fig. (IV. 1) Structure of Ramipril

Fig. (IV.2): Potentiometric Response of Ramipril Based Selective Electrode

Fig. (IV.3):The Dynamic Response Time of Domperidone Tetraphenylborate Based Electrode

Fig. (IV. 4): The Dynamic Response Time of Domperidone Phosphomolibdate PVC Membrane Electrode

Fig. (IV. 5): Effect of pH on the Potential of the Ramipril-Phosphomolibdate PVC Membrane Electrode

Fig. (IV. 6): Effect of pH on the Potential of the Ramipril-Tetraphenylborate PVC Membrane Electrode

List of Tables

Chapter II

Table (II. 1). Response Characteristics for Pyrimethamine Selective Membrane Electrode

Table (II.2) Selectivity Coefficient of Pyrimethamine Based Electrodes

Table (II.3) The Accuracy and Reliability of Result obtained with Pyrimethamine PVC Matrix Membrane Electrodes

Chapter III

Table(III.1) Response Characteristics for Domperidone Selective Membrane Electrode

Table(III.2) Selectivity Coefficient of Domperidone Based Electrodes

Table (III.3):The Accuracy and Reliability of Result Obtained with Domperidone PVC Matrix Membrane Electrode

Table (III.4):Determination of Domperidone in Some Pharmaceutical Preparations

Chapter IV

Table (IV.1) Response Characteristics of Ramipril Membrane Based Selective Electrodes

Table(IV.2)Potentiometric Selectivity Coefficients

Table(IV. 3) The Accuracy and Reliability of Result Obtained with Ramipril PVC Matrix Membrane Electrode

Table (IV.4) Determination of Ramipril in Some Pharmaceutical Preparations.

Table(IV.5) Comparison of Performance Characteristics of Ramipril Electrodes

Page

i

v

vii

viii

1

2

4

4

5

6

6

7

7

7

11

11

11

12

12

13

13

13

14

14

14

15
17
18
19
19
19
20
21
22
22
22
23
25

odes

28

29
29
29
31
32
32
33
34

34

35

35
36
36
38
38
39

	40
	41
	41
	42
	44
	48
	50
	52
	54
	55
ns	
	57
	58
	58
	60
	61
	61
	61
	63
	64
	64
	66
	66
	67
	67
	68
	70
	72
	74
	76
	79
	80