

# Separation and Identification of the Components of Acacia Sieberiana Stem Park Plant Extract and Study its Safety as a Treatment Drug of Diarrhea

A thesis submitted for the fulfillment of Master Degree of Science in Analytical Chemistry

(M.SC)

#### BY

Hany Fathy Ahmed Elmezian

B. Sc. of Chemistry (2006) Faculty of Science Ain shams University



# Separation and Identification of the Components of Acacia Sieberiana Stem Park Plant Extract and Study its Safety as a Treatment Drug of Diarrhea

#### **BY**

#### Hany Fathy Ahmed Elmezian

B. Sc. Chemistry (2006)

This thesis submitted for the fulfillment of Master Degree of Science in inorganic and Analytical Chemistry and has been approved by:


| Prof.Dr. Fatma M. El Zawawy  | •••••          |
|--|----------------|
| Professor of Inorganic and Analy<br>Faculty of science, Ain shams Un | •              |
| Dr. Salah M. EL-Helbawy  | •••••          |
| Forensic Medical Authority, Tox<br>department, ministry of Justice,  | 3.             |
| Dr. Mohamed Mostafa  |                |
| Forensic Medical Authority, Tox<br>ministry of Justice, Cairo, Egypt | 3 <b>.</b> 3 1 |
| Date of examination: / /   |                |

Head of Chemistry Department

Prof. Dr. Ibrahim H. A. Badr

This thesis has not been previously submitted for any degree at this or any other university.

## Hany Fathy Ahmed Elmezian



### Acknowledgement

First of all, great thanks and praise to *Allah* for giving me prosperity and strength to fulfill this work.

All appreciation and dept are to *Prof. Dr. Fatma M. El Zawawy*; Professor of Inorganic and Analytical Chemistry Department, Faculty of science, Ain shams University, for her valuable supervising, encouragement and sincere help through all stages of the study.

All gratitude and thanks are to *Dr. Salah M. EL-Helbawy*; Forensic Medical Authority, Toxicology and drug department, ministry of Justice, Cairo, Egypt, for his much appreciated Supervising, effective guidance, offering facilities and fruitful discussions in all steps of this study.

Special thanks and are to *Dr. Mohamed Mostafa*; Forensic Medical Authority, Toxicology and drug department, ministry of Justice, Cairo, Egypt, for following up the details and his valuable help until the completion of this work. Many thanks are to the Chairman, Professors, doctors and staff members of Chemistry Department, Faculty of Science, Ain Shams University.

Special gratitude and acknowledgement are to staff of the Forensic Medical Authority, Toxicology and drug department, ministry of Justice, Cairo, Egypt, for all the assistance they rendered and for providing all the facilities and support used to carry out the work.

#### **Contents**

| Title      |   | page   |
|------------|---|--------|
|            |   |        |
|            | Abstract  |        |
|            | Chapter I   |        |
|            | INTRODUCTION AND LITERATURE SURVEY  | 1      |
| I.1.       | Introduction of Acacia Sieberiana   | 1      |
| I.1.1.     | Plant Distribution  | 3<br>5 |
| I.1.2.     | Description and Name Derivation   |        |
| I.1.3.     | Phytochemistry of Acacia Sieberiana   | 6      |
| I.1.4.     | Medicinal uses of Acacia Sieberiana   | 9      |
| I.1.5.     | Toxicity of Acacia Sieberiana   | 10     |
| I.1.5.1.   | Toxicity testing  | 11     |
| I.2.       | Application of Gas Chromatography – Mass Spectrometry (GC - MS) in phytochemical analysis   | 15     |
| I.2.1.     | phytochemical analysis of a number of medicinal plants<br>similar in activity to Acacia Sieberiana have been studied<br>by GC-MS and reported in Literature | 16     |
| I.2.1.1.   | Sheema et al.; 2014   | 16     |
| I.2.1.2.   | V Baby et al.; 2015   | 18     |
| I.2.1.3.   | S.Sulochana et al.; 2016  | 20     |
| I.3.       | Introduction of Haematology   | 22     |
| I.3.1.     | Functions of Blood  | 23     |
| I.3.2.     | Components of Blood   | 24     |
| I.3.2.1.   | White Blood Cells (WBCs)  | 25     |
| I.3.2.2.   | Red Blood Cells (RBC)   | 26     |
| I.3.2.2.1. | Hemoglobin (Hb)   | 27     |
| I.3.2.2.2. | Packed Cell Volume (Hematocrit) (PCV)   | 28     |
| I.3.2.2.3. | Mean Cell Volume (MCV)  | 29     |
| I.3.2.2.4. | Mean Cell Hemoglobin (MCH)  | 30     |
| I.3.2.2.5. | Mean Corpuscular Hemoglobin Concentration (MCHC)  | 30     |

| I.3.2.2.6.  | Red Blood Cell Distribution Width (RDW)                 | 31 |
|-------------|---|----|
| I.3.2.3.    | Platelets   | 32 |
| I.3.2.3.1.  | Mean Platelet Volume (MPV)                              | 32 |
| I.3.2.3.2.  | Platelet Distribution Width (PDW)                       | 33 |
| I.3.2.4.    | Serum   | 34 |
| I.3.3.      | Complete Blood Count                                    | 34 |
|             | CHAPTER II  |    |
|             | MATERIALS AND METHODS                                   | 36 |
| II.1.       | Collection of Plant material                            | 36 |
| II.2.       | Preparation of acetone extract of stem bark of Acacia   | 37 |
|             | Sieberiana (AESBAS) for phytochemical                   |    |
|             | analysis and oral administration                        |    |
| II.3.       | Method  | 39 |
| II.3.1.     | Instrument/ Equipment                                   | 39 |
| II.4.       | Qualitative phytochemical analysis                      | 40 |
| II.4.1.     | Phytochemical screening (screening test)                | 40 |
| II.4.1.1.   | Test for tannins  | 40 |
| II.4.1.2.   | Test for flavonoids                                     | 41 |
| II.4.1.3.   | Test for steroids and terpenes                          | 41 |
| II.4.1.4.   | Test for saponins                                       | 42 |
| II.4.1.5.   | Test for cardiac glycosides                             | 42 |
| II.4.1.6.   | Test for alkaloids                                      | 43 |
| II.4.1.7.   | Test for steroidal ring                                 | 43 |
| II.4.2.     | Principle and application of GC-MS-TMS in               | 44 |
|             | Phytochemical analysis                                  |    |
| II.4.2.1.   | Derivatization Analysis                                 | 50 |
| II.4.2.1.1. | Silylation  | 50 |
| II.4.2.2.   | Derivatization of extract (AESBAS)                      | 52 |
| II.4.2.3.   | GC-MS Programme   | 52 |
| II.4.2.4.   | Identification of components of extract (AESBAS)        | 53 |
| II.5.       | Experimental protocol and description of the test       | 53 |
|             | method on albino rats                                   |    |
| II.5.1.     | Dosage calculation and preparation of stock solution of | 55 |
|             | crude plant extract for experimental animals            |    |
|             | (Oral administration of doses)                          |    |
| II.5.1.1.   | Dosage calculation                                      | 56 |
| II.5.2.     | Gross necropsy  | 62 |
| II.5.3.     | Statistical analysis (data analysis)                    | 62 |

|               | CHAPTER III   |     |
|---------------|---|-----|
|               | RESULTS AND DISCUSSION  | 63  |
| III.1.        | Phytochemical studies analysis of AESBAS (part I)             | 63  |
| III.1.1.      | Phytochemical screening (screening test of AESBAS)            | 64  |
| III.1.2.      | Separation and identification of AESBAS by                    | 65  |
|               | GC-MS-TMS analysis  |     |
| III.1.2.1.    | Confirmation for the presence of tannins in AESBAS            | 70  |
| III.1.2.2.    | Confirmation for the presence of flavonoids in AESBAS         | 72  |
| III.1.2.3.    | Confirmation for the presence of terpenoids in AESBAS         | 75  |
| III.1.2.4.    | Confirmation for the presence of saponins in AESBAS           | 76  |
| III.1.2.5.    | Confirmation for the presence of cardiac glycosides in AESBAS | 79  |
| III.1.2.6.    | The presence of linoleic and Oleic acid in AESBAS             | 81  |
| III.1.2.7.    | The presence of D-Pinitol in AESBAS                           | 82  |
| III.1.2.8.    | The presence of Thiophene derivatives                         | 83  |
| III.1.2.9.    | The presence of Lactic acid di-TMS                            | 84  |
| III.1.2.10.   | The presence of alkaloids not identified by screening test    | 85  |
| III.1.2.10.1  | . The presence of Dion colactone A                            | 87  |
| III.1.2.11.   | The presence of N-(trimethylsilyl)furan-                      | 88  |
|               | carboxaldimine -2   |     |
| III.1.2.12.   | The presence of Sclerodin                                     | 89  |
| III.2.        | Effect of oral administration of AESBAS                       | 93  |
|               | on albino rats (part II)                                      |     |
| III.2.1.      | Study change in weight during experimental study              | 93  |
| III.2.2.      | Study of some haematological parameters                       | 94  |
|               | on albino rats  |     |
| III.2.2.1.    | White Blood cells (WBCs)                                      | 96  |
| III.2.2.1.1.  | Granulocytes (Gran %)   | 98  |
|               | Lymphocyte (Lymph %)  | 100 |
| III.2.2.1.3.  | Monocyte (Mon %)  | 102 |
| III.2.2.2.    |   | 104 |
| III.2.2.2.1.  | Hemoglobin (Hb)   | 106 |
|               | Haematocrit (HCT)   | 108 |
| III.2.2.2.3.  | Mean Cell Volume (MCV)  | 110 |
| III.2.2.2.4.  | Mean Cell Hemoglobin (MCH)                                    | 112 |
| III.2.2.2.5.  | Mean Corpuscular Hemoglobin Concentration (MCHC)              | 114 |
| III.2.2.2.6.  | Red Blood Cell Distribution Width (RDW)                       | 116 |
| II.2.2.3.     | Platelet (PLT)  | 118 |
| III.2.2. 3.1. | . Mean platelet volume (MPV)                                  | 120 |
| III.2.2.3.2.  | Platelet Distribution Width (PDW)                             | 122 |

| Conclusion     | 125 |
|----------------|-----|
| References     | 129 |
| Summary        | I   |
| Arabic Summary | i   |

### **List of figures**

| Figure    | Description  | Page |
|-----------|--|------|
| Figure 1  | Acacia Sieberiana Tree   | 3    |
| Figure 2  | Map of the world showing global distribution                     | 4    |
|           | of the genus acacia  |      |
| Figure 3  | Stem bark of Acacia Sieberiana                                   | 6    |
| Figure 4  | Egyptian goddess Isis  | 7    |
| Figure 5  | Medicinal uses of flavonoids                                     | 8    |
| Figure 6  | pathway of release of HCN by cyanogenic plants                   | 10   |
| Figure 7  | oral administration of albino rats                               | 13   |
| Figure 8  | Scanning EM View: These cells have been electronically           | 24   |
|           | colored to show up in this photo from a scanning electron        |      |
|           | microscope (EM). The red cells are shown in red, the white       |      |
|           | cells in yellow and the platelets in green                       |      |
| Figure 9  | Types of normal and anemic amount of red blood cells             | 27   |
| Figure 10 | serum-and-plasma   | 29   |
| Figure 11 | The dried fresh samples of stem bark of Acacia Sieberiana        | 36   |
| Figure 12 | The Acacia Sieberiana powder after the dried bark was pulverized | 37   |
| Figure 13 | The dried acetone extract of stem bark of                        | 38   |
|           | Acacia Sieberiana (AESBAS)                                       |      |
| Figure 14 | Auto Hematology Analyzer (BC-2800)                               | 39   |
| Figure 15 | Gas Chromatography-Mass Spectrometry (GC-MS)                     | 40   |
| Figure 16 | Schematic of GC-MS   | 44   |
| Figure 17 | Schematic of GC part   | 46   |
| Figure 18 | Schematic of MS part   | 48   |
| Figure 19 | Chemical structure of N, O-Bis(trimethylsilyl)                   | 51   |
|           | trifluoroacetamide (BSTFA)                                       |      |
| Figure 20 | Silylation reaction using N, O-bis(tri methyl-silyl)             | 51   |
| -         | trifluoro- acetamide   |      |
| Figure 21 | Gross necropsy of albino rats after 28 days                      | 62   |
| Figure 22 | Main Chromatogram of GC-MS-TMS analysis of AESBAS                | 68   |
|           | These mass spectra can be identified from the data library       |      |

| Figure 23 | GC-MS-TMS Chromatogram of Benzoic acid, 3, 4, 5-tris (trimethylsilyloxy)-, trimethylsilyl ester (Gallic-Acid-TMS)       | 71 |
|-----------|---|----|
| Figure 24 | GC-MS-TMS Chromatogram of Glucopyranose,1,2,3,4,6-pentakis-o-(trimethylsilyl)   | 72 |
| Figure 25 | GC-MS-TMS Chromatogram of Catechine, penta-TMS-ether (2RCis) (subclass of flavan-3-ols)                                 | 74 |
| Figure 26 | Chemical structure of catechine   | 74 |
| Figure 27 | Chemical structure of Farnesol  | 75 |
| Figure 28 | GC-MS-TMS Chromatogram of silan, tri methyl [(3, 7, 11-(trimethyl-2, 6, 10- dodecatrienyl) oxy] )Farnesol-TMS           | 76 |
| Figure 29 | Chemical structure of Saponins  | 77 |
| Figure 30 | GC-MS-TMS Chromatogram of 5a'-androstan-17-one, 3a', 11a'-bis (trimethylsiloxy)   | 78 |
| Figure 31 | GC-MS-TMS Chromatogram of Sucrose-octa TMS  | 78 |
| Figure 32 | Chemical structure of cardiac glycoside   | 80 |
| Figure 33 | GC-MS-TMS Chromatogram of D-(-)-Fructofuranose, pentakis(trimethylsilyl) ether(isomer2)                                 | 80 |
| Figure 34 | GC-MS-TMS Chromatogram of Oleic acid Trimethyl ester  | 81 |
| Figure 35 | GC-MS-TMS Chromatogram of Linoleic acid   | 82 |
|           | Trimethylsilyl ester  |    |
| Figure 36 | GC-MS-TMS Chromatogram of D-pinitol-TMS   | 83 |
| Figure 37 | GC-MS-TMS Chromatogram of 2-Ethyl-3-<br>methylnaphtho[2,3-b] Thiophene-4,9-dione  | 84 |
| Figure 38 | Chemical structure of 2-Hydroxypropanoic acid (Lactic acid)   | 85 |
| Figure 39 | GC-MS-TMS Chromatogram of Propanoic acid diTMS (Lactic acid di-TMS)   | 85 |
| Figure 40 | Chemical structure of Isoquinoline  | 86 |
| Figure 41 | GC-MS-TMS Chromatogram of 4-[1'-(N-methyl   | 86 |
|           | amino)ethyl]-isoquinoline (isoquinoline derivatives)  |    |
| Figure 42 | GC-MS-TMS Chromatogram of Dion colactone A (naphthylisoquinoline lkaloids)  | 87 |
| Figure 43 | GC-MS-TMS Chromatogram of N-(trimethylsilyl)furan-2-carboxaldimine  | 88 |
| Figure 44 | GC-MS-TMS Chromatogram of Sclerodin   | 89 |
| Figure 45 | Effect of AESBAS on Mean weights of the experimental groups   | 94 |
| Figure 46 | Effect of AESBAS on the WBC level of albino rats (GR300:group 300 mg/kg, GR600:group600mg/kg, GR1200:group1200mg/kg)    | 97 |
| Figure 47 | Effect of AESBAS on the Gran % level of albino rats (GR300:group 300 mg/kg, GR600:group600mg/kg, GR1200:group1200mg/kg) | 99 |

| Figure 48 | Effect of AESBAS on the Lymph % level of albino rats | 101 |
|-----------|--|-----|
|           | (GR300: group 300 mg/kg, GR600:group600mg/kg,        |     |
|           | GR1200:group1200mg/kg)                               |     |
| Figure 49 | Effect of AESBAS on the Mon % level of albino rats   | 103 |
|           | (GR300: group 300 mg/kg, GR600:group600mg/kg,        |     |
|           | GR1200:group1200mg/kg)                               |     |
| Figure 50 | Effect of AESBAS on the RBCs level of albino rats    | 105 |
|           | (GR300:group 300 mg/kg, GR600:group600mg/kg,         |     |
|           | GR1200:group1200mg/kg)                               |     |
| Figure 51 | Effect of AESBAS on the Hb level of albino rats      | 107 |
|           | (GR300: group 300 mg/kg, GR600:group600mg/kg,        |     |
|           | GR1200:group1200mg/kg)                               |     |
| Figure 52 | Effect of AESBAS the HCT level of albino rats        | 109 |
|           | (GR300: group 300 mg/kg, GR600:group600mg/kg,        |     |
|           | GR1200:group1200mg/kg)                               |     |
| Figure 53 | Effect of AESBAS on the MCV level of albino rats     | 111 |
|           | (GR300: group 300 mg/kg, GR600:group600mg/kg,        |     |
|           | GR1200:group1200mg/kg)                               |     |
| Figure 54 | Effect of AESBAS on the MCH level of albino rats     | 113 |
|           | (GR300: group 300 mg/kg, GR600:group600mg/kg,        |     |
|           | GR1200:group1200mg/kg)                               |     |
| Figure 55 | Effect of AESBAS on the MCHC level of albino rats    | 115 |
|           | (GR300: group 300 mg/kg, GR600:group600mg/kg,        |     |
|           | GR1200:group1200mg/kg)                               |     |
| Figure 56 | Effect of AESBAS on the RDW level of albino rats     | 117 |
|           | (GR300: group 300 mg/kg, GR600:group600mg/kg,        |     |
|           | GR1200:group1200mg/kg)                               |     |
| Figure 57 | Effect of AESBAS on the PLT level of albino rats     | 119 |
|           | (GR300: group300 mg/kg, GR600:group600mg/kg,         |     |
|           | GR1200:group1200mg/kg)                               |     |
| Figure 58 | Effect of AESBAS on the MPV level of albino rats     | 121 |
|           | (GR300: group 300 mg/kg, GR600:group600mg/kg,        |     |
|           | GR1200:group1200mg/kg)                               |     |
| Figure 59 | Effect of AESBAS on the PDW level of albino rats     | 123 |
|           | (GR300: group 300 mg/kg, GR600:group600mg/kg,        |     |
|           | GR1200:group1200mg/kg)                               |     |

### **List of tables**

| Table    | Description   | Page |
|----------|---|------|
| Table 1  | OECD'S guideline on volume selection  | 56   |
| Table 2  | Stock solutions from three selected Dosage of a crude plant extract   | 61   |
| Table 3  | Screening Test of AESBAS  | 64   |
| Table 4  | Separation and identification of AESBAS by  | 67   |
|          | GC-MS-TMS analysis  |      |
| Table 5  | Biological activities of some bioactive   | 69   |
|          | compounds of AESBAS   | 0.2  |
| Table 6  | Data mean weights of the experimental groups  | 93   |
| Table 7  | Effect of oral administration of AESBAS on some   | 95   |
| Table 0  | Haematological parameters in albino rats  Macan value, SD and SEM of WDC for Control group Zero modica        | 96   |
| Table 8  | Mean value, SD and SEM of WBC for Control group Zero mg/kg, group 300 mg/kg, group600mg/kg and group1200mg/kg | 90   |
| Table 9  | Mean value, SD and SEM of Gran % for Control group Zero mg/kg,  | 98   |
| 1 abic 3 | group 300 mg/kg, group600mg/kg and group1200mg/kg   | 90   |
| Table10  | Mean value, SD and SEM of Lymph % for Control group Zero mg/kg,   | 100  |
| TableTo  | group 300 mg/kg, group600mg/kg and group1200mg/kg   | 100  |
| Table 11 | Mean value, SD and SEM of Mon % for Control group Zero mg/kg,   | 102  |
| 14010 11 | group 300 mg/kg, group600mg/kg and group1200mg/kg   |      |
| Table 12 | Mean value, SD and SEM of RBCs for Control group Zero mg/kg,  | 104  |
|          | group 300 mg/kg, group600mg/kg and group1200mg/kg   |      |
| Table 13 | Mean value, SD and SEM of Hb for Control group Zero mg/kg,  | 106  |
|          | group 300 mg/kg, group600mg/kg and group1200mg/kg   |      |
| Table 14 | Mean value, SD and SEM of HCT for Control group Zero mg/kg,   | 108  |
|          | group 300 mg/kg, group600mg/kg and group1200mg/kg   |      |
| Table 15 | Mean value, SD and SEM of MCV for Control group Zero mg/kg,   | 110  |
|          | group 300 mg/kg, group600mg/kg and group1200mg/kg   |      |
| Table 16 | Mean value, SD and SEM of MCH for Control group Zero mg/kg,   | 112  |
|          | group 300 mg/kg, group600mg/kg and group1200mg/kg   |      |
| Table 17 | Mean value, SD and SEM of MCHC for Control group Zero mg/kg,  | 114  |
|          | group 300 mg/kg, group600mg/kg and group1200mg/kg   | 111  |
| Table 18 | Mean value, SD and SEM of RDW for Control group Zero mg/kg,   | 116  |
|          | group 300 mg/kg, group600mg/kg and group1200mg/kg   |      |

| Table 19 | Mean value, SD and SEM of PLT for Control group Zero mg/kg, | 118 |
|----------|---|-----|
|          | group 300 mg/kg, group600mg/kg and group1200mg/kg           |     |
| Table 20 | Mean value, SD and SEM of MPV for Control group Zero mg/kg, | 120 |
|          | group 300 mg/kg, group600mg/kg and group1200mg/kg           |     |
| Table 21 | Mean value, SD and SEM of PDW for Control group Zero mg/kg, | 122 |
|          | group 300 mg/kg, group600mg/kg and group1200mg/kg           |     |

#### **ABBRIVIATION**

#### LIST OF SYMBOLS DESCRIPTION

**AESBAS** Acetone extract of stem bark of Acacia Sieberiana

**ANOVA** Analysis of variance

**BSTFA** N, O-Bis (trimethylsilyl) trifluoroacetamide

**CBC** A complete blood count

**CLA** conjugated linoleic acids

**g** gram

**GC** Gas Chromatography

GC- MS Gas Chromatography-Mass Spectrometry

**Gran** Granule (cell biology)

**Hb** Hemoglobin

kg kilogram

**LD50** Lethal Dose, 50%" or median lethal dose

**Lymph** Lymphocyte

MCH Mean Cell Hemoglobin

MCHC Mean Corpuscular Hemoglobin Concentration

MCV Mean Cell Volume

mg milligram

**ml** millilitre

Mon Monocyte

MPV Mean Platelet Volume

MS mass spectrometry

NIST National Institute Standard and Technology library data

**OECD** organization of economic corporation and development's

PCV Packed Cell Volume (Hematocrit)

**PDW** Platelet Distribution Width

PLT Platelets

**P-values** The probability of obtaining a result the hypothesis under

consideration is true

**PVC** Packed Cell Volume

**RBC** Red Blood Cells

**RDW** Red Blood Cell Distribution Width

**RT** Retention Times

**SD** The standard deviation

**SEM** Standard error of mean

TMS Tri-methyl silyl group

WBC White Blood Cells

**WHO** The World Health Organization