# Preparation and Evaluation of Oil Sorbent Materials for Treatment of Hydrocarbons Spillage in Fresh Water

# Presented by Mohamed Elsayed Hassan Keshawy (M.Sc. in Chemistry 2013)

A Dissertation Submitted for the Philosophy Doctor (Ph.D) degree of science in (Organic Chemistry)

To

Department of Chemistry
Faculty of Science, Ain Shams University,
Cairo, Egypt

2016

The Thesis of Mohamed Elsayed Hassan Keshawy entitled "Preparation and Evaluation of Oil Sorbent Materials for Treatment of Hydrocarbons Spillage in Fresh Water" has been reviewed and approved by the following:

THESIS ADVISORS	Approva	al
Prof. Dr. Ahmed Fawzy El-Kafrawy	(	)
Professor of Organic Chemistry,		
Faculty of Science, Ain Shams University (ASU)		
Prof. Dr. Thanaa Abd El-Moghny Mohamed	(	)
Professor of applied organic Chemistry,		
Egyptian Petroleum Research Institute (EPRI)		
Dr. Khalid Ismail Kabel	(	)
Associate Professor of Polymer Chemistry,		
Egyptian Petroleum Research Institute (EPRI)		
Dr. Abdul-Raheim Mahmoud Abdul-Raheim	(	)
Associate Professor of Polymer Chemistry,		
Egyptian Petroleum Research Institute (EPRI)		
Chairman of Chemistry Department,		
Faculty of Science, Ain Shams University		
Prof .Dr. Ibrahim H. A. Badr		

#### **ACKNOWLEDGEMENT**

I am in a greatest thankful to ALLAH, The Most Merciful, The Most Gracious, by the grace of whom the progress and success of the present work. I would like to express my gratitude to my supervisor Professor Ahmed Fawzy El-Kafrawy, professor of organic chemistry, Ain Shams University, Egypt, for his kind supervision and valuable advices throughout all the steps of the work. His valuable knowledge is hardly printed in my mind also, for his guidance throughout my thesis. I'm deeply indebted to **Professor Thanaa Abd El-Moghny**, Professor of applied organic chemistry, Egyptian Petroleum Research Institute (EPRI) for suggesting the point of research her patience and her guidance throughout my thesis. Deep thanks and gratitude to Professor Khalid Ismail Kabel, associate professor of polymer chemistry, Egyptian Petroleum Research Institute, for suggesting the point of research, discussions critical to the progress of the research, for the help he gives to tackle all scientific challenges, for support and encouragement. Words are not enough to thank Professor Abdul-Raheim Mahmoud Abdul-Raheim, associate professor of polymer chemistry, Egyptian Petroleum Research Institute (EPRI) for suggesting the point of research, for his close and continuous supervision, his valuable advices, guidance make this research fruitful and applicable. I am particularly grateful to Professor Ahmed Mohamed Al-Sabagh, director of the Egyptian Petroleum Research Institute for facilitating all the difficulties that I encountered through my research. I'd like also to thank all my colleagues in Egyptian Petroleum Research Institute for their endless help and support. Words are not enough to thank my beloved family for their deep love, patience and their continuous support, especially My Father, My Mother, My sisters, My Wife and My Daughters.

Mohamed Elsayed Hassan Keshawy

### **Table of contents**

List of	abbreviations	I
List of	Tables	III
List of	Figures	.VI
Aim o	f work	ΙX
Summ	ary	XI
	Chapter 1	
1.INT	RODUCTION	. 1
1.1.	Petroleum hydrocarbons	5
1.2.	The water environment	7
1.3.	Impact of oil spill on health and environment	8
1.4.	Largest oil spill accidents related to marine environment	10
1.5.	The threat of oil spills	12
1.5.1.	The impact of oil spills on marine organisms	.13
1.5.2.	The economic effect of oil spills	.14
1.6.	Methods and technologies for oil spill cleanup	15
1.6.1.	Thermal method	16
1.6.2.	Physical (Mechanical) Methods	.17

1.6.2.1.	Booms	18
1.6.2.2.	Skimmers	19
1.6.2.3.	Sorbent	20
1.6.3. Chem	nical Methods	21
1.6.3.1. Di	pispersants	21
1.6.3.2. Su	urface washing agents	22
1.6.3.3.So	olidifiers	22
1.6.4. Biolog	gical method (Bioremediation)	24
1.7. Use o	of sorbent for oil spill cleanup	25
1.7.1. I	Inorganic sorbent	27
1.7.2. n	natural organic sorbent	33
1.7.3. s	synthetic sorbent	40
	Chapter 2	
2. EXPERIM	MENTAI	49
2.1 Materials	s	49
2.1.1. M	Ionomers	49
2.1.2. Cı	rosslinkers	53
2.1.3. In	ntiators	54
2.1.4 Sc	olvents	55

2.2.Procedures	7
2.2.1. Synthesis of poly (styrene-co-p-chloromethyl styrene) (PSCMS)57	7
2.2.2. Synthesis of poly{styrene-co-[4-(methyl acrylate) styrene]} (PSSMA)	8
2.2.3. Synthesis of cross-linked copolymer	3
2.3. Characterization of the prepared compounds6	1
2.4. Evaluation of cross-linked polymers as oil	2
2.4.1. Extraction of soluble fraction	2
2.4.2. Determination of Oil absorption capacity of the prepared organogels	3
2.4.3. Absorption kinetics of the organo-gel	4
Chapter 3	
3. RESULTS AND DISCUSSIONS60	6
3.1. Synthesis of (PSCMS) and (PSSMA) copolymers67	7
3.1.1. Structure confirmation of (PSCMS) and (PSSMA) copolymers70	0
3.1.2. Gel permeation chromatography (GPC)71	1
3.1.3. Particle size analysis75	5
3.1.3.a. Dynamic Light Scattering (DLS)75	5
3.1.3.b. Transmission Electron Microscope (TEM)75	5
3.2. Synthesis of cross-linked copolymers	8

3.3. copolymerization conversion %80
3.4. Soluble fraction measurement83
3.4.1. Copolymerization of PSSMA with EHA84
3.4.2. Copolymerization of PSSMA with LMA86
3.4.3. Copolymerization of PSSMA with ODA88
3.5. Thermal properties of PSSMA/Alkyl acrylate cross-linked copolymers
3.6. Morphology of PSSMA/Alkyl acrylate cross- linked copolymers100
3.7. Oil absorption study of the cross-linked copolymers
3.7.1. Oil absorbency for PSSMA/ EHA cross-linked copolymers110
3.7.1.1. Effect of crosslinker type and content on oil absorbency 110
3.7.1.2. Effect of molar ratio on oil absorbency113
3.7.1.3. Absorption kinetics
3.7.2. Oil absorbency for PSSMA/ LMA cross-linked copolymers122
3.7.2.1. Effect of crosslinker type and content on oil absorbency122
3.7.2.2. Effect of molar ratio on oil absorbency
3.7.2.3. Absorption kinetics
3.7.3. Oil absorbency for PSSMA/ ODA cross-linked copolymers133
3.7.3.1. Effect of crosslinker type and content on oil absorbency133

3.7.3.2. Effect of molar ratio on oil absorbency
3.7.3.3. Absorption kintics
3.7.4. Swelling kinetics of cross-linked PSSMA/Alkyl acrylates oil
sorbent
Chapter 4
CONCLUSION150
Chapter 5
Refrences
Arabic Summary

#### LIST OF ABBREVIATIONS

4-chloromethyl styrene CMS

poly(styrene-co-p-chloromethyl styrene) PSCMS

poly{styrene-co-[4-(methyl acrylate) styrene]} PSSMA

Ethylhexyl acrylate EHA

Lauryl methacrylate LMA

Octadecyl acrylate ODA

Maximum oil absorbency Qmax

Divinyl benzene DVB

Methylene bisacrylamide MBA

Octadecyl acrylate ODA

Scanning Electron Microscopy SEM

Souble fraction SF

Thermal gravimetric analysis TGA

Dimethylformamide DMF

Dichloromethan DCM

Equilibrium solvent content ESC

Swelling kinetic constant K Quantitative structure-activity relationships **QSAR** Volatile organic compounds VOC Polycyclic aromatic hydrocarbons PAH Deep water Horizon **DWH** BP Britch Petroleum Exfoliated graphite EG X-ray diffraction XRD Graphene coated melamine sponges **GCMS** High calcium fly ash **HCFA** Natural wool fibers **NWF** Hydroxypropyl cellulose acrylate **HPCA** Polypropylene PP Polypropylene PU Polystyrene PS Polyvinyl chloride **PVC** Polyethylene terephthalate

High density polyethylene

**PET** 

**HDPE** 

#### **List of Tables**

Table (1.1): Number of oil spills over 7 tonnes from 1970 to 201311
Table (2.1): Physicochemical characteristics of the used solvents56
Table (2.2): standard ingredients for emulsion polymerization of styrene with CMS
Table (2.3): Constituents of the prepared PSSMA/ Acrylate cross-linked copolymers
Table (3.1): GPC results for PSCMS and PSSMA copolymers74
Table (3.2): Percentage of conversion for cross-linked PSSMA/alkyl acrylate oil sorbents
Table (3.3): Soluble fractions in percent for cross-linked PSSMA/EHA oil sorbents
Table (3.4): Soluble fraction in percent for cross-linked PSSMA/LMA oil sorbents
Table (3.5): Soluble fraction in percent for cross-linked PSSMA/ODA oil sorbents
Table (3.6): Thermogravimetric data for crosslinked PSSMA/EHA 50/50 Mole ratios using different concentrations of MBA crosslinker (1-6%)94
Table (3.7): Thermogravimetric data for crosslinked PSSMA/EHA at
different mole ratios using 4% of MBA crosslinker94
Table (3.8): Thermogravimetric data for crosslinked PSSMA/LMA 50/50
Mole ratios using different concentrations of MBA crosslinker (1-6%)97

Table (3.9): Thermogravimetric data for crosslinked PSSMA/LMA at
different mole ratios using 2% of MBA crosslinker97
Table (3.10): Thermogravimetric data for crosslinked PSSMA/ODA 50/50
Mole ratios using different concentrations of MBA crosslinker (1-6%)99
Table (3.11): Thermogravimetric data for crosslinked PSSMA/ODA at
different mole ratios using 2% of MBA crosslinker99
Table (3.12): Absorption characteristics of the PSSMA/EHA copolymers
cross-linked with DVB crosslinker in DMF and chloroform118
Table (3.13): Absorption characteristics of the PSSMA/EHA copolymers
cross-linked with MBA crosslinker in DMF and chloroform119
Table (3.14): Absorption characteristics of the PSSMA/EHA copolymers
cross-linked with DVB crosslinker in toluene and diesel
Table (3.15): Absorption characteristics of the PSSMA/EHA copolymers
cross-linked with MBA crosslinker in toluene and diesel121
Table (3.16): Absorption characteristics of the PSSMA/LMA copolymers
cross-linked with DVB crosslinker in DMF and chloroform129
Table (3.17): Absorption characteristics of the PSSMA/LMA copolymers
cross-linked with MBA crosslinker in DMF and chloroform130
Table (3.18): Absorption characteristics of the PSSMA/LMA copolymers
cross-linked with DVB crosslinker in toluene and diesel131
Table (3.19): Absorption characteristics of the PSSMA/LMA copolymers
cross-linked with MBA crosslinker in toluene and diesel132
Table (3.20): Absorption characteristics of the PSSMA/ODA copolymers
cross-linked with DVB crosslinker in DMF and chloroform141

Table (3.21): Absorption characteristics of the PSSMA/ODA copolymers
cross-linked with MBA crosslinker in DMF and chloroform142
Table (3.22): Absorption characteristics of the PSSMA/ODA copolymers
cross-linked with DVB crosslinker in toluene and diesel
Table (3.23): Absorption characteristics of the PSSMA/ODA copolymers
cross-linked with MBA crosslinker in toluene and diesel144
Table (3.24): Kinetic parameters of pseudo-first-order for PSSMA/alkyl
acrylates oil sorbent in DMF solvent149
Table (3.25): Kinetic parameters of pseudo-second-order for PSSMA/alkyl
acrylates oil sorbent in DMF solvent149

## **List of Figures**

Figure (1.1): Oil weathering processes	13
Figure (3.1): Synthesis scheme of cross-linked PSSMA/Akyl acryl-sorbent material	
Figure (3.2): FTIR for a) PSCMS & b) PSSMA ester	72
Figure (3.3): <sup>1</sup> HNMR for a) PSCMS & b) PSSMA ester	73
Figure (3.4): <sup>13</sup> CNMR PSSMA ester	74
Figure (3.5): particle size distribution of PSCMS	76
Figure (3.6): TEM micrograph of PSCMS copolymer	77
Figure (3.7): Thermogravimetric analysis for PSSMA/EHA 50/50 ratio at different DVB concentrations	
Figure (3.8): Thermogravimetric analysis for PSSMA/EHA different ratio at DVB %	
Figure (3.9): Thermogravimetric analysis for PSSMA/LMA 50/50 ratio at different DVB concentrations	
Figure (3.10): Thermogravimetric analysis for PSSMA/LMA different ratio at DVB 2%	
Figure (3.11): Thermogravimetric analysis for PSSMA/ODA 50/50 ratio at different DVB concentrations	
Figure (3.12): Thermogravimetric analysis for PSSMA/ODA different	molar og

Figure (3.13): SEM images of PSSMA/EHA 2% MBA a) 90/10 & b) 50/50
<u>&amp; c) 10/90</u> 102
Figure (3.14): SEM images of PSSMA/EHA: 50/50 a) 2% DVB & b) 6%
DVB103
Figure (3.15): SEM images of PSSMA/LMA 2% MBA a) 90/10 & b) 50/50
& c) 10/90104
Figure (3.16): SEM images of PSSMA/LMA: 50/50 a) 2% DVB & b) 6%
DVB
Figure (3.17): SEM images of PSSMA/ODA 2% MBA a) 90/10 & b) 50/50
& c) 10/90
Figure (3.18): SEM images of PSSMA/ODA: 50/50 a) 2% DVB & b) 6%
DVB
Figure (3.19): Swelling of PSSMA/EHA (50/50 molar ratio) a) at different DVB content b) at different MBA content
Figure (3.20): Swelling of PSSMA/EHA at different molar ratio in DMF,
CHCl3, Toluene and Diesel for a) at 2%DVB b) at 4% MBA
(crosslinker)114
Figure (3.21): Swelling of PSSMA/EHA at different molar ratio in DMF,
CHCl <sub>3</sub> , Toluene and Diesel for a) at 2%DVB b) at 4% MBA
(crosslinker)116
Figure (3.22): Swelling of PSSMA/LMA (50/50 molar ratio) a) at different
DVB content b) at different MBA content123