

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

”

”

صدق الله العظيم

Validity of multislice computed
tomography in localization of
potential implant site in relation to
inferior alveolar canal (**in vitro**)

Thesis

**Submitted for partial fulfillment of the requirements for
Master degree in Oral Surgery and Radiology**

By

Engy Ali Abdalhaleem Salam

B.D.S, 2000

**Faculty of Oral and Dental medicine
Cairo University**

2007

Supervisors

Dr. Nashwa Salah Mohamed

*Prof. of Oral Radiology
Faculty of Oral and Dental Medicine
Cairo University*

Dr. Thab Basyouni Almadany

*Lecturer of Oral and maxillofacial Surgery
Faculty of Oral and Dental Medicine
Cairo University*

Dr. Naglaa Mohamed Abd elrazek

*Lecturer of Radio Diagnosis
Faculty of Medicine
Cairo University*

دور الأشعة المقطعية متعددة المقاطع فى تحديد مكان
غراسات الأسنان مقارنة بموقع القناة السنخية السفلية
(دراسة معملية)

رسالة مقدمة من

الطبيبة / إنجى على عبدالحليم سلام

بكالوريوس طب وجراحة الفم والأسنان

جامعة القاهرة

(2000)

توطئة للحصول على

درجة الماجستير فى جراحة وأشعة الفم

كلية طب الفم والأسنان

جامعة القاهرة

2007

المشرفون

أستاذ دكتور/ نشوى صلاح محمد

أستاذ الأشعة التشخيصي

كلية طب الفم والأسنان

جامعة القاهرة

دكتور/ إيهاب بسيونى المدنى

مدرس جراحة الفم والأسنان

كلية طب الفم والأسنان

جامعة القاهرة

دكتور/ نجلاء محمد عبدالرازق

مدرس الأشعة التشخيصية

كلية الطب

جامعة القاهرة

DEDICATION

*To my Mother, my dear Husband,
My lovely Kids
Ahmed, Maryam and omar*

Acknowledgement

I would like to express my deep and sincere gratitude to Dr. Nashwa Salah, Professor of Oral Radiology, Faculty of Oral and Dental Medicine, Cairo University, for her generous effort, continuous encouragement, kind advices and valuable suggestions.

I am also very grateful to Dr. Ehab Bassiouny Elmedany Lecturer of Oral and Maxillofacial Surgery Faculty of Oral and Dental Medicine Cairo University for his voluble help, guidance, willing assistance, great supervision and for the time he devoted during this work.

Words can never express my deep thanks to Dr. Naglaa Mohamed Abd elrazek, Lecturer of Radio Diagnosis Faculty of Medicine Cairo University for her sincere cooperation, great help, guidance, valuable orientation and supervision and for the time she freely gave me during this work.

I would like to express my deepest gratitude to Dr. Soad Mansour, Professor of Oral Radiology, Faculty of Oral and Dental Medicine, Cairo University, for her valuable cooperation.

I am deeply thankful to all members of Oral Radiology Department, Faculty of Oral and Dental Medicine for their great help during this work.

I am also greatly thankful to all members of the Radiology Department of Military production Specialized Medical Center (Helwan), especially technician Rabeh Mansour for his great help during this work,

LIST OF CONTENTS

	Page
List of tables.....	iii
List of figures.....	vi
List of abbreviations.....	xi
INTRODUCTION.....	1
REVIEW OF LITERATURE.....	4
Development of the mandible.....	4
Anatomy of the mandible.....	6
Anatomy of the mandibular canal.....	11
Nerve supply to the mandible.....	12
Inferior alveolar nerve.....	12
Arterial supply to the mandible.....	14
Dental implant.....	16
Classification of dental implants.....	17
Anatomic pre-requisites of dental implants.....	22
Success of implants.....	24
Patient selection criteria.....	25
Contraindications of implants.....	26
Failure of implants	27
Implant radiography	30
Radiographic evaluation of dental implants	31

CT scan: History, Physical background, Technology, and Development.....	40
Basic principle- plain radiographs and basic tomography	41
Single slice axial CT scanners.....	42
Single-Slice Helical CT Scanners.....	44
Multislice CT Scanning.....	47
Principles of multislice CT	48
Detector rows.....	49
Detector Array Design	50
Selection of section thickness	53
Pitch.....	57
Scanning speed	59
Image quality	61
Dose	63
Surgical anatomic consideration for dental implant imaging and Reconstruction in the mandible.....	65
Previous studies on dental implant using CT.....	67
 AIM OF WORK	 68
MATERIAL AND METHODS	69
RESULTS.....	84
CASE PERSENTATION.....	116
DISCUSSION.....	132
SUMMARY and CONCLUSION.....	139
REFERANCES.....	143

LIST OF TABLS

Table		page
Table (1)	The possible combination of section width available for each configuration	55
Table (2)	Summary of the scan parameters.	71
Table (3)	Statistical parameters used to compare between physical and 2D measurements of bone height. .	84
Table (4)	Analysis of variance for character(s) of physical and 2D measurements of bone height from the IAC to the alveolar crest.	84
Table (5)	Statistical parameters used to compare between physical and 3D measurements of bone height.	86
Table (6)	Analysis of variance for character(s) of physical and 3D measurements of bone height from the IAC to the alveolar crest	86
Table (7)	Statistical parameters used to compare between 2D and 3D measurements of bone height.	88
Table (8)	Analysis of variance for character(s) of 2D and 3D measurements of bone height from the IAC to the alveolar crest.	88
Table (9)	Statistical parameters used to compare between physical, 2D and 3D measurements of bone height.	90
Table (10)	Analysis of variance for character(s) of physical, 2D and 3D measurements of bone height from the IAC to the alveolar crest.	90
Table (11)	Statistical parameters used to compare between physical and 2D measurements of bone width at 2mm from the alveolar crest.	92
Table (12)	Analysis of variance for character(s) of physical and 2D measurements of bone width at 2mm from the alveolar crest.	92

Table		Page
Table (13)	Statistical parameters used to compare between the physical and 3D measurements of bone width at 2mm from the alveolar crest.	94
Table (14)	Analysis of variance for character(s) of physical and 3D measurements of bone width at 2mm from the alveolar crest.	94
Table (15)	Statistical parameters used to compare between 2D and 3D measurements of bone width at 2mm from the alveolar crest.	96
Table (16)	Analysis of variance for character(s) of the 2D and 3D measurements of bone width at 2mm from the alveolar crest.	96
Table (17)	Statistical parameters used to compare between physical, 2D and 3D measurements of bone width at 2mm from the alveolar crest.	98
Table (18)	Analysis of variance for character(s) of the physical, 2D and 3D measurements of bone width at 2mm from the alveolar crest.	98
Table (19)	Statistical parameters used to compare between the physical and 2D measurements of bone width at 2mm from the IAC.	100
Table (20)	Analysis of variance for the character(s) of physical and 2D measurements of bone width at 2mm from the IAC	100
Table (21)	Statistical parameters used to compare between physical and 3D measurements of bone width at 2mm from the IAC.	102
Table (22)	Analysis of variance for character(s) of the physical and 3D measurements of bone width at 2mm from the IAC.	102
Table (23)	Statistical parameters used to compare between 2D and 3D measurements of bone width at 2mm from the IAC.	104
Table (24)	Analysis of variance for character(s) of 2D and 3D measurements of bone width at 2mm from the IAC.	104

Table		Page
Table (25)	Statistical parameters used to compare between physical, 2D and 3D measurements of bone width at 2mm from the IAC.	106
Table (26)	Analysis of variance for character(s) of physical, 2D and 3D measurements of bone width at 2mm from the IAC	106
Table (27)	Statistical parameters used to compare between the physical and 2D measurements of bone width midway between the alveolar crest and the IAC.	108
Table (28)	Analysis of variance for the character(s) of the physical and 2D measurements of bone width at a point midway between the alveolar crest and the IAC.	108
Table (29)	Statistical parameters used to compare between physical and 3D measurements of bone width at a point midway between the alveolar crest and the IAC.	110
Table (30)	Analysis of variance for the character(s) of the physical and 3D measurements of bone width at a point midway between the alveolar crest and the IAC.	110
Table (31)	Statistical parameters used to compare between 2D and 3D measurements of bone width at a point midway between the alveolar crest and the IAC.	112
Table (32)	Analysis of variance for the character(s) of 2D and 3D measurements of bone width at a point midway between the alveolar crest and the IAC.	112
Table (33)	Statistical parameters used to compare between physical, 2D and 3D measurements of bone width at a point midway between the alveolar crest and the IAC.	114
Table (34)	Analysis of variance for the character(s) of physical, 2D and 3D measurements of bone width at a point midway between the alveolar crest and the IAC.	114

LIST OF FIGURES

Figure		Page
Figure (1)	Mandible. Outer surface. Side view	8
Figure (2)	Mandible. Inner surface. Posterior view	10
Figure (3)	The four types of intrabony branching of inferior alveolar nerve rendered in 3D on a hemi-mandibles	13
Figure (4)	Arterial supply of the mandible	15
Figure (5)	Original Branemark implant fixture	16
Figure (6)	Different generation CT scanners	40
Figure (7)	Technique of spiral CT	45
Figure (8)	Single-slice versus Multi-slice CT.	50
Figure (9)	Detector array design of MSCT scanners.	52
Figure (10)	Selection of section thickness.	53
Figure (11)	Degrading image quality using pitch and section thickness.	60
Figure (12)	Three-dimensional image of one of our cases reconstructed from CT axial cuts obtained by our 4-slice CT scanner	62
Figure (13)	Skull positioning on the multislice spiral CT machine	69

Figure		Page
Figure (14)	Multislice CT machine.	70
figure (15)	Acquisition unit.	71
Figure(16)	Scout view of axial multislice CT cuts.	72
Figure (17)	Processing unit.	73
Figure (18)	Axial view of ToothPix protocol demonstrating the selected slice (arrow) at 10 mm posterior to the mental foramen.	75
Figure (19)	2D CT orthoradially reformatted image showing localization of inferior alveolar canal in proximity to superior alveolar crest.	76
Figure (20)	3D CT image showing the selected point at 10 mm posterior to mental foramen and applying the cutting mode to the area of the mandible using additional tools.	77
Figure (21)	3D CT image showing satisfactory visualization of inferior alveolar canal and linear measurement were made using computer software.	78
Figure (22)	2D CT showing bone width measurements at 2mm from crest (1) and at 2mm from IAC (2) and midway (3).	79
Figure (23)	3D CT image Showing bone width measurements at a point 2mm from the alveolar crest.	80
Figure (24)	Dissection of the mandible.	81
Figure (25)	The caliper used in physical measurements.	82
Figure (26)	Bone height measurements from the IAC using a caliber.	82
Figure (27)	Bone width measurements using a caliber.	83