A Study of Post - marketing Stability of Selected

Pharmaceutical Products

A Thesis

Presented to Faculty of Pharmacy, Alexandria University
In Partial Fulfillment of the
Requirements for the Degree
of

Master of Pharmaceutical Sciences

In **Pharmaceutics**

Presented By

SAHAR MAHFOUZ ABDEL HAKEEM DARWISH

A Study of Post – marketing Stability of Selected Pharmaceutical Products

Presented by

SAHAR MAHFOUZ ABDEL HAKEEM DARWISH

B. Pharm. Sci , Alexandria University For the Degree of

Master of Pharmaceutical Sciences

In

Pharmaceutics

Examiner's Committee	Approved
Prof. Dr. Saleh Ali Hassan Khalil Emeritus Professor of Pharmaceutics Faculty of Pharmacy Alexandria University	
Prof . Dr . Nabila Ahmed Borai Professor and Head of Department of Pharmaceutics Faculty of Pharmacy Alexandria University	
Prof. Dr. Mohamed Ahmed Etman Professor of Pharmaceutics Faculty of Pharmacy Alexandria University	
Prof .Dr. Sanaa Abdel-Ghany Mahmoud El-Gizawy Professor and Head of Department of Pharmaceutical Technology Faculty of Pharmacy Tanta University	

Advisors 'Committee

Prof. Dr. Saleh Ali Hassan Khalil

Emeritus Professor of Pharmaceutics Faculty of Pharmacy Alexandria University

Prof. Dr. Mohamed Ahmed Etman

Professor of Pharmaceutics Faculty of Pharmacy Alexandria University

Dr. Magdi Guirguis Morcos

Former Head of Research and Quality Control Sector Alexandria Company for Pharmaceuticals and Chemical Industries Alexandria, Egypt

بسم الله الرحمن الرحيم

To my mother, my husband and my sons Always present Always supporting

دراسة ثباتية مستحضرات صيدلية مختارة بعد التسويق

رسالة مقدمة من

الصيدلانية /سحر محفوظ عبد الحكيم درويش

بكالوريوس العلوم الصيدلية ، جامعة الإسكندرية

إلى كلية الصيدلة - جامعة الإسكندرية

كجزء من متطلبات الحصول على درجة الماجستير في العلوم الصيدلية

(صيدلانيات)

موافقون	لجنة المناقشة والحكم على الرسالة
	ا.د صالح على حسن خليل أستاذ غير متفرغ بقسم الصيدلانيات كلية الصيدلة، جامعة الإسكندرية
	ا.د نبيلة أحمد برعى أستاذ ورئيس قسم الصيد لانيات كلية الصيدلة ، جامعة الإسكندرية
	ا.د محمد أحمد السيد عتمان أستاذ بقسم الصيدلانيات كلية الصيدلة ، جامعة الإسكندرية
	ا.د سناء عبد الغنى محمود الجيزاوى أستاذ ورئيس قسم التكنولوجيا الصيدلية كلية الصيدلة ، جامعة طنطا

كلية الصيدلة جامعة الإسكندرية ٢٠١٠

لجنة الإشراف

أ. د. صالح على حسن خليل
 أستاذ غير متفرغ بقسم الصيدلانيات
 كلية الصيدلة ، جامعة الإسكندرية

أ.د محمد أحمد السيد عتمان أستاذ بقسم الصيدلانيات كلية الصيدلة ، جامعة الإسكندرية

د. مجدى جرجس مرقص الرئيس الأسبق لقطاع الأبحاث والرقابة شركة الإسكندرية للأدوية والصناعات الكيماوية

بسم الله الرحمن الرحيم

ACKNOWLEDGEMENTS

First of all, I have to thank **ALLAH** most gracious, most merciful for helping me go through with this work and for letting come to an end.

I wish to express my sincere gratitude and appreciation to Professor **Saleh Ali Hassan Khalil**, Emeritus Professor of pharmaceutics, Faculty of Pharmacy, Alexandria University, for proposing the subject of this thesis, and for his sincere help, patience and supervision which made the accomplishment of this thesis possible. It is an honour being his student.

My sincere appreciation and everlasting thanks to Professor

Mohamed Ahmed Etman, Professor of pharmaceutics, Faculty of Pharmacy, Alexandria University, for his support, follow up and continual encouragement. I am profoundly grateful to him.

My deepest thanks are addressed to **Dr** .Magdi Guirguis Morcos,

Former Head of Research and Quality Control Sector, Alexandria Company for pharmaceuticals for his sincere support, and for providing all the facilities that made this work exists.

I wish to express my sincere gratitude to Professor **Abdel -Aziz Wahbi,** Emeritus Professor of Pharmaceutical Analytical chemistry, Faculty of Pharmacy, Alexandria University, for his valuable discussions and support.

Thanks are extended to Professor **Farid Gabra Soliman**, Emeritus Professor of Pharmaceutical chemistry, Faculty of Pharmacy, Alexandria University, for his kind assistance and encouragement.

I am grateful to **Professor Adnan Ahmed Bekhit**, Professor of Pharmaceutical chemistry, Faculty of Pharmacy, Alexandria University, for preparing acetylparacetamol.

Special thanks to **Professor Suzy Sabri Nessim**, Professor of Pharmaceutical Analytical chemistry, Faculty of Pharmacy, Alexandria University, for her generous assistance in Part Two.

I would like to thank **Dr.Randa El Kabbany** General manager of R&D and my colleagues in the R& D department especially **Technology and Methodology colleagues** who helped me to make this thesis a reality.

Finally, a special debt of gratitude is acknowledged to my husband, whose generous help, honest prayers and real sacrifices have all been invaluable.

Sahar Mahfouz

CONTENTS

	Page Number
Acknowledgements	i
Contents	ii
List of Tables	iii
List of Figures	vi
General introduction	1
Aims of the thesis	14
PART ONE	15
Post-marketing stability testing of commercial batche	
Eye and Ear Drops marketed in Egypt.	
Chapter One	16
Post-marketing stability testing of commercial batche Eye Drops marketed in Egypt.	es of Chloramphenicol
Review of literature	17
Materials and methods	24
Results and discussion	26
Chapter Two	46
Post-marketing stability testing of commercial batche Ear Drops marketed in Egypt.	es of Chloramphenicol
Review of literature	47
Materials and methods	49
Results and discussion	53
PART Two	64
Post-marketing stability testing of commercial batche	es of Aspirin
Suppositories and Aspirin -Paracetamol Suppositorie	S.
Review of literature	65
Materials and methods	78
Results and discussion	88
General discussion	103
Summary	107
References	110
Arabic summary	117

LIST OF FIGURES

Figure Number		Page
1	Hydrolysis Of Chloramphenicol	18
2	pH-log K for Chloramphenicol hydrolysis	19
3	An HPLC chromatogram showing the separation of Chloramphenicol (B) and its hydrolytic product Aminophenicol(A) from a synthetic mixture containing Chloramphenicol (5 mg%) and Aminophenicol (2 mg%)	27
4	HPLC chromatograms showing the progressive increase in the levels of the degradation product (aminophenicol) (I) in the presence of intact chloramphenicol(II) separated from commercial batches of Chloramphenicol Eye Drops batch YA1 sampled from Alexandria	30
5	Effect of storage conditions on the levels of degradation product of Chloramphenicol Eye Drops batch YA1 stored in a refrigerator and under uncontrolled room temperature	32
6	A First-order plot showing the effect of storage conditions on the concentration of chloramphenicol remaining in Chloramphenicol Eye Drops batch YA 1 stored in a refrigerator and uncontrolled room temperature in Alexandria.	33
7	A First-order plot showing the effect of "age" of the batch on the concentration of chloramphenicol remaining in Chloramphenicol Eye Drops(batch YA1) sampled from community pharmacies in Upper Egypt(Minia and Aswan)	41
8	Effect of storage Time on percentages of degradation product formed in commercial batches of different brands of Chloramphenicol Eye Drops stored in community pharmacies in Alexandria, Minia and Assiut.	45
9	An HPLC Chromatogram showing the peaks of benzyl alcohol (I) and ,benzaldehyde(II) using dual wavelengths at 258 nm and 278 nm.	51
10	An HPLC Chromatogram showing the peaks of degradation product of chloramphenicol, benzyl alcohol, benzaldehyde and Chloramphenicol.	52

Figure Number		Page
11	Effect of storage at 25 °C and at 40°C on stability of a laboratory scale batch of Chloramphenicol Ear Drops.	54
12	A First-order plot showing the effect of high temperature(40°C) on the concentration of chloramphenicol remaining in a laboratory scale batch of Chloramphenicol Ear drops.	55
13	Effect of storage time on stability of Chloramphenicol Ear Drops (Batch RA1) stored at room temperature (A) for 2 months and (B) for 22 months.	58
14	Hydrolysis of Aspirin	66
15	pH-log K for Aspirin hydrolysis	69
16	Transacetylation between Aspirin and Paracetamol	73
17	Transacetylation between Aspirin and PEG	75
18	Structure of acetyl paracetamol.	84
19	IR spectrum of paracetamol	86
20	IR spectrum of acetyl paracetamol showing disappearance of phenolic group and appearance of two acetyl groups.	86
21	HPLC chromatograms showing peaks of (I) paracetamol and (II) acetyl paracetamol.	87
22	Second derivative spectrum of salicylic acid 10μg/1 mL at 330nm.	89
23	Effect of the hydroxyl value of the Suppocire base on the % of "Free Salicylic acid"formed in different batches of Aspirin Suppositories (paediatric) prepared with low hydroxyl value Suppocire (NA0) and	96
	high hydroxyl value Suppocire (NA10).	

- 24 Effect of the hydroxyl value of the Suppocire base on the % of "Free Salicylic acid"formed in Aspirin Paracetamol Suppositories (compound) prepared with low hydroxyl value Suppocire (NA0) and high hydroxyl value Suppocire (NA10).
- Effect of the presence of paracetamol on the % of "Free Salicylic. 99
 Acid" formed in Aspirin Suppositories (paediatric) and Aspirin
 Paracetamol Suppositories (compound) using Suppocire base NA0
 (low hydroxyl value).

LIST OF TABLES

Table Number		Page
1	General terms for storage conditions stated in USP	3
2	General terms for storage conditions stated in BP	3
3	Criteria of climatic zones according to WHO	5
4	Evaluation of the climatic conditions in each Eastern Mediterranean Region (EMR) member states	6
5	Comparison between the temperatures and % RH of Alexandria and Aswan throughout the year	8
6	Types of stability	10
7	Specifications of Chloramphenicol Eye Drops mentioned in BP and USP monographs	21
8	Effect of batch age and storage conditions on stability of one batch of Chloramphenicol Eye drops stored in a refrigerator and at uncontrolled room temperature sampled from Alexandria Brand: YA	31
9	Effect of batch age on stability of commercial batches of Chloramphenicol Eye Drops stored in a refrigerator and sampled from Alexandria Brand :YM	34
10	Effect of batch age on stability of Chloramphenicol Eye Drops stored in a refrigerator and sampled from community pharmacies in Alexandria Brand : YL	35
11	Effect of batch age on stability of commercial batches of Chloramphenicol Eye Drops stored under uncontrolled room temperature and sampled from community pharmacies in Alexandria Brand : YA	36
12	Effect of batch age on stability of commercial batches of Chloramphenicol Eye drops stored under uncontrolled room temperature and sampled from community pharmacies in Alexandria Brand: YM	37

Table Number		Page
13	Effect of batch age on stability of commercial batches of Chloramphenicol Eye Drops stored under uncontrolled room temperature and sampled from community pharmacies in Alexandria Brand : YL	38
14	Effect of batch age on stability of commercial batches of Chloramphenicol Eye Drops stored under uncontrolled room temperature and sampled from community pharmacies in Alexandria Brand: YC	39
15	Effect of batch age on stability of commercial batches of Chloramphenicol Eye Drops stored under uncontrolled room temperature and sampled from community pharmacies in Minia and Aswan Brand: YA	40
16	Effect of batch age on stability of commercial batches of Chloramphenicol Eye Drops stored under uncontrolled room temperature and sampled from community pharmacies in Assiut, Sohag and Minia Brand: YM	43
17	Effect of batch age on stability of commercial batches of Chloramphenicol Eye Drops stored under uncontrolled room temperature and sampled from community pharmacies in Assiut and Minia Brand: YC	44
18	Specifications of Chloramphenicol Ear Drops mentioned in BP and USP monographs	48
19	Effect of batch age on stability of commercial batches of Chloramphenicol Ear Drops kept at room temperature in the warehouse of the manufacturing company Package: plastic bottles Brand:RME	59
20	Effect of batch age on stability of commercial batches of Chloramphenicol Ear Drops stored under uncontrolled room temperature in community pharmacies in Alexandria Package: glass bottles 10 ml capacity fitted with rubber teats Brand: RM	60