

BIOCHEMICAL STUDIES ON PROTEINS OF WHEAT PLANT SUBJECTED TO LOW TEMPERATURE CONDITIONS

by
HANY ABD EL-KHALIK MAHMOUD

B.Sc. Agric.(Agric. Biochem.) Ain Shams Univ.,1983

M.Sc. Agric.(Agric. Biochem.) Ain Shams Univ.,1992

**A thesis submitted in partial fulfillment
of
the requirements for the degree of**

**DOCTOR OF PHILOSOPHY
in
AGRICULTURAL SCIENCE
(Biochemistry)**

**Department of Biochemistry
Faculty of Agriculture
Ain Shams University**

2000

APPROVAL SHEET

BIOCHEMICAL STUDIES ON PROTEINS OF WHEAT PLANT SUBJECTED TO LOW TEMPERATURE CONDITIONS

by

HANY ABD EL-KHALIK MAHMOUD

B.Sc. Agric.(Agric. Biochem.) Ain Shams Univ.,1983

M.Sc. Agric.(Agric. Biochem.) Ain Shams Univ.,1992

This thesis for Ph.D. degree has been approved by:

Prof. Dr. A.I. Eissa.....

Prof. of Biochemistry

Fac. of Agric., Monofia University, Shebin El-kom

Prof. Dr. F. M. Abdel-naeem.....

Prof. of Biochemistry

Fac. of Agric., Ain Shams University.

Prof. Dr. A. I. Shama.....

Prof. of Biochemistry

Fac.of Agric.,Ain Shams University.

Date of examination: / / 2000

**BIOCHEMICAL STUDIES ON PROTEINS OF WHEAT
PLANT SUBJECTED TO LOW TEMPERATURE
CONDITIONS**

by

HANY ABD EL-KHALIK MAHMOUD

B.Sc. Agric.(Agric. Biochem.) Ain Shams Univ.,1983

M.Sc. Agric.(Agric. Biochem.) Ain Shams Univ.,1992

Under the Supervision of:

Prof. Dr. A. I. ABO SHADI

Prof. of Biochemistry

Fac.of Agric., Ain Shams University

Prof. Dr. R. R. FRANCIS

Prof. of Biochemistry

Fac.of Agric., Ain Shams University

Prof. Dr. A. I. SHAMA

Prof. of Biochemistry

Fac.of Agric., Ain Shams University

ACKNOWLEDGMENT

I would like to express my sincere and infinite thanks to **Prof. Dr. A. I. Abo Shadi**, Professor of Biochemistry, Faculty of Agriculture, Ain Shams University for his supervision and help in presenting this thesis and valuable advice during the course of this investigation.

I would like to express my deep and sincere grateful to **Prof. Dr. R. R. Francis**, Professor of Biochemistry, Faculty of Agriculture, Ain Shams University, for his help and fruitful efforts during the course of this study and for his guidance in writing this manuscript.

Much gratitude and thanks are to **Prof. Dr. A. I. Shama** Professor of Biochemistry, Faculty of Agriculture, Ain Shams University, for his continuous supervision and his sincere help during the steps of this work.

Finally, I would like to thank all the staff members of Biochemistry Department for their valuable encouragement.

.

صفحة الموافقة على الرسالة

دراسات كيميائية حيوية علي بروتينات نبات القمح المعرض لدرجات حرارة منخفضة

مقدمة من

هانى عبد الخالق محمود

(بكالوريوس في العلوم الزراعية - كيمياء حيوية زراعية من جامعة عين شمس 1983)
(ماجستير في العلوم الزراعية - كيمياء حيوية زراعية من جامعة عين شمس 1992)

وقد تمت مناقشة الرسالة والموافقة عليها:

اللجنة

أ.د. عبد الوهاب إسماعيل عيسى.....

أستاذ الكيمياء الحيوية – كلية الزراعة – جامعة المنوفية – شبين الكوم.

أ.د. فتحى محمد عبد النعيم.....

أستاذ الكيمياء الحيوية – كلية الزراعة – جامعة عين شمس.

أ.د. عبد المنعم إبراهيم

شامة.....

أستاذ الكيمياء الحيوية – كلية الزراعة – جامعة عين شمس. (مشرف)

تاريخ الموافقة / / 2000

جامعة عين شمس

كلية الزراعة

رسالة دكتوراة

اسم الطالب : هانى عبد الخالق محمود

عنوان الرسالة : دراسات كيميائية حيوية علي بروتينات نبات القمح المعرض
لدرجات حرارة منخفضة

لجنة الاشراف :

أ.د. أحمد إبراهيم أبوشادى

أستاذ الكيمياء الحيوية - كلية الزراعة - جامعة عين شمس

أ.د. راجى رياض فرنسيس

أستاذ الكيمياء الحيوية - كلية الزراعة - جامعة عين شمس

أ.د. عبد المنعم إبراهيم شامة

أستاذ الكيمياء الحيوية - كلية الزراعة - جامعة عين شمس

تاريخ البحث: 1993/1/11

الدراسات العليا

أجيزت الرسالة بتاريخ 2000/ /

ختم الاجازة

موافقة مجلس الجامعة

2000/ /

موافقة مجلس الكلية

2000/ /

CONTENTS

1.	INTRODUCTION	1
2.	REVIEW OF LITERATURE	3
	2.1. Effect of low temperatures on proteins	4
	2.2. Effect of low temperatures on enzymes	14
	2.3. Effect of low temperatures on other components	22
3.	MATERIAL AND METHODS	28
	3.1. MATERIAL	28
	3.2. Experiment	28
	3.3. Sampling procedure	29
	3.4. Seedling length	29
	3.5. Determination of plant pigments	29
	3.6. Chemical analysis	30
	3.6.1 Determination of soluble carbohydrates	30
	3.6.1.1.Extraction of soluble carbohydrates	30
	3.6.1.2. Determination of reducing sugars	30
	3.6.1.3. Determination of total soluble carbohydrates	30
	3.6.1.4. Determination of non-reducing sugars	31
	3.6.2. Determination of total nitrogen and crude protein	31
	3.6.3. Determination of total amino acids by GLC	31
	3.6.3.1. Derivatization of amino acids for GLC analysis	31
	3.6.3.2. GLC for amino acid derivatives	32
	3.6.4. Determination of amylase activity	32
	3.6.4.1. Extraction of enzymes	32
	3.6.4.2. Amylase assay	33
	3.6.4.2.1. Total amylase assay	33
	3.6.4.2.2. α-amylase assay	33
	3.6.4.2.3. β-amylase assay	33

3.6.5. Determination of peroxidase activity.....	34
3.6.5.1. Peroxidase assay.....	34
3.7. Electrophoresis.....	34
. Determination of polypeptide chains by SDS-	34
polyacrylamide gel electrophoresis (SDS-PAGE)....	34
3.7.1.1. Extraction of proteins.....	35
3.7.1.2. Stock solutions.....	36
3.7.1.3. Gel preparation.....	38
3.7.1.4. Application of samples.....	38
3.7.1.5. Electrophoresis conditions.....	38
3.7.1.6. Gel staining	39
3.7.1.7. Gel destaining.....	39
3.7.2. Discontinuous nondenaturing gel electrophoresis....	40
3.7.2.1. Working solutions.....	41
3.7.2.2. Sample preparation	41
3.7.2.3. Electrophoresis conditions.....	41
3.7.2.4. Staining and destaining of proteins.....	41
3.7.3. Electrophoretic separation of isozymes.....	41
3.7.3.1. Extraction of isozymes.....	42
3.7.3.2. Preparation of gel.....	42
3.7.3.3. Staining methods for isozymes.....	42
3.7.3.3.1. Polyphenol oxidase.....	42
3.7.3.3.1.1. Staining solution.....	42
3.7.3.3.1.2. Procedure.....	43
3.7.3.3.2. Alpha amylase.....	43
3.7.3.3.2.1. Staining solution.....	43
3.7.3.3.2.2. Procedure.....	43
3.7.3.3.3. Esterase.....	43
3.7.3.3.3.1. Staining solution.....	43
3.7.3.3.3.2. Procedure.....	44

3.7.3.3.4. Peroxidase.....	44
3.7.3.3.4.1. Staining solution.....	44
3.7.3.3.4.2. Procedure.....	44
3.7.3.3.5. Malic dehydrogenase.....	44
3.7.3.3.5.1. Staining solution.....	44
3.7.3.3.5.2. Procedure.....	45
3.7.3.3.6. Alcohol dehydrogenase.....	45
3.7.3.3.6.1. Staining solution.....	45
3.7.3.3.6.2. Procedure.....	45
3.7.3.3.7. Glutamate oxaloacetate transaminase.....	45
3.7.3.3.7.1. Staining solution.....	45
4. 3.7.3.3.7.2. Procedure.....	46
RESULTS AND DISCUSSION.....	47
4.1. Plant height.....	47
4.2. Pigments content.....	52
4.3. Crude protein content.....	62
4.4. Soluble sugars.....	67
4.5. Total amino acids.....	78
4.6. Discontinuous polyacrylamide gel electrophoresis.....	84
4.7. SDS-polyacrylamide gel electrophoresis.....	90
4.7.1. SDS-PAGE of water soluble protein fractions.....	90
4.7.2. SDS-PAGE of non-water soluble protein fractions.....	94
4.8. Isozymes electrophoresis.....	99
4.8.1. Peroxidase profiles.....	99
4.8.2. Esterase profiles.....	104
4.8.3. Glutamate oxaloacetate transaminase profiles.....	109
4.8.4. Polyphenol oxidase profiles.....	113
4.8.5. Malic dehydrogenase.....	118
4.8.6. Alcoholic dehydrogenase.....	122
4.8.7. α -Amylase profiles.....	126

4.9. Peroxidase activity.....	130
5. 4.10. Amylase activity.....	135
6. SUMMARY	147
7. REFERENCES	154
ARABIC SUMMARY	

List of figures

Fig. No.		Page
1(a & b)	Plant height of Giza 160 wheat seedlings subjected to two nonfreezing temperatures	49
1(c & d)	Plant height of Sakha 8 wheat seedlings subjected to two nonfreezing temperatures	50
2(a & b)	Chl. a content of Giza 160 wheat seedlings subjected to two nonfreezing temperatures	54
2(c & d)	Chl. a content of Sakha 8 wheat seedlings subjected to two nonfreezing temperatures	55
3(a & b)	Chl. b content of Giza 160 wheat seedlings subjected to two nonfreezing temperatures	56
3(c & d)	Chl. b content of Sakha 8 wheat seedlings subjected to two nonfreezing temperatures	57
4(a & b)	Carotene content of Giza 160 wheat seedlings subjected to two nonfreezing temperatures	60
4(c & d)	Carotene content of Sakha 8 wheat seedlings subjected to two nonfreezing temperatures	61
5(a & b)	Crude protein content of Giza 160 wheat seedlings subjected to two nonfreezing temperatures	64
5(c & d)	Crude protein content of Sakha 8 wheat seedlings subjected to two nonfreezing temperatures	65
6(a & b)	Reducing sugars content of Giza 160 wheat seedlings subjected to two nonfreezing temperatures	69
6(c & d)	Reducing sugars content of Sakha 8 wheat seedlings subjected to two nonfreezing temperatures.....	70
7(a & b)	Nonreducing sugars content of Giza 160 wheat seedlings subjected to two nonfreezing temperatures ...	72
7(c & d)	Nonreducing sugars content of Sakha 8 wheat seedlings subjected to two nonfreezing temperatures...	73

8(a & b)	Total soluble sugars content of Giza 160 wheat seedlings subjected to two nonfreezing temperatures...	74
8(c & d)	Total soluble sugars content of Sakha 8 wheat seedlings subjected to two nonfreezing temperatures ...	75
9(a & b)	Total amino acids of wheat seedlings (Giza 160) grown at low nonfreezing temperatures (6°C and 9°C)..	80
9(c & d)	Total amino acids of wheat seedlings (Sakha 8) grown at low nonfreezing temperatures (6°C and 9°C).....	83
Fig.(10)	DISC-PAGE patterns of water soluble protein fraction extracted from wheat seedlings (Giza 160) subjected to low nonfreezing temperatures (6°C and 9°C).....	85
Fig.(11)	DISC-PAGE patterns of water soluble protein fraction extracted from wheat seedlings (Sakha 8) subjected to low nonfreezing temperatures (6°C and 9°C).....	88
Fig.(12)	SDS-PAGE patterns of water soluble protein fraction extracted from wheat seedlings (Giza 160) subjected to low nonfreezing temperatures (6°C and 9°C).....	91
Fig.(13)	SDS-PAGE patterns of water soluble protein fraction extracted from wheat seedlings (Sakha 8) subjected to low nonfreezing temperatures (6°C and 9°C).....	93
Fig.(14)	SDS-PAGE patterns of non-soluble protein fraction extracted from wheat seedlings (Giza 160) subjected to low nonfreezing temperatures (6°C and 9°C).....	95
Fig.(15)	SDS-PAGE patterns of non-soluble protein fraction extracted from wheat seedlings (Sakha 8) subjected to low nonfreezing temperatures (6°C and 9°C).....	97
Fig.(16)	Electrophoretic patterns of peroxidase extracted from wheat seedlings (Giza 160) subjected to low nonfreezing temperatures (6°C and 9°C).....	100
Fig.(17)	Electrophoretic patterns of peroxidase extracted from	

	wheat seedlings (Sakha 8) subjected to low nonfreezing temperatures (6°C and 9°C).....	102
Fig.(18)	Electrophoretic patterns of esterase extracted from wheat seedlings (Giza 160) subjected to low nonfreezing temperatures (6°C and 9°C).....	105
Fig.(19)	Electrophoretic patterns of esterase extracted from wheat seedlings (Sakha 8) subjected to low nonfreezing temperatures (6°C and 9°C).....	107
Fig.(20)	Electrophoretic patterns of GOT extracted from wheat seedlings (Giza 160) subjected to low nonfreezing temperatures (6°C and 9°C).....	110
Fig.(21)	Electrophoretic patterns of GOT extracted from wheat seedlings (Sakha 8) subjected to low nonfreezing temperatures (6°C and 9°C).....	111
Fig.(22)	Electrophoretic patterns of polyphenol oxidase extracted from wheat seedlings (Giza 160) subjected to low nonfreezing temperatures (6°C and 9°C).....	114
Fig.(23)	Electrophoretic patterns of polyphenol oxidase extracted from wheat seedlings (Sakha 8) subjected to low nonfreezing temperatures (6°C and 9°C).....	116
Fig.(24)	Electrophoretic patterns of MDH extracted from wheat seedlings (Giza 160) subjected to low nonfreezing temperatures (6°C and 9°C).....	119
Fig.(25)	Electrophoretic patterns of MDH extracted from wheat seedlings (Sakha 8) subjected to low nonfreezing temperatures (6°C and 9°C).....	120
Fig.(26)	Electrophoretic patterns of ADH extracted from wheat seedlings (Giza 160) subjected to low nonfreezing temperatures (6°C and 9°C).....	123
Fig.(27)	Electrophoretic patterns of ADH extracted from wheat	

	seedlings (Sakha 8) subjected to low nonfreezing temperatures (6°C and 9°C).....	124
Fig.(28)	Electrophoretic patterns of α -amylase extracted from wheat seedlings (Giza 160) subjected to low nonfreezing temperatures (6°C and 9°C).....	127
Fig.(29)	Electrophoretic patterns of α -amylase extracted from wheat seedlings (Sakha 8) subjected to low nonfreezing temperatures (6°C and 9°C).....	128
30(a & b)	Peroxidase activity of Giza 160 wheat seedlings subjected to two nonfreezing temperatures.	132
30(c & d)	Peroxidase activity of Sakha 8 wheat seedlings subjected to two nonfreezing temperatures.	133
31(a & b)	Total amylase activity of Giza 160 wheat seedlings subjected to two nonfreezing temperatures.....	137
31(c & d)	Total amylase activity of Sakha 8 wheat seedlings subjected to two nonfreezing temperatures.....	138
32(a & b)	α -amylase activity of Giza 160 wheat seedlings subjected to two nonfreezing temperatures.....	141
32(c & d)	α -amylase activity of Sakha 8 wheat seedlings subjected to two nonfreezing temperatures.....	142
33(a & b)	β -amylase activity of Giza 160 wheat seedlings subjected to two nonfreezing temperatures.....	145
33(c & d)	β -amylase activity of Sakha 8 wheat seedlings subjected to two nonfreezing temperatures.....	146

List of Tables

Table No.	Page
1. The heights (in cm) of wheat seedlings (3 days and 6 days old) subjected to low nonfreezing temperatures (6°C and 9°C)	48
2. Pigments content (mg/g dry weight) of wheat seedlings (3 days and 6 days old) subjected to low nonfreezing temperatures (6°C and 9°C).....	53
3. Crude protein content (g/100g dry weight) of wheat seedlings (3 days and 6 days old) subjected to low nonfreezing temperatures (6°C and 9°C).....	63
4. Soluble sugars (g/100g dry weight) of wheat seedlings (3 days and 6 days old) subjected to low nonfreezing temperatures (6°C and 9°C).....	70
5. Individual amino acids ratio to the total amino acids of Giza 160 wheat seedlings (3 days and 6 days old) subjected to low temperatures (6°C and 9°C).....	79
Individual amino acids ratio to the total amino acids	
6. of Sakha 8 wheat seedlings (3 days and 6 days old) subjected to low temperatures (6°C and 9°C).....	82
Peroxidase activity of wheat seedlings (3 days and 6 days old) subjected to low nonfreezing temperatures	
7. (6°C and 9°C).....	131
Total amylase activity of wheat seedlings (3 days and 6 days old) subjected to low nonfreezing	
8. temperatures (6°C and 9°C).....	136
α -amylase activity of wheat seedlings (3 days and 6 days old) subjected to low nonfreezing temperatures	
9. (6°C and 9°C).....	140
β -amylase activity of wheat seedlings (3 days and 6 days old) subjected to low nonfreezing temperatures	
10. (6°C and 9°C).....	144