الفيروسات المصاحبة لالتهاب المعدة الغدية في الدواجن

رسالة علمية مقدمة إلى الدراسات العليا بكلية الطب البيطرى - جامعة الإسكندرية استيفاء للدراسات المقررة للحصول على درجة

دكتور الفلسفة في العلوم الطبية البيطرية

تخصص **میکروبیولوجیا**

مقدمة من ط.ب. / هدى محمد أحمد طه مكى

لجنة الإشراف

الأستاذ الدكتور / حلمي أحمد تركي

أستاذ الميكروبيولوجي المتفرغ

كلية الطب البيطري - جامعة الإسكندرية

الأستاذ الدكتور / سامى عبد السلام خليل


أستاذ الميكروبيولوجي


كلية الطب البيطري - جامعة الإسكندرية

الأستاذ الدكتور/محمد عبد العزيزحسن قطقاط

أستاذ أمراض الدواجن ووكيل شعبة البحوث البيطرية

المركز القومي للبحوث - الدقي





Viruses associated with proventriculitis in poultry

A Thesis

Presented to the Graduate School
Faculty of Veterinary Medicine, Alexandria University
In Partial Fulfillment of the
Requirement for the Degree

of **Doctor of Philosophy of Veterinary Medical Science**

In **Microbiology**

By Hoda Mohamed Ahmed Taha Mekky



Prof. Dr. / Helmy Ahmed Torky
Professor of Microbiology
Fac. Vet. Med., Alexandria Univ.

Prof. Dr. / Samy Abdel Salam Khalil Professor of Microbiology Fac. Vet. Med., Alexandria Univ.

Prof. Dr. / Mohamed Abdel Aziz Hasan Kutkat
Professor of Poultry Diseases and Vice head of
Veterinary research division
National Research Center

Viruses associated with proventriculitis in poultry

A Thesis
Presented to the Graduate
Faculty of Veterinary Medicine, Alexandria University
In Partial Fulfillment of the
Requirement for the Degree

of **Doctor of Philosophy of Veterinary Medical Science**

for **Microbiology**

By Hoda Mohamed Ahmed Taha Mekky

الفيروسات المصاحبة لإلتهاب المعدة الغدية في الدواجن

رسالة علمية

مقدمة إلى الدر اسات العليا بكلية الطب البيطرى - جامعة الإسكندرية استيفاء للدر اسات المقررة للحصول على درجة

دكتور الفلسفة في العلوم الطبية البيطرية

تخصص میکروبیولوجیا

مقدمة من ط.ب. / هدى محمد أحمد طه مكى





ACKNOWLEDGEMENT

I am greatly indebted in all my work and success to our merciful "Allah".

I would like to express my thanks to **Prof. Dr. Helmy Ahmed Torky**, Emeritus Prof. of Microbiology, Faculty of Veterinary Medicine, Alexandria University, for his supervision, stimulating encouragement and constructive criticism which made this study carried out.

I wish to express my gratitude to **Prof. Dr. Samy Abd El-Salam Khalil**, Professor of Microbiology, Faculty of Veterinary Medicine, Alexandria University, for his valuable help and continous stimulating advice.

My sincere gratitude for the kindness and encouragement of **Prof. Dr. Mohamed Abd El-Aziz Kutkat**, Professor of Poultry Diseases and Vice Head of Veterinary Research Division, National Research Center, for his stimulating supervision, kindness guidance, heartily encouragement, continous interest and advice, valuable help and facilities during this work.

I would like to express my thanks to **Dr. Mohamed Abdel El-Fatah**, Researcher, animal diseases and parasitology dept., National Research Center, for his help.

My sincere appreciation is offered to **Prof. Dr. Assia Mohamed El-Sawy**, Chief Researcher, Pathology of Poultry Disease, Poultry Dept., Animal Health Research Institute, Dokki, for her help in the histopathological examination.

I would like to express my appreciation to **Prof. Dr. Adel Khalil Ibrahim**, Professor, Clinical Pathology Dept., Faculty of Veterinary Medicine, Cairo University, for his great help during this study.

I would like to express my appreciation to **Dr. Fatma Amer**, Assistant Researcher, National Laboratory, Animal Health Research Institute, Dokki, for her ideal sincere and fruitful help in the work at hand.

It is a great pleasure to me to express my gratitude to my colleagues in National Research Center with especial thanks to Staff Members of Veterinary Division.

Finally, cardial thanks to My Family, for their support and great help.





LIST OF CONTENTS

	Page
1. INTRODUCTION	 1
2. REVIEW OF LITERATURE	 3
2.1. History	 3
2.2. Other terms	 3
2.3. Definition and Synonyms	 3
2.4. Economic Importance	 3
2.5. causes	 4
2.5.1. Non infectious causes	 4
2.5.2. Infectious causes	 7
2.6. Mode of infection	 16
2.7. Signs and gross lesions	 17
2.8. Histopathological changes	 20
2.9. Serological tests	 22
2.9.1. Enzyme Linked Immuno Sorbent Assay (ELISA)	 22
2.9.2. Fluorescent antibody techniques (FAT)	 29
2.10. Polymerase chain reaction (PCR)	 32
3. MATERIAL AND METHODS	 43
3.1. Materials.	 43
3.1.1. Samples	 43
3.1.2. NDV strain	 43
3.1.3. Experimental chicks	 43
3.1.4. Antibiotic stock solution	 43
3.1.5. Phosphate buffer saline (PBS), (pH 7.2) (without calcium or magnesium)	 44
3.1.6. Formol saline solution	 44
3.1.7. Buffers and reagents for HI test	 44
3.1.8. Materials used for ELISA	 44
3.1.9. Materials used for indirect fluorescent antibody technique (I-FAT)	 45
3.1.10. Materials used for RT-PCR	 45

Lists

3.2. Methods.	 50
3.2.1. Preparation of proventriculus homogenate	 50
3.2.2. Experimental infection	 50
3.2.3. Histopathological examination	 51
3.2.4. Serological tests	 51
3.2.5. Indirect fluorescent antibody technique (I-FAT)	 52
3.2.6. RT-PCR for ARV and IBV antigens	 53
3.2.7. Nested PCR for IBDV	 55
4. RESULTS.	 57
5. DISCUSSION.	 119
6. SUMMARY.	 127
7. REFERENCES.	 129
ARABIC SUMMARY.	





LIST OF TABLES

Table	Title	Page
1	Epidemiological sheet of the investigated broiler chicken farms for proventriculitis	58
2	Waning of maternally derived antibody in commercial experimental broiler chicks judged by ELISA (IDEXX Laboratories)	60
3	Waning of maternally derived antibody in commercial experimental broiler chicks judged by HI against NDV antigen	62
4	Serological response at 2 and 3 weeks PI of 21 day-old susceptible commercial broilers with proventricular homogenate	67
5	ELISA Serological profile for ARV at 2 and 3 weeks PI of 21 day-old susceptible chickens with proventricular homogenate	68
6	ELISA Serological profile for IB at 2 and 3 weeks PI of 21 day-old susceptible chickens with proventricular homogenate	70
7	ELISA Serological profile for IBD at 2 and 3 weeks PI of 21 day-old susceptible chickens with proventricular homogenate	72
8	Results of ARV, IBV and IBDV antigens detection using Indirect Fluorescent Antibody Technique (I-FAT)	82
9	Collective results of ELISA (antibody detection) and I-FAT (antigen detection) for ARV, IB and IBD	84
10	Nucleotide sequence similarities and divergence percentages of S1 fragments of three local ARV isolates among two Egyptian ARV isolates and other ARV strains using Clustal method of DNASTAR software package.	91
11	Nucleotide sequence identity and divergence percentages of S1 glycoprotein genes of three local IBV isolates with among one Egyptian IBV isolate and other IBV strains using Clustal method of DNASTAR software package.	106
12	Nucleotide sequence identity and divergence percentages of HVR of four local IBDV isolates among three Egyptian IBDV isolates and other IBDV strains using Clustal method of DNASTAR software package.	117



LIST OF FIGURES

Fig.	Title	Page
1	Waning of maternally derived ARV, IB and IBD antibody as	61
2	measured by ELISA in experimental broiler chicks Waning of maternally derived ND-antibody as measured by HI- test in experimental broiler chicks	63
3	Seroconversion for ARV of 2 and 3 weeks PI of 21 day-old chickens with proventricular homogenate	69
4	Seroconversion for IBV at 2 and 3 weeks PI of 21 day-old susceptible chickens with proventricular homogenate	71
5	Seroconversion for IBD at 2 and 3 weeks PI of 21 day-old susceptible chickens with proventricular homogenate	73
6	Multiple alignment of nucleotide sequence of S1 fragments of three local ARV isolates with two Egyptian ARV isolates and other ARV strains.	90
7	Phylogenetic tree of nucleotide sequence of S1 fragment of three local ARV isolates showing the relationship among two Egyptian ARV isolates and other ARV strains using Clustal method of DNASTAR software package.	92
8	Multiple alignment of nucleotide sequence of S1 fragments of three local IBV isolates with one Egyptian IBV isolate and other IBV strains.	105
9	Phylogenetic tree based on nucleotide sequence of S1 gene of three local IBV isolates showing the relationship among one Egyptian IBV isolate and other IBV strains using Clustal method of DNASTAR software package.	107
10	Multiple alignment of nucleotide sequence of HVR of four local IBDV isolates with three Egyptian IBDV isolates and other IBDV strains.	116
11	Phylogenetic tree based on nucleotide sequence of HVR of four local IBDV isolates showing the relationship among three Egyptian IBDV isolates and other IBDV strains using Clustal method of DNASTAR software package.	118





LIST OF PLATES

Fig.	Title	Page
1	Stained sections in proventriculus of chicken with proventriculitis	76
2	Stained sections in proventriculus of chicken with proventriculitis	77
3	Stained sections in thymus of chicken with proventriculitis	78
4	Stained sections in spleen of chicken with proventriculitis	79
5	Stained sections in bursa of chicken with proventriculitis	80
6	Immunochemical staining of proventricular epithelial cells of chicken inoculated orally with proventricular homogenate	83

LIST OF PHOTOS

Fig.	Title	Page
1	Photographs of proventriculi from broiler chickens 2 wk. PI with saline (A) or with infectious proventricular homogenate (B and C)	65
2	Electrophoretic pattern of RT-PCR assay of S1 gene of ARV	86
3	Electrophoretic pattern of RT-PCR assay of S1 gene of IBV	94
4	Electrophoretic pattern of RT-PCR assay of the hypervariable region of the VP2 gene of IBDV	109
5	Electrophoretic pattern of RFLP for the hypervariable region of the VP2 gene of 5 IBDV isolates digested with BstNI (right side) and SspI (left side) restriction enzymes	111



List of Abbreviations

AGPT : Agar-Gel Precipitation Test

ARV : Avian Reovirus **BF** : bursa of Fabricius

bp : base-pairCAD : cadaverine

CAM : Chorio Allantoic Memberane

cDNA : complementary DNA **CPA** : Cyclopiazonic acid

ECE : Embryonated Chicken Eggs.

ELISA : Enzyme Linked Immunosorbent Assay.

EM : Electron microscopic

FAT : Fluorescent Antibody Technique.

HA : Haemagglutination.

HI: Haemagglutination Inhibition.

HIS : histamine

HVR : hypervariable region

IBDV : Infectious Bursal Disease VirusIBV : Infectious Bronchitis Virus

I-FAT : Indirect Fluorescent Antibody Techniques

IHC : immunohistochemistry
 ISH : in situ hybridization
 MAb : monoclonal antibody
 MAS : malabsorption syndrome.

Mass : Massachusetts

MDA : Maternal Derived Antibody

N : nucleocapsid ND : Newcastle nm : nanometer

PCR : Polymerase Chain Reaction.

REA : Restriction Endonuclease Analysis.

RFLP : restriction fragment length polymorphism

RT/PCR-RE : RT/PCR-restriction endonuclease

RT-PCR : reverse transcriptase- polymerase chain reaction

SN : Serum Neutralization
 SPF : Specific Pathogen Free.
 SS : stunting syndrome
 STC : Standard Classic Strain

TVP : Transmissible Viral Proventriculitis

UTR : untranslated regionVP2 : Viral Protein 2

vvIBDV : very virulent Infectious Bursal Disease Virus








Fig. (1): Waning of maternally derived ARV, IB and IBD antibody as measured by **ELISA** in experimental broiler chicks Mean ELISA titer 0 -Age (days)