



Compound coatings of Ca-phosphates and/ titanate on metallic implants for medical applications

THESIS SUBMITTED TO

THE FACULTY OF SCIENCE AIN SHAMS
UNIVERSITY IN COLLABORATION WITH
UNIVERSITÉ de STRASBOURG FOR THE DEGREE
OF

DOCTOR OF PHILOSOPHY IN BIOPHYSICS

BY

Hadeer Ibrahim Mohamed Ibrahim

B.Sc. in Biophysics 2001

M.Sc. in Biophysics 2007

Department of physics

Faculty of science

Ain Shams university

(2013)

SUPERVISED BY

Prof. Dr. Abd El-Sattar Mohamed Sallam

Professor of Biophysics, Faculty of Science-Ain Shams University, Cairo,
Egypt

Prof. Dr. El-Sayed Mahmoud El-Sayed

Professor of Biophysics, Faculty of Science-Ain Shams University, Cairo,
Egypt

Prof. Dr. Mona Salah El-din Hassan

Professor of Biophysics, Faculty of Science-Ain Shams University, Cairo,
Egypt

Prof. Dr. Wafaa Ismail Abd El-Fattah

Professor of Ceramic and Bioceramics in National Research Center, Giza,
Egypt

Dr. Adele Carradò

Maître de Conférences Habilité à Diriger des Recherches- Université de
Strasbourg, France



Approval sheet

Degree: Ph.D. of science (Biophysics)

Title: Compound coatings of Ca-phosphates and/ titanate on metallic implants for medical applications

Name: Hadeer Ibrahim Mohamed Ibrahim

THIS THESIS FOR THE DEGREE OF DOCTOR OF
PHILOSOPHY HAS BEEN

APPROVED BY

Prof. Dr. Abd El-Sattar Mohamed Sallam

Professor of Biophysics, Faculty of Science-Ain Shams University, Cairo,
Egypt

Prof. Dr. El-Sayed Mahmoud El-Sayed

Professor of Biophysics, Faculty of Science-Ain Shams University, Cairo,
Egypt

Prof. Dr. Mona Salah El-din Hassan

Professor of Biophysics, Faculty of Science-Ain Shams University, Cairo,
Egypt

Prof. Dr. Wafaa Ismail Abd El-Fattah

Professor of Ceramic and Bioceramics in National Research Center, Giza,
Egypt

Dr. Adele Carradò

Maître de Conférences Habilité à Diriger des Recherches- Université de
Strasbourg, France



UNIVERSITE DE STRASBOURG

RESUME DE LA THESE DE DOCTORAT

Discipline : PHYSIQUE

Spécialité (facultative) :

Présentée par : Ibrahim, Hadeer Ibrahim
(Nom-Prénom du candidat)

Titre: Revêtement de phosphate de calcium sur dioxyde de titane pour des implants métalliques pour des applications médicales

Unité de Recherche : UMR 7504 UDS-CNRS
(N° et Nom de l'Unité)

Directeur de Thèse: MCF HDR Adele Carradó
(Nom-Prénom- Grade)

Co-Directeur de Thèse (s'il y a lieu) : Prof. Dr. El sayed, El sayed Mahmoud
(Nom- Prénom- Grade)

Localisation: Caire, Egypte

ECOLES DOCTORALES : (cocher la case)

- | | |
|--|--|
| ☐ ED -Sciences de l'Homme et des sociétés | ☐ ED 269 – Mathématiques, sciences de l'information et de l'ingénieur |
| ☐ ED 99 – Humanités | ☐ ED 270 – Théologie et sciences religieuses |
| ☐ ED 101 – Droit, sciences politiques et histoire | ☐ ED 413 – Sciences de la terre, de l'univers et de l'environnement |
| ☒ ED 182 – Physique et chimie physique | ☐ ED 414 – Sciences de la vie et de la santé |
| ☐ ED 221 – Augustin Cournot | |
| ☐ ED 222 – Sciences chimiques | |

Acknowledgements

Ultimate thanks and praise to Allah.

I would like to express my deepest gratitude to Prof. Dr. Abdel Sattar Mohamed Sallam, Professor of Biophysics, Faculty of Science, Ain Shams University (ASU), for his valuable supervision, guidance and continuous encouragement.

My sincere gratitude and thankfulness go to Prof. Dr. El Sayed Mahmoud El Sayed, Professor of Biophysics, Faculty of Science, Ain Shams University (ASU), for his supervision stimulating discussion and great patients throughout the preparation of this thesis.

I would like to express my deepest gratitude to Prof. Mona Salah El-din Hassan, Professor of Biophysics, Faculty of Science, Ain Shams university (ASU), for her valuable supervision, stimulating discussion and great patience throughout the preparation of this thesis.

I would like to express my particular appreciation, indebt redness to Prof. Dr. Wafaa Ismail Abdel-Fattah, Professor of Bio-ceramics and ceramic/polymer composites at National Research Centre Biomaterials department (NRC, Dokki, Giza), for her noble supervision, driving inspiration, continuous advice and effective scientific and practical support. I'm greatly indebted to her and it was a great honour to work under her supervision.

Thanks go also to NRC and to Institut de Physique et Chimie des Matériaux de Strasbourg (IPCMS, France), for allowing the laboratories for experimental parts. By gaining access to their expertise and the laboratory facilities, my research capabilities have been enriched.

Le travail présenté dans ce mémoire a été effectué au laboratoire IPCMS et Université de Strasbourg (UDS), au laboratoire NRC et ASU.

Je remercie mon superviseur français Dr. Adele Carradò, Maitre de Conférences-HDR de l'IPCMS et UDS son aide apportée pendant les mesures, pour ses conseils et son support continue.

Mes remerciements vont aussi à Ms. Jacques Faerber, Dris Ihiawakrim, Guy Schmerber and Mlle Celine Kiefer pour l'aide technique qu'ils m'ont fournie pour la réalisation de mes expériences au laboratoire IPCMS et pour leurs cordialités.

Egalement merci à Monsieur le Professeur Marc Drillon, directeur de l'IPCMS, de m'avoir accueillie dans son laboratoire pour mes premières années de thèse, ainsi qu'à l'ensemble du personnel et thésards du laboratoire IPCMS. Je tiens aussi à adresser mes vifs remerciement à Madame le Professeur Geneviève Pourroy de

Acknowledgements

l'IPCMS pour sa gentillesse et disponibilité qu'elle m'a témoigné lors de ma présence à Strasbourg.

Je remercie tout particulièrement le Dr. Thierry Roland de l'Institut Charles Sadron et Institut National des Sciences Appliquées. Je tiens à lui exprimer toute ma reconnaissance pour l'aide qu'il m'a fournie pendant la réalisation de mes expériences en microscopie confocale.

Special thanks are to L'Oreal – UNESCO International Prize for Financial support allowing the prize for young scientists years 2010 and 2011 to continue scientific research for two years. Also thanks are due to EGIDE – Campus France IMHOTEP project for scientific cooperation between France/Egypt Academy for Scientific Research & Technology for two rounds of four years allowing cooperation between NRC and IPCMS, and supporting the laboratories for experimental parts and exchange of Professors.

My appreciation and gratitude go to my husband, Biophysist Mohamed Salah El-din Gad, my parent and all members of my dear family and special thanks to my son Yousof.

Table of contents

	Page
List of Tables.....	vi
List of Figures.....	viii
List of abbreviations.....	xiii
List of equations.....	xvii
Resumé du manuscrit en français.....	3
General Introduction.....	18
Chapter 1: State of the art.....	25
1. Biomaterials.....	25
1.1. Biocompatibility and bioactivity.....	27
1.2. Metallic biomaterials.....	28
1.2.1. Titanium and its alloys.....	29
1.2.2. Medical application of Ti and its alloys.....	32
1.2.3. Bone and joint replacements.....	33
1.2.4. Dental implants.....	34
1.2.5. Maxillofacial and craniofacial treatments.....	34
2. Corrosion resistance.....	34
3. Surface treatment.....	36
3.1. Mechanical pretreatment of metals: Blasting.....	37
3.2. Electrochemical pretreatment of metal: Anodization.....	38
3.3. Chemical pretreatment of metal: Acid etching.....	38
3.4. Coating.....	39

Table of contents

3.4.1 Calcium phosphates.....	42
3.4.2. Biomimetic coating and simulated body fluid.....	44
3.4.3. Titanium nitride.....	45
Chapter 2: Ca-P coating by autocatalytic method understanding and optimization of the process.....	47
PART I. Substrate pretreatment.....	48
1. State of art: Surface state modification.....	48
1.1. Surface roughness.....	48
1.2. Pretreatment in alkaline NaOH.....	49
1.3. Heat treatment.....	50
PART II. Coating deposition by autocatalytic baths on pretreated substrates.....	53
1. State of the art.....	53
1.1. Role of palladium ions.....	53
1.2. Role of silver ions (catalyser and antibacterial ions).....	54
PART III. Experimental part.....	55
1. Materials and methods.....	55
Substrates.....	55
1.1. Step 1: Substrate pretreatment.....	57
1.1.1. Experimental procedure A: chemical route.....	58
1.1.2. Experimental procedure B: physical route.....	59
1.2. Step 2: Coating deposition: Acidic, alkaline and oxidant baths.....	61
1.3. Samples' notation.....	62
1.4. Step 3: Biocompatibility step.....	63
1.4.1. Preparation of SBF.....	63

Table of contents

2. Characterisations of the biolayer.....	64
Chapter 3: Results and Discussions.....	66
PART I. Pretreated metallic substrates.....	67
1. Morphological analysis of alkaline (NaOH) pretreated substrates.....	69
2. Topological analysis of alkaline (NaOH) pretreated substrates.....	74
3. Structural analysis of pretreated samples.....	77
Conclusion of Part I.....	79
Part II: Sample treated by acidic bath.....	80
1. Structural analysis of samples after treatment with acidic bath.....	80
1.1. Group I.....	80
1.2 Group II.....	88
1.3. Group III.....	90
2. Morphological analysis of samples after treatment with acidic bath.....	93
2.1. Surface morphology of Group I.....	93
2.2. Surface morphology of Group II.....	97
2.3. Surface morphology of Group III.....	98
3. Biochemical analyses of SBF of Groups I, II and III.....	100
3.1. Group I.....	101
3.2. Group II.....	102
3.3. Group III.....	102
Conclusion of Part II.....	103
Part III. Alkaline bath.....	105
1. Structural analysis of samples after treatment with alkali bath.....	105
1.1 Structural analysis of Group I.....	105

Table of contents

1.2 Structural analysis of Group II.....	113
1.3 Structural analysis of Group III.....	114
2. Morphological analysis of samples after treatment with alkaline bath.....	117
2.1. Surface morphology of Group I.....	117
2.2. Surface morphology of Group II.....	121
2.3. Surface morphology of Group III.....	121
3. Biochemical analyses of SBF of Groups I, II and III.....	125
Conclusion of Part III.....	127
Part IV. Oxidant bath.....	129
1. Structural analysis of samples after treatment with oxidant bath.....	129
1.1. Structural analysis of Group I.....	129
1.2. Structural analysis of Group II.....	135
1.3. Structural analysis of Group III.....	137
2. Morphological analysis of samples after treatment with oxidant bath.....	139
2.1. Surface morphology of Group I.....	139
2.2. Surface morphology of Group II.....	143
2.3. Surface morphology of Group III.....	144
3. Biochemical analyses of Groups I, II and III.....	146
Conclusion of Part IV.....	149
Conclusion.....	151
References.....	155
Arabic summary.....	173
Annex 1: Pulsed Laser Deposition.....	176
Annex 2: Calcium-phosphate phases.....	180

Table of contents

Amorphous Calcium Phosphate (ACP).....	181
Dicalcium Phosphate Dehydrate (DCPD) and Anhydrous (DCPA).....	181
Tricalcium Phosphate (TCP).....	182
Octacalcium Phosphate (OCP).....	183
Canaphite.....	183
Hydroxyapatite (HA).....	184
Solubility of calcium phosphate compounds.....	185
Annex 3: Simulated body fluids.....	187
Annex 4: Analyses and Characterizations.....	191
Structural characterizations.....	192
Morphological characterizations.....	194
Biochemical analysis of SBF.....	196

List of tables

	page
Tableau 1. Compositions des bains autocatalytiques.....	8
Tableau 2. Compositions (mM) des SBF1 et SBF1.5 en comparaison avec le plasma sanguin humain [Kokubo & Takadama, 2006].....	8
Table 1. Biomaterials classes with their advantages and disadvantages [Sáenz et al.,1999]	25
Table 2. Types of tissue response to different foreign materials [Hench and Best, 2004].....	27
Table 3. Some characteristics of several metallic implant materials [Long and Rack, 1998].....	29
Table 4. Chemical composition of different grades of Ti and its alloy (ASTM, F67-89, 1992; ASTM, F136-84, 1992).....	30
Table 5. Titanium and its alloys for biomedical applications registered in according to international Standards ASTM, ISO, or JIS.....	31
Table 6. Mechanical properties of Ti and its alloys [Long and Rack, 1998].....	32
Table 7. Average surface roughness using several methods.....	38
Table 8. Several methods for Ca-P coatings[Yang et al., 2005].....	41
Table 9. Existing calcium orthophosphates and their major properties [Dorozhkin, 2009].....	43
Table 10. The development of simulated body fluid to imitate the extracellular fluid compared to human blood plasma.....	44
Table 11. Composition of Kroll etching solution.....	59
Table 12. PLD experimental conditions of TiN films.....	60
Table 13. Inorganic composition of chemical baths.....	61
Table 14. Samples' notation.....	63
Table 15. Ionic concentration (mM) of SBF1 and SBF1.5 in comparison with human blood plasma [Kokubo and Takadama, 2006].....	63
Table 16. Substrate, buffer layer and catalyst used in each group.....	67
Table 17. Sample notation of pretreated substrates. (Duration of SBF is in day: d).....	68
Table 18. Complete series of sample (Group I, II and II) treated with acidic autocatalytic bath.....	82
Table 19. Complete series of sample (Group I, II and II) treated with alkaline autocatalytic bath).....	107
Table 20. Complete series of sample (Group I, II and II) treated with oxidant autocatalytic bath.....	131

Table of contents

Table 21. Comparative composition of inorganic phases of adult human calcified tissues [Dorozhkin & Epple, 2002].....	185
Table 22. The development of simulated fluid to imitate the extracellular fluid of the human blood plasma.....	188
Table 23. Analysis of Ca^{2+} concentration.....	197
Table 24. Preparation of Control and unknown samples.....	197
Table 25. Analysis of P concentration.....	197
Table 26. Prepration of control and unknown samples.....	198

List of figures

	Page
Figure 1. Schéma des deux méthodes employées dans ce travail de thèse.....	5
Figure 2. Schéma représentatif du travail expérimental.....	7
Figure 3. Micrographie MEB de la structure de la couche tampon de titanate de sodium composée d'agglomérats sphériques (a), grossissement de la structure hautement nanoreticulé (b) and épaisseur de la couche de titanate de sodium (c)....	9
Figure 4. Clichés MEB de couches de phosphate de calcium obtenues par immersion dans le bain SBF1 (a et d) puis dans le bain SBF1.5 (b et c) pour des couches de titanate de sodium obtenues après 1 h ou 3 h de recuit. Les analyses FT-IR associées sont présentées en (c) et (d).....	11
Figure 5. Micrographie MEB de la structure couche intermédiaire de TiN après le bain acide et différentes immersion en SBF.....	12
Figure 6. Clichés MEB des couches de phosphate de calcium obtenues dans un bain alcalin (avec PdCl ₂ ou AgCl) et par immersion dans le bain SBF1 puis SBF1.5 et leurs analyses EDS associées.....	13
Figure 7. Micrographie MEB des dépôts obtenus par un bain oxydant (avec PdCl ₂ ou AgCl) et après immersion dans SBF1 puis dans SBF1.5 et leurs analyses EDS associées.....	15
Figure 8. Sketch of employed methods in the present work.....	20
Figure 9. Several metallic implants sites [Manivasagam et al., 2010].....	28
Figure 10. Schematic presentation of initiation and mechanism of corrosion of a dental implant [Gittens et al., 2011].....	35
Figure 11. Flow sheet of experimental design.....	47
Figure 12. Structural change of titanium surface after NaOH (alkaline) treatment and heat treatment [Kokubo and Yamaguchi, 2010].....	51
Figure 13. Surface structure changes of Ti metal after alkaline and thermal treatment then soaked in SBF [Kokubo and Yamaguchi, 2010].....	52
Figure 14. Schematic diagram of the specimens' classifications.....	57
Figure 15. Schematic diagram of the experimental work.....	58
Figure 16. Schematic principle of PLD system.....	60
Figure 17. FESEM images of TAV polished and cleaned; after chemical etching and NaOH treated and their corresponding EDS-X analyses. Sample's notation is given in Table 17	70
Figure 18. FESEM images of TAV ₄₀₀ and TAV ₄₀₀₀ with two heating rate (10 and 3°C/minute) and their corresponding EDS-X analyses. Sample's notation is given in Table 17	71

Figure 19. FESEM images of (a) TAV ₄₀₀ -1h after immersion 4 d in SBF1, (b) TAV ₄₀₀ -1h-SBF1 after immersion another 2 d in SBF1.5, (d) TAV ₄₀₀ -3h after immersion 4 d in SBF1, (e) TAV ₄₀₀ -3h-SBF1 after immersion additional 2 d in SBF1.5, (g,h) TAV ₄₀₀₀ immersed in SBF for 7 d, (j,k), Ti ₄₀₀₀ immersed in SBF for 14 d and (c,f,i,l) their corresponding EDS-X analyses.....	73
Figure 20. Confocal 3D images of roughness TAV polished and cleaned (a and b), after chemical etching (c ,d) and after alkaline treatment (e, f).....	75
Figure 21. Confocal 3D images of roughness TAV ₄₀₀ subjected to a heating rate 10°C/minute (a), and its immersion in SBF1 and SBF1.5 (b,c), TAV ₄₀₀ subjected to heating rate 3°C/minute (d),its immersion in SBF1 and SBF 1.5 (e,f); TAV ₄₀₀₀ subjected to a heating rate of 3°C/minute (g),its immersion in SBF (h), Ti ₄₀₀₀ subjected to a heating rate 3°C/minute (i) and its immersion in SBF (j).....	76
Figure 22. FT-IR Spectra of (a) TAV ₄₀₀ subjected to heating rate 10°C/minute, (b) 3°C/minute after immersing in SBF1 followed by SBF1.5 for 4 and 2 d and (c) TAV ₄₀₀₀ after immersing in SBF1 for 7 and 14 d.	78
Figure 23. FT-IR spectra after immersing 2 h in acidic bath followed by immersion in SBF (a) TAV ₄₀₀ subjected to 1h heat treatment. (b) TAV ₄₀₀ , (c) TAV ₄₀₀₀ and (d) Ti ₄₀₀₀ were subjected to 3 h heat treatment.....	85
Figure 24. TF-XRD patterns for (a) TAV ₄₀₀₀ and (b) Ti ₄₀₀₀ after treatment in acidic bath for 2 h (red) and after immersion in SBF for 14 d (blue).....	87
Figure 25. TEM images on the scratched coating Ti ₄₀₀₀ -Ac _{Pd} (a) and after SBF for 14 d (d), the corresponding SAED patterns (b,e) and their corresponding EDS-X analyses (c,f).....	88
Figure 26. TF-XRD patterns for TAV ₄₀₀₀ after treatment in acidic bath with AgCl for 2 h (red) and after immersion in SBF for 7 d (blue).....	89
Figure 27. TEM images of Ca-P coatings (a) after 2 h in acidic bath with AgCl and d) after SBF1 for 7 d, (b,e) diffraction pattern and (c,f) corresponding EDS-X analyses.....	90
Figure 28. FT-IR spectra of TiN (a) after 1 h, (d) after 2 h in acidic bath followed to immersion in SBF1 and SBF1.5.....	91
Figure 29. TF-XRD patterns for TiN after treatment in acidic bath (a) with PdCl ₂ for 1 h (red), (b) with PdCl ₂ for 2 h (red) followed by immersing in SBF 1 for 4 d (black), then another 2 d in SBF1.5 (blue) and (c) with AgCl for 2 h (red) followed by immersion for 14 d in SBF1 (blue).....	92
Figure 30. TEM image of scratch layer after 2h in Ac bath with AgCl (a) and its corresponding EDS-X analysis.....	93
Figure 31. FESEM images of different substrates after immersion for 2 h in acidic bath: (a,b) TAV ₄₀₀ -1h, (d,e) TAV ₄₀₀ -3h, (g,h) TAV ₄₀₀₀ , (j, k) Ti ₄₀₀₀ and (c,f,i,l) their corresponding EDS-X analyses.....	94