

شبكة المعلومات الجامعية

بسم الله الرحمل الرحيم



شبكة المعلومات الجامعية

# جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

# قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



# يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار المنافلام بعيدا عن الغبار %٤٠-٢٠ مئوية ورطوية نسبية من ٢٠-١٠ هي درجة حرارة من ٢٥-١٥ مئوية ورطوية نسبية من ٢٥-١٥ المنافذ المن





شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



# بعض الوثائق الاصلية ثالفة



# Studies on key insect pests infesting some sorghum varieties with reference to their natural enemies in Assiut Governorate



#### By

Mohamed Saber Mahmoud Mohamed B.Sc. Agric. (Plant Protection) Assiut Univ. (1993)

#### **THESIS**

Submitted in Partial Fulfillment of the Requirements for the Degree of

#### MASTER OF SCIENCE

In

Plant Protection (Economic Entomology)

From
Department of Plant Protection
Faculty of Agriculture
Assiut University

#### 2001

#### Supervised by:

Prof. Dr. Arafat M.K. El-Sayed Dept. of Plant Protection Fac. of Agric. Assiut Univ.


Prof. Dr. Samy H.M. Abd-Ellah Dept. of Plant Protection Fac. of Agric. Assiut Univ.

#### Examined by:

Prof. Dr. Samir S. Awad-Allah Dept. of Plant Protection Fac. of Agric. Mansoura Univ.

Prof. Dr. Samy H.M. Abd-Ellah Dept. of Plant Protection Fac. of Agric. Assiut Univ.

Prof. Dr. El-Sayed A.M. Eraky
Dept. of Plant Protection
Fac. of Agric. Assiut Univ.



( سبورة يولف ، آية ٢٧ ك )

#### APPROVAL SHEET

Name: Mohamed Saber Mahmoud Mohamed

Title: Studies on key insect pests infesting some sorghum

varieties with reference to their natural enemies in

Assiut Governorate.

This thesis has been submitted for fulfilling the degree of Master of Science. It has been throughly examined and approved by:

Prof. Dr. Samir S. Awadalla

Department of Economic Entomology

Faculty of Agriculture,

Mansoura University

Prof. Dr. Samy H.M. Abd-Ella

Department of Plant Protection
Faculty of Agriculture,
Assiut University

Prof. Dr. El-Sayed A.M. El-Eraky
Department of Plant Protection
Faculty of Agriculture,
Assiut University

(Committee in charge)

Date: 12/6/2001

# ACKNOWLEDGEMENT

#### **ACKNOWLEDGMENT**

First of all ultimate thanks are due to **ALLAH**. The originator of Heavens and Earth, the Merciful Guider and the Sole Governer of the Universe. He who without his aid this work could not be done.


It is a pleasure to express my deepest gratitude and appreciation to **Prof. Dr. Arafat M. Kamel**, Prof. of Plant Protection at Plant Protection Department, Faculty of Agriculture, Assiut University, for supervising and valuable advice.

I am greatly indepted to *Prof. Dr. Samy H.M. Abd-Ella*, Prof. of Economic Entomology of the same department, for proposing the problem, offspring all facilities throughout the work, valuable assistance, painstaking help and the time freely gave during preparation of the manuscript.

My special thanks are extended to *Mr. Youssef M.M. Omer*, assistant lecturer at Plant Protection Department, Faculty of Agriculture, Assiut University, for his help.

Special thanks to my teachers who taught me, and special thanks to my mother, father, sisters and brothers, and last but not least special thanks are give to my wife for her continuous encouragement.

Finally, I dedicate this work to my son, Ahmed.



### CONTENTS

Subject	Page
INTRODUCTION	1
REVIEW OF LITERATURE	3
1- Seasonal abundance of the sorghum key insect pests and their	
associated predators	3
2- Susceptibility of maize and sorghum cultivars to certain insect	
pests	9
3- Biological studies on Rhopalosiphum maidis and other	
related species of aphids	13
4- Effectiveness of Bacillus thurmgiensis against Lepidopteran	
pests	18
5- Toxicity of insecticides to the greenbug Schizaphis graminum	
and other related species of aphids	23
MATERIALS AND METHODS	24
RESULTS AND DISCUSSION	34
1- Monitoring abundance of the sorghum key insect pests and	
their associated natural predators	34
1.1. Seasonal abundance of the sorghum key insect pests	34
1.2. Seasonal abundance of dominate predators associated	
with the sorghum key insect pests	36
2- Susceptibility of sorghum cultivars to the natural infestation	
by the key insect pests	39
2.1. Susceptibility of sorghum cultivars to Sesamia cretica	39
2.2. Susceptibility of sorghum cultivars to Spodoptera exigua	42
2.3. Susceptibility of sorghum cultivars to Rhopalosiphum	46
maidis	
2.4. Susceptibility of sorghum cultivars to Schizaphis	49
graminum	
2.5. Susceptibility of sorghum cultivars to Limothrips	52
cerealium	

Subject	Page
3- Biological studies	56
3.1. Effect of three constant temperatures on the development	
of Rhopalosiphum maidis Fitch. on rearedsorghum	56
leaves	
3.2. Age specific survival rate and age specific fecundity	
rate of R. maidis reared on sorghum leaves	60
3.3. Life table parameters	60
3.3.1. Net reproduction rate (R <sub>0</sub> )	60
3.3.2. Generation time (GT)	64
3.3.3. Population doubling time (DT)	64
3.3.4. Intrinsic and finite rates of increase (rm and $\lambda$ )	64
3.4. Use of effective temperature in determining number of	
generations of Rhopalosiphum maidis on sorghum	66
4- Effect of some Bacillus thuringiensis formulations Neem	
extract and Juvenile hormone mimic on sorghum infested by	69
larger sugar-cane worm, Sesamia cretica	
5- The resistance level of the greenbug field strain, S.	73
graminum, to the dominate pesticides	
5.1. Relative toxicity of the dominate pesticides against	73
5.1.1. Field populations	73
5.1.2. Laboratory strain	73
5.2. Level of resistance	73
SUMMARY	78
REFERENCES	82
ARABIC SUMMARY	_

## LIST OF TABLES

Table No.	Title	Page
1	Microbial and chemical insecticides tested against the large sugar-cane worm and their rates of application	29
2	Population fluctuation of the key insect pests infested sorghum at Assiut Governorate	33
3	Population fluctuation of the associated predators to the key insect pests on sorghum at Assiut Governorate.	37
4	Susceptibility of sorghum cultivars to the infestation by Sesamia cretica at Assiut Governorate during 1996, 1997 and 1998 growing seasons.	40
5	Susceptibility of sorghum cultivars to the infestation by Spodoptera exigua at Assiut Governorate during 1996, 1997 and 1998 growing seasons.	44
6	Susceptibility of sorghum cultivars to the infestation by <i>R. maidis</i> at Assiut Governorate during 1996, 1997 and 1998 growing seasons.	47
7	Susceptibility of sorghum cultivars to the infestation by S. graminum at Assiut Governorate during 1996, 1997 and 1998 growing seasons.	50
8	Susceptibility of sorghum cultivars to the infestation by <i>L. cerealium</i> at Assiut Governorate during 1996, 1997 and 1998 growing seasons.	53
9	Duration of the nymphal instars and the pre-viviparity period of <i>Rhopalosiphum maidis</i> at different constant temperatures	57
10	Number of day-degrees (DD) necessary for development from 1st nymphal instar to adult stage of <i>R. maidis</i> using hypothetical temperature thresholds at 15 and 20°C	58
11	Age specific survival rates (Lx) and age specific rates (mx) of <i>R. maidis</i> at 15°C	61
12	Age specific survival rates (Lx) and age specific rates (mx) of R. maidis at 20°C	62
13	Age specific survival rates (Lx) and age specific rates (mx) of R. maidis at 25°C	63

Table No.	Title	Page
14	Certain life-table parameters of <i>R. maidis</i> reared at different constant temperatures	65
15	Effect of three constant temperatures on the development of <i>R. maidis</i> nymphal instars	67
16	Averages of monthly temperature and effective temperature during the period from August to September from 1990 to 1999, at Assiut Governorate	68
17	Effect of some microbial and chemical insecticides on Large sugar-cane worm infestation and the associated predators in sorghum	70
18	Toxicity of the tested insecticides against the field strain of S. graminum.	74
19	Toxicity of the tested insecticides against the laboratory strain of S. graminum	75
20	Resistance factor of the field strain of S. graminum to the tested insecticides	76

#### LIST OF FIGURES

Figure No.	Title	Page
1	Population fluctuation of the key insect pests infested sorghum at Assiut Governorate during the three seasons 1996, 1997 and 1998	34
2	Population fluctuation of the associated predators to the key insect pests on sorghum at Assiut Governorate	38_
3	The mean susceptibility of sorghum cultivars to the natural infestation by Sesamia cretica at Assiut Governorate during the growing seasons of 1996, 1997 and 1998	41
4	The mean susceptibility of sorghum cultivars to the natural infestation by <i>Spodoptera exigua</i> at Assiut Governorate during the growing seasons of 1996, 1997 and 1998	45
5	The mean susceptibility of sorghum cultivars to the natural infestation by <i>R. maidis</i> at Assiut Governorate during the growing seasons of 1996, 1997 and 1998	48
6	The mean susceptibility of sorghum cultivars to the natural infestation by <i>S. graminum</i> at Assiut Governorate during the growing seasons of 1996, 1997 and 1998	51
7	The mean susceptibility of sorghum cultivars to the natural infestation by <i>L. cerealium</i> at Assiut Governorate during the growing seasons of 1996, 1997 and 1998	
8	Day-degrees needed for <i>R. maidis</i> to develop from 1st nymphal instar to adult stage using hypothetical temperature threshold at rearing temperatures of 15 and 20°C	
9	Effect of some microbial and chemical insecticides on Large sugar-cane worm infestation and the association predators in sorghum	1