#### **ULTRASOUND BIOMICROSCOPY**

Essay

Submitted for the partial fulfillment of Master Degree in **Ophthalmology** 

By

Hanaa Hamdi Rashad

M.B.,B.Ch

Faculty of Medicine, Ain Shams University

Supervised by

#### Prof. Dr. Mahmoud Hamdi Ibrahim

Professor of Ophthalmology Faculty of Medicine, Ain shams University

#### Dr. Dina Fzzat

Assistant professor of Opthalmology Faculty of Medicine, Ain shams University

Faculty of Medicine

Hin Shams University

Cairo

2010





All praise are to Allah and all thanks. He has guided and enabled me by his mercy to fulfill this essay, which I hope to be beneficial for people.

I would like to express my deepest gratitude and sincere appreciation to Prof. Dr. Mahmoud Hamdi Ibrahim, for his continuous encouragement, his kind support and appreciated suggestions that guided me to accomplish this work.

I am also grateful to Dr. Dina Ezzat who freely gave her time, effort and experience along with continuous guidance through out this work.

#### Contents

	Page
Introduction	1
Aim of the work	3
History of UBM	4
Basic physics	10
Description of the apparatus	24
Mode of use of the apparatus	30
Applications of UBM:	
Cornea	39
Anterior segment	50
Ciliary body	63
Glaucoma surgeries	75
The crystalline lens	90
Intraocular lens	97
Summary	115
References	119

#### List Of Abbreviations

ACD	Anterior chamber depth.
ARA	Angle recess area
CCT	Central corneal thickness.
СМ	Centimetre.
СТ	Corneal thickness.
CTR	Capsular tension ring.
dB	Decibels.
DSCI	Deep sclerotomy with collagen implant.
EDTA	Ethylene diamine tetra acetic acid.
FDA	Food and drug administration.
Hz.	Hertz.
HFU	High frequency ultrasound
IOP	Intraocular pressure.
KHz	Kilohertz.
LASIK	Laser assisted in-situ keratomileusis.
LPI	Laser periphral iriditomy
MA	Maximum amplitude.
MHz	Megahertz.
mm	Millimetre.
μm	Micrometer.
μs	Microsecond.
m/sec.	Meter / second.
PCPIOL	Posterior chamber phakic intraocular
	lens.

PCT	Peripheral corneal thickness.
PDS	Pigment dispersion syndrome.
PIOL	Phakic intraocular lens.
PKP	Penetrating keratoplasty.
PVDF	Piezoelectric polymer Polyvinylidene
	diflouride.
SAM	Scanning acoustic microscopy.
Sec.	Second.
SONAR	Sound navigation and ranging.
TCPD	Trabecular-ciliary process distance.
TID	Trabecular meshwork - iris distance.
TIPD	Trabecular meshwork - iris pigment
	epithelium distance.
UBM	Ultrasound biomicroscopy.
Vol.	Volume.
XFS	Exfoliation syndrome.
2D	Two dimensions.
3D	Three dimensions.

## List of Figures

Figure	Title	Page
No.		
1	Low frequency (A) versus high-frequency (B)	
	ultrasound	12
2	The direction of the sound incidence	16
3	The acoustic interfaces	17
4	Refraction	18
5	A transducer as a main element of the Pulse-	
	Echo system	20
6	High frequency Pvdf transducer	25
7	Resolution	26
8	Schematic diagram of an ultrasound system	27
9	Side views of plastic eyecup on the left and	
	silicone eye cup on the right	33
10	Eye cup fitted between the eyelids	33
11	Goggle and speculum of the orbital cup	35
12	UBM shows normal corneal UBM in Peter's	
	anomaly	40
13	UBM image shows complete corneal	
	opacification thought to be sclerocornea	42
14	UBM appearance in early case of	
	mucopolysaccharidosis	42

Figure	Title	Page
No.		
15	UBM appearance in advanced case of	
	mucopolysaccharidosis with membrane like	
	formation	43
16	UBM appearance in advanced case of	
	mucopolysaccharidosis with cystic lesion	43
17	UBM image of the Reis-Bücklers dystrophy	43
18	UBM image of central cornea in patient with	
	lattice dystrophy	44
19	UBM image of granular dystrophy	45
20	UBM in posterior amorphous corneal	
	dystrophy stromal opacification	45
21	UBM image in case of posterior polymorphous	
	corneal dystrophy	47
22	Appearance of acute hydrops in keratoconus	
	by slitlamp and ultrasound biomicroscopy	
	(UBM)	47
23	UBM image shows LASIK treated cornea	48
24	Slit lamp photograph of keratomycosis	49

Figure	Title	Page
No.		
25	UBM colour scale display showing cross	
	sectional view of the cornea. The infiltrate	
	involved full-stromal thickness	49
26	UBM image shows CCT Measurement	49
27	UBM image shows anterior segment	
	measurements	51
28	UBM image of anterior chamber angles (CA1)	
	(CA2)	51
29	UBM image shows measurement of ACD	53
30	Inflammatory changes revealed by ultrasound	
	biomicroscopy in acute anterior uveitis	54
31	Changes in the anterior segment revealed by	
	ultrasound biomicroscopy (UBM) in acute	
	anterior uveitis	55
32	Ultrasound biomicroscopy image in a case of	
	pupillary block preiridotomy	56
33	Ultrasound biomicroscopic image in a case of	
	plateau iris syndrome postiridotomy	59
34	Types of synechiae on UBM	59

Figure	Title	Page
No.		
35	An ultrasound biomicroscopic image showing	
	an angle recession	61
36	An ultrasound biomicroscopic image showing	
	a cyclodialysis (small arrow) with peripheral	
	choroidal detachment (big arrow) and small	
	blood vessel	62
37	UBM image of the ciliary body the posterior	
	surface of the iris and the base of the ciliary	
	body	62
38	UBM image shows ciliary Processes;	
	Transverse section	63
39	UBM image of the zounlar fibers	63
40	UBM image shows ciliary body tumour with	
	medium internal reflectivity	64
41	UBM reveals a 4x4x2.5 mm solid lesion of the	
	pars plicata region with extension into the	
	iris root	66
42	UBM image shows ciliary body adenoma with	
	high internal reflectivity and partial	
	involvement of the ciliary body	67

Figure	Title	Page
No.		
43	Leiomyoma of the ciliary body	67
44	UBM image of ciliary body melanoma	68
45	UBM image shows ciliary body melanoma with prominent internal cavitation with	
	pseudocyst formation	69
46	Anterior segment photography of the lesion	70
47	Ultrasound biomicroscopy	71
48	Ultrasound biomicroscopy (UBM) of ciliary	
	body tumor	71
49	Ultrasound biomicroscopy of ciliary body	
	tumor (CBT) with a large cystic space	73
50	After goniotomy, a triangular cleft at the	
	region of the trabecular meshwork is revealed	
	by UBM	74
51	Three months after trabeculotomy, the	
	trabecular meshwork and bridging iris	
	strands are ruptured and highly reflexive	
	tissue remnants are visible, inserting	
	posteriorly	76

Figure	Title	Page
No.		
52	Eight years after combined trabeculotomy	
	trabeculectomy, the anterior chamber angle	
	area in which trabeculotomy was carried out	77
<b>5</b> 3	Six months after trabeculectomy, the internal	
	ostium is clearly visible	77
54	UBM image showing Laser iridotomy	78
55	UBM before and after LPI showing flattening	
	of the iris and the opening of the angle	79
56	UBM after surgical iridectomy	80
57	UBM image of a filtering bleb	81
58	UBM image showing a multicystic bleb	82
59	UBM image of an encapsulated bleb	83
60	The end of the tube (T) is completely occluded	
	by iris tissue	84
61	focal constriction within the tube with loss of	
	the internal lumen at the site of tube	
	penetration	85
62	UBM of the sclerectomy site 1 month after	
	DSCI	86
63	UBM after viscocanalostomy	87

Figure	Title	Page
No.		
64	Unusual UBM appearance of bleb and iris	
	after	88
65	Shallow anterior chamber due to lens	
	intumesense	89
66	Anterior segment anatomy in pigment	
	dispersion syndrome	90
67	An increase in the iris concavity can be	
	induced during accommodation	91
68	UBM image showing an evidently concave	
	iris, before iridotomy	92
69	An ultrasound biomicroscopic image showing	
	an area of missing zounlar fibers	92
70	An ultrasound biomicroscopic image showing	
	dislocation of posterior chamber intraocular	
	lens in anterior chamber	94
71	An ultrasound biomicroscopic image showing	
	anteriorly dislocated lens pushing the iris	94
72	Abnormally thick zounlar fiber	94
73	Slit lamp image of eye in a patient implanted	
	with iris claw phakic IOL	96

Figure	Title	Page
No.		
74	Postoperative composite picture of 3 vertical	
	UBM echogram of the iris claw phakic IOL	98
75	Postoperative composite picture of 3	
	horizontal UBM echograms of the iris claw	
	phakic IOL	99
76	Schematic representation of a normal ICA (Θ)	
	in a phakic eye	99
77	A typical scan of 35 megahertz ultrasound	
	biomicroscopy	101
78	Preoperative UBM showing inferior IOL	
	haptic rubbing the posterior surface of the iris.	105
79	Linear and angle parameters measured with	
	the HiScan system	105
80	Linear and angle parameters measured with	
	the UBM 840 system	106

Figure	Title	Page
No.		
81	Ciliary process-capsular bag distance using	
	the HiScan system	107
82	Ciliary process-capsular bag distance	108
83	Images from the HiScansystem images	
	showing an IOL plane modification	108
84	Retained nucleus fragment in the posterior	
	chamber	110
85	Radial scans of ultrasound biomicroscopy	
	images of Left eye	112
86	Ultrasound biomicroscopy images of optic	
	position	112
87	Ultrasound biomicroscopy images of radial	
	scan	113
88	Ultrasound biomicroscopic imaging shows a	
	persistent scleral tunnel in the 12 o'clock	
	position	114