



Biochemical studies on superoxide dismutase enzyme from liver of some mammals

Thesis Submitted

By

Mohamed Mosaad Abdel-Monseif Soliman

B. Sc. in Biochemistry and Chemistry

Biochemistry Department

Faculty of Science

Ain Shams University, 2003

For Partial Fulfillment of Master Degree in Biochemistry

Supervised by

Prof. Dr.

Ahmed Mohamed Hassan Salem

**Prof. of Biochemistry
Biochemistry Department
Faculty of Science
Ain Shams University**

Prof. Dr.

Mahmoud Abdel-Aziz Ibrahim

**Prof. of Biochemistry
Molecular Biology Department
Deputy Head of Genetic Engineering
and Biotechnology Division
National Research Centre**

Dr.

Abdel-Rahman B. Abdel-Ghaffar

**Lecturer of Biochemistry
Biochemistry Department
Faculty of Science
Ain Shams University**

Biochemistry Department

Faculty of Science

Ain Shams University

(2010)

Biochemical studies on Superoxide dismutase enzyme from liver of some mammals

Board of Scientific Supervision

Prof. Dr. Ahmed Mohamed Hassan Salem

Emeritus Professor of Biochemistry

Biochemistry Department

Faculty of Science

Ain Shams University

Cairo - Egypt

Prof. Dr. Mahmoud Abdel-Aziz Ibrahim

Professor of Biochemistry

Molecular Biology Department

**Deputy Head of Genetic Engineering and Biotechnology
Division**

National Research Centre

Cairo - Egypt

Dr. Abdel-Rahman B. Abdel-Ghaffar

Lecturer of Biochemistry

Biochemistry Department

Faculty of Science

Ain Shams University

Cairo - Egypt

ACKNOWLEDGEMENT

I would like to express my deep appreciations to Prof. Dr. Ahmed Mohamed Hassan Salam, emeritus Professor of Biochemistry, Department of Biochemistry, Faculty of Science, Ain Shams University for his valuable supervision, guidance and kind encouragement.

I would like to express my sincere and great appreciation to Prof. Dr. Mahmoud Abdel-Aziz Ibrahim, Professor of Biochemistry, Molecular Biology Department, National Research Center, for suggesting the research point, his close supervision and giving the full facilities for the proper research work.

My deep appreciations are due to Prof. Dr. Abdel-Hady Mahmoud Ghazy, emeritus Professor of Biochemistry, Molecular Biology Department, National Research Center, for his generous help, kindness and encouragement throughout the course of this work.

I would like to express my sincere gratitude to Dr. Abdel-Rahman B. Abdel-Ghaffar, Lecturer of Biochemistry, Biochemistry Department, Faculty of Science, Ain Shams University for his valuable supervision and kind support.

The financial support offered by National Research Centre and facilities offered by Molecular Biology Department, that enabled me to carry out this work are greatly appreciated.

The Scholarship offered by Scientific Research Academy that helps me is greatly appreciated.

Deepest gratitude is indebted to my colleagues in Molecular Biology Department, National Research Centre.

Deepest gratitude is indebted to my family; my father, my mother, my brothers, my sisters and my wife for their help and continuous encouragement. I wouldn't be here if I didn't have them beside me.

TABLE OF CONTENTS

	Page
List of Figures-----	VI
List of Tables-----	XII
List of Abbreviations-----	XIII
Abstract -----	XV
Aim of work -----	1
Introduction -----	2
I- Classification of superoxide dismutase isoenzymes -----	3
A- According to the active site metal species-----	3
1- Cupper/Zinc superoxide dismutase -----	4
2- Manganese superoxide dismutase -----	7
3- Extracellular Cupper/Zinc superoxide dismutase-----	9
4- Iron superoxide dismutase -----	12
5- Nickel superoxide dismutase -----	12
B- According to sensitivity to inhibitors-----	13
II- Pathogenesis of reactive oxygen species -----	14
III- Role of superoxide dismutases	
in microbes Pathogenicity -----	16
IV- Toxicity of superoxide dismutase enzyme -----	17
V- Diagnostic importance of superoxide dismutase -----	18
VI- Medical and therapeutic importance of	
superoxide dismutase-----	19
A- SODs derivatives drugs-----	21
B- Targeting SODs to Critical Sites of Action-----	22
1- Targeting superoxide dismutase	
to hepatic constituent cells-----	22
2- Targeting superoxide dismutase	
to renal proximal tubule cells-----	22
3- Targeting superoxide dismutase	
to vascular endothelial cells-----	23
C- Cu/Zn-SOD as a potential antifibrotic drug	
for hepatitis C related fibrosis-----	23
D- Augmentation of SODs activity-----	24
E- Chimeric superoxide dismutase-----	25

- II -

VII- Molecular properties of superoxide dismutase	
isoenzymes-----	25
A- Genetic structures and organization of the genes-----	25
1- Cupper/Zinc superoxide dismutase gene-----	26
2- Manganese Superoxide dismutase gene-----	27
3- Extracellular Cupper/Zinc superoxide dismutase gene-----	27
B- Role of SOD genes in disease-----	27
1- Cupper/Zinc superoxide dismutase-----	27
2- Manganese Superoxide dismutase-----	28
3- Extracellular Cupper/Zinc superoxide dismutase ----	29
VIII- Purification of superoxide dismutases -----	29
Materials and Methods-----	35
A- MATERIALS-----	35
1- Liver material-----	35
2- Chemicals-----	35
3- Buffers-----	35
B- METHODS-----	36
I- Enzyme assay-----	36
Assay of superoxide dismutase activity-----	36
II- Protein determination-----	36
1- Principle-----	36
2- Preparation of the protein assay reagent-----	37
3- Procedure-----	37
III- Preparation of columns for chromatography-----	39
1- Preparation of DEAE-cellulose column-----	39
2- Preparation of sephacryl S-300 column-----	40
IV- Purification of the liver Superoxide dismutase -----	40
1- Preparation of n-butanol extract -----	40
2- Preparation of acetone fraction-----	41
3- DEAE-cellulose column chromatography-----	41
4- Sephacryl S-300 column chromatography-----	42
V- Molecular weight determination by gel filtration-----	42
VI- Electrophoretic analyses-----	43
A- Native polyacrylamide gel electrophoresis (PAGE) ----	43
1- Principle-----	43

- III -

2- Reagents-----	43
3- Procedure-----	45
B- Sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE) -----	46
1 – Principle-----	46
2 – Reagents-----	47
3 – Procedure-----	49
4 – Molecular weight determination by SDS-PAGE----	50
C- Isoelectric focusing (IEF) -----	51
1- Principle-----	51
2- Reagents-----	53
3- Procedure-----	54
4- Determination of isoelectric point pI value-----	56
D- Staining of the Superoxide dismutase enzyme activity-	56
VII- Statistical analysis-----	58
Results -----	59
Comparison of the liver superoxide dismutases activity: ----	59
1- Based on the specific activity level: -----	59
2- Based on the anion exchange chromatographic pattern: --	61
3- Based on electrophoretic pattern: -----	65
I- Buffalo liver superoxide dismutases: -----	68
A- Purification of superoxide dismutases from buffalo liver: -----	68
1- Preparation of n-butanol extract: -----	68
2- Acetone precipitation: -----	69
3- Chromatography on the DEAE-cellulose column: ---	69
4- Chromatography on sephacryl S-300 column: -----	72
B- Characterization of the buffalo liver superoxide dismutases BLSOD1 and BLSOD2:-----	74
1- Molecular weight determination of the buffalo liver superoxide dismutase by gel filtration: -----	74
2- Electrophoretic analyses of buffalo liver superoxide dismutases: -----	77
A- Homogeneity by native 7 % PAGE: -----	77
B- Subunit molecular weight by SDS-PAGE: -----	77
C- Isoelectric point determination: -----	82

- IV -

3- Determination of optimum pH: -----	82
4- Effect of divalent cations: -----	82
5- Effect of CuCl ₂ , ZnCl ₂ and MnCl ₂ on isoenzyme pattern: -----	86
6- Effect of various inhibitors: -----	90
7- Effect of KCN, H ₂ O ₂ , NaN ₃ and SDS on isoenzyme pattern: -----	93
II- Camel liver superoxide dismutases: -----	98
A- Purification of superoxide dismutases from camel liver: -----	98
1- Preparation of n-butanol extract: -----	98
2- Acetone precipitation: -----	98
3- Chromatography on the DEAE-cellulose column: ---	98
4- Chromatography on sephacryl S-300 column: -----	103
B- Characterization of the camel liver superoxide dismutases CLSOD1a, CLSOD1b and CLSOD2:-----	106
1- Molecular weight determination of the camel liver superoxide dismutase by gel filtration: -----	106
2- Electrophoretic analyses of camel liver superoxide dismutases: -----	106
A- Homogeneity by native 7 % PAGE: -----	106
B- Subunit molecular weight by SDS-PAGE: -----	110
C- Isoelectric point determination: -----	110
3- Determination of optimum pH: -----	115
4- Effect of divalent cations: -----	115
5- Effect of CuCl ₂ , ZnCl ₂ and MnCl ₂ on isoenzyme pattern: -----	118
6- Effect of various inhibitors: -----	122
7- Effect of KCN, H ₂ O ₂ , NaN ₃ and SDS on isoenzyme pattern: -----	125
III- Sheep liver superoxide dismutases: -----	130
A- Purification of superoxide dismutases from sheep liver: -----	130
1- Preparation of n-butanol extract: -----	130
2- Acetone precipitation: -----	130
3- Chromatography on the DEAE-cellulose column: --	132

4- Chromatography on sephacryl S-300 column: -----	135
B- Characterization of the sheep liver superoxide dismutases SLSOD1 and SLSOD2:-----	138
1- Molecular weight determination of the sheep liver superoxide dismutase by gel filtration: -----	138
2- Electrophoretic analyses of sheep liver superoxide dismutases: -----	138
A- Homogeneity by native 7 % PAGE: -----	138
B- Subunit molecular weight by SDS-PAGE: -----	141
C- Isoelectric point determination: -----	141
3- Determination of optimum pH: -----	141
4- Effect of divalent cations: -----	146
5- Effect of CuCl ₂ , ZnCl ₂ and MnCl ₂ on isoenzyme pattern: -----	148
6- Effect of various inhibitors: -----	148
7- Effect of KCN, H ₂ O ₂ , NaN ₃ and SDS on isoenzyme pattern: -----	154
Discussion -----	160
References -----	180
Summary -----	221
Arabic Summary	
Arabic Abstract	

LIST OF FIGURES

Figure No.	Page
(1): Standard curve of the protein concentration using bovine serum albumin as a standard protein -----	38
(2): A Calibration curve for the molecular weight determination of superoxide dismutase by gel filtration on the Sephacryl S-300 column-----	44
(3): A Calibration curve for the molecular weight determination by 12 % SDS-PAGE-----	52
(4): A calibration curve for isoelectric point (pI) value determination by isoelectric focusing (IEF) -----	57
(5): A typical elution profile for the chromatography of the buffalo liver acetone fraction on DEAE-cellulose column-----	62
(6): A typical elution profile for the chromatography of the camel liver acetone fraction on DEAE-cellulose column -	63
(7): A typical elution profile for the chromatography of the sheep liver acetone fraction on DEAE-cellulose column--	64
(8): Electrophoretic analysis of liver n-butanol extract of the three mammals on 7% native polyacrylamide gel-----	66
(9): Electrophoretic analysis of liver n-butanol extracts of the three mammals on 12% SDS-Polyacrylamide gel-----	67
(10): A typical elution profile for the chromatography of the buffalo liver acetone fraction on DEAE-cellulose column	71
(11): Electrophoretic analysis of buffalo liver superoxide dismutase isoenzymes on 7% native polyacrylamide gel -	73
(12): A typical elution profile for the chromatography of the concentrated pooled DEAE-cellulose fractions containing the buffalo liver superoxide dismutase activity (BLSOD1) on sephacryl S-300 column-----	75
(13): A typical elution profile for the chromatography of the concentrated pooled DEAE-cellulose fractions containing	

- VII -

the buffalo liver superoxide dismutase activity (BLSOD2) on sephacryl S-300 column -----	76
(14): Electrophoretic analysis of buffalo liver superoxide dismutase (BLSOD1) of the different purification steps on 7% native polyacrylamide gel -----	78
(15): Electrophoretic analysis of buffalo liver superoxide dismutase (BLSOD2) of the different purification steps on 7% native polyacrylamide gel -----	79
(16): Subunit molecular weight determination by electrophoretic analysis of buffalo liver superoxide dismutase (BLSOD1) on 12 % SDS-Polyacrylamide gel -----	80
(17): Subunit molecular weight determination by electrophoretic analysis of buffalo liver superoxide dismutase (BLSOD2) on 12 % SDS-Polyacrylamide gel -----	81
(18): Isoelectrofocusing; of the purified buffalo liver superoxide dismutase (BLSOD1 and BLSOD2) -----	83
(19): Effect of pH on the purified buffalo liver superoxide dismutases (BLSOD1 and BLSOD2) -----	84
(20): Effect of CuCl ₂ on purified buffalo liver superoxide dismutase isoenzymes BLSOD1 and BLSOD2 electrophoretically analyzed on 7% native PAGE-----	87
(21): Effect of ZnCl ₂ on purified buffalo liver superoxide dismutase isoenzymes BLSOD1 and BLSOD2 electrophoretically analyzed on 7% native PAGE -----	88
(22): Effect of MnCl ₂ on purified buffalo liver superoxide dismutase isoenzymes BLSOD1 and BLSOD2 electrophoretically analyzed on 7% native PAGE -----	89
(23): Effect of KCN on purified buffalo liver superoxide dismutase isoenzymes BLSOD1 and BLSOD2 electrophoretically analyzed on 7% native PAGE -----	94
(24): Effect of H ₂ O ₂ on purified buffalo liver superoxide dismutase isoenzymes BLSOD1 and BLSOD2 electrophoretically analyzed on 7% native PAGE -----	95

- VIII -

(25): Effect of NaN ₃ on purified buffalo liver superoxide dismutase isoenzymes BLSOD1 and BLSOD2 electrophoretically analyzed on 7% native PAGE -----	96
(26): Effect of SDS on purified buffalo liver superoxide dismutase isoenzymes BLSOD1 and BLSOD2 electrophoretically analyzed on 7% native PAGE -----	97
(27): A typical elution profile for the chromatography of the camel liver acetone fraction on DEAE-cellulose column - -----	101
(28): Electrophoretic analysis of camel liver superoxide dismutase isoenzymes on 7% native PAGE -----	102
(29): A typical elution profile for the chromatography of the concentrated pooled DEAE-cellulose fractions CLSOD1 containing the CLSOD1a and CLSOD 1b isoenzymes of camel liver superoxide dismutase on sephacryl S-300 column -----	104
(30): A typical elution profile for the chromatography of the concentrated pooled DEAE-cellulose fractions containing the CLSOD2 isoenzyme of camel liver superoxide dismutase on sephacryl S-300 column -----	105
(31): Electrophoretic analysis of camel liver superoxide dismutase (CLSOD1a) of the different purification steps on 7% native PAGE -----	107
(32): Electrophoretic analysis of camel liver superoxide dismutase (CLSOD1b) of the different purification steps on 7% native PAGE -----	108
(33): Electrophoretic analysis of camel liver superoxide dismutase (CLSOD2) of the different purification steps on 7% native PAGE -----	109
(34): Subunit molecular weight determination by electrophoretic analysis of camel liver superoxide dismutase (CLSOD1a) on 12% SDS- PAGE -----	111
(35): Subunit molecular weight determination by electrophoretic analysis of camel liver superoxide dismutase (CLSOD1b) on 12% SDS- PAGE -----	112

- IX -

(36): Subunit molecular weight determination by electrophoretic analysis of camel liver superoxide dismutase (CLSOD2) on 12% SDS- PAGE -----	113
(37): Isoelectrofocusing; of the purified camel liver superoxide dismutase (CLSOD1a, CLSOD1b and CLSOD2) -----	114
(38): Effect of pH on the purified camel liver superoxide dismutases (CLSOD1a, CLSOD1b and CLSOD2) ----	116
(39): Effect of CuCl ₂ on purified camel liver superoxide dismutase isoenzymes CLSOD1a, CLSOD1b and CLSOD2 electrophoretically analyzed on 7% native PAGE -----	119
(40): Effect of ZnCl ₂ on purified camel liver superoxide dismutase isoenzymes CLSOD1a, CLSOD1b and CLSOD2 electrophoretically analyzed on 7% native PAGE -----	120
(41): Effect of MnCl ₂ on purified camel liver superoxide dismutase isoenzymes CLSOD1a, CLSOD1b and CLSOD2 electrophoretically analyzed on 7% native PAGE -----	121
(42): Effect of KCN on purified camel liver superoxide dismutase isoenzymes CLSOD1a, CLSOD1b and CLSOD2 electrophoretically analyzed on 7% native PAGE -----	126
(43): Effect of H ₂ O ₂ on purified camel liver superoxide dismutase isoenzymes CLSOD1a, CLSOD1b and CLSOD2 electrophoretically analyzed on 7% native PAGE -----	127
(44): Effect of NaN ₃ on purified camel liver superoxide dismutase isoenzymes CLSOD1a, CLSOD1b and CLSOD2 electrophoretically analyzed on 7% native PAGE -----	128
(45): Effect of SDS on purified camel liver superoxide dismutase isoenzymes CLSOD1a, CLSOD1b and CLSOD2 electrophoretically analyzed on 7% native PAGE -----	129

(46): A typical elution profile for the chromatography of the sheep liver acetone fraction on DEAE-cellulose column --	133
(47): Electrophoretic analysis of sheep liver superoxide dismutase isoenzymes on 7% native PAGE-----	134
(48): A typical elution profile for the chromatography of the concentrated pooled DEAE-cellulose fractions containing the sheep liver superoxide dismutase activity (SLSOD1) on sephacryl S-300 column -----	136
(49): A typical elution profile for the chromatography of the concentrated pooled DEAE-cellulose fractions containing the sheep liver superoxide dismutase activity (SLSOD2) on sephacryl S-300 column -----	137
(50): Electrophoretic analysis of sheep liver superoxide dismutase (SLSOD1) of the different purification steps on 7% native PAGE -----	139
(51): Electrophoretic analysis of sheep liver superoxide dismutase (SLSOD2) of the different purification steps on 7% native PAGE-----	140
(52): Subunit molecular weight determination by electrophoretic analysis of buffalo liver superoxide dismutase (SLSOD1) on 12 % SDS- PAGE -----	142
(53): Subunit molecular weight determination by electrophoretic analysis of buffalo liver superoxide dismutase (SLSOD2) on 12 % SDS- PAGE -----	143
(54): Isoelectrofocusing; of the purified sheep liver superoxide dismutase (SLSOD1 and SLSOD2) -----	144
(55): Effect of pH on the purified sheep liver superoxide dismutases (SLSOD1 and SLSOD2) -----	145
(56): Effect of CuCl ₂ on purified sheep liver superoxide dismutase isoenzymes SLSOD1 and SLSOD2 electrophoretically analyzed on 7% native PAGE -----	149
(57): Effect of ZnCl ₂ on purified sheep liver superoxide dismutase isoenzymes SLSOD1 and SLSOD2 electrophoretically analyzed on 7% native PAGE -----	150

- XI -

-
-
- (58): Effect of MnCl_2 on purified sheep liver superoxide
dismutase isoenzymes SLSOD1 and SLSOD2
electrophoretically analyzed on 7% native PAGE ----- 151
- (59): Effect of KCN on purified sheep liver superoxide
dismutase isoenzymes SLSOD1 and SLSOD2
electrophoretically analyzed on 7% native PAGE----- 155
- (60): Effect of H_2O_2 on purified sheep liver superoxide
dismutase isoenzymes SLSOD1 and SLSOD2
electrophoretically analyzed on 7% native PAGE -----156
- (61): Effect of NaN_3 on purified sheep liver superoxide
dismutase isoenzymes SLSOD1 and SLSOD2
electrophoretically analyzed on 7% native PAGE----- 157
- (62): Effect of SDS on purified sheep liver superoxide
dismutase isoenzymes SLSOD1 and SLSOD2
electrophoretically analyzed on 7% native PAGE----- 158
-
-

LIST OF TABLES

Table No.	Page
(1): Preparation of SDS-PAGE gels -----	50
(2): Preparation of the gel for isoelectrofocusing (IEF) -----	55
(3): Superoxide dismutase specific activity of the liver of various mammals -----	60
(4): A typical purification scheme of the buffalo liver superoxide dismutase isoenzymes BLSOD1 and BLSOD2-----	70
(5): Effect of divalent cations on the purified buffalo liver superoxide dismutase isoenzymes BLSOD1 and BLSOD2-----	85
(6): Effect of inhibitors on the purified buffalo liver superoxide dismutase isoenzymes BLSOD1 and BLSOD2-----	91
(7): A typical purification scheme of the camel liver superoxide dismutase isoenzymes CLSOD1a, CLSOD1b and CLSOD2 -----	99
(8): Effect of divalent cations on the purified camel liver superoxide dismutase isoenzymes CLSOD1a, CLSOD1b and CLSOD2-----	117
(9): Effect of inhibitors on the purified camel liver superoxide dismutase isoenzymes CLSOD1a, CLSOD1b and CLSOD2-----	123
(10): A typical purification scheme of the sheep liver superoxide dismutase isoenzymes SLSOD1 and SLSOD2-----	131
(11): Effect of divalent cations on the purified sheep liver superoxide dismutase isoenzymes SLSOD1 and SLSOD2-----	147
(12): Effect of inhibitors on the purified sheep liver superoxide dismutase isoenzymes SLSOD1 and SLSOD1-----	152
