



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ  
بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ  
بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ  
بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

# جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

## قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها  
علي هذه الأفلام قد اعدت دون أية تغيرات



## يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of  
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية



# بعض الوثائق الأصلية تالفة



شبكة المعلومات الجامعية



بالرسالة صفحات

لم ترد بالأصل

المستوفى  
د. محمد

# EFFECT OF MODIFICATION IN RESIN MATRIX AND TECHNIQUE OF PACKING ON POLYMERIZATION SHRINKAGE OF COMPOSITE RESIN

3/2/02

**Thesis**  
*Submitted to the Faculty of Oral and Dental Medicine*  
**Cairo University**

*In Partial fulfillment of the requirements  
for the Master Degree in Operative Dentistry*

By  
**Mohamed Atef Ibrahim**  
*B.D.S. (Cairo University)*

B 1-70

محمد  
1/1/119

محمد



2002

# ***SUPERVISORS***

***Dr. Mohamed Mahmoud Abd Elmohsen***

*Professor of Operative Dentistry,  
Faculty of Oral and Dental Medicine.*

*Cairo University*

*and Dean of Faculty of Dentistry*

*Misr International University*

***Dr. Abd Elhady Mohamed Amin***

*Professor of Dental Materials,  
Faculty of Oral and Dental Medicine*

*Cairo University*

***Dr. Mohsen Hussein Abi Elhassan***

*Assistant Professor of Operative Dentistry,  
Faculty of Oral and Dental Medicine*

*Cairo University*

# **Dedication**

This work is dedicated to my precious parents,  
loving wife and dear sisters for their endless  
love, care and support.

# **Acknowledgment**

*I would like to express my deep gratitude to **Professor Dr. Mohamed Mahmoud Abd Elmohsen**, Professor of Operative Dentistry, Faculty of Oral and Dental Medicine, Cairo University, and dean of Faculty of Dentistry, Misr International University, for his concern, his guidance and continuous encouragement. I consider myself very fortunate to work under his supervision.*

*It is especially difficult for me to express my gratitude to **Professor Dr. Abd Elhady Mohamed Amin**, Professor of Dental Materials, Faculty of Oral and Dental Medicine, Cairo University, for his continuous help and encouragement. His sincere concern will always be remembered.*

*I am grateful to **Dr. Mohsen Hussein Abi Elhassan**, Assistant Professor of Operative Dentistry, Faculty of Oral and Dental Medicine, Cairo University, for his support and help to have this work fulfilled.*

## *List of Contents*

<i>List of Tables</i> .....	i
<i>List of Figures</i> .....	iii
<i>Introduction</i> .....	1
<i>Review of Literature</i> .....	3
<i>Aim of the Study</i> .....	36
<i>Materials and Methods</i> .....	37
<i>Results</i> .....	52
<i>Discussion</i> .....	75
<i>Summary and Conclusions</i> .....	81
<i>References</i> .....	84
<i>Appendix</i> .....	
<i>Arabic Summary</i> .....	

## *List of Tables*

<b>Table No.</b>		<b>Page</b>
<b>1</b>	Variables of the study for micrometric measurements	<b>43</b>
<b>2</b>	Variables of the study for dilatometric measurements	<b>43</b>
<b>3</b>	Variables interaction for micrometric assessment.	<b>44</b>
<b>4</b>	Variables interaction for dilatometric assessment.	<b>44</b>
<b>5</b>	Mean values of specimens volume in mm <sup>3</sup> after one hour using micrometric measurements	<b>54</b>
<b>6</b>	Mean values of specimens volume in mm <sup>3</sup> after one week using micrometric measurements.	<b>54</b>
<b>7</b>	Mean values of specimens volume in mm <sup>3</sup> after one month using micrometric measurements.	<b>55</b>
<b>8</b>	Mean values of specimens volume in mm <sup>3</sup> after three months using micrometric measurements.	<b>55</b>
<b>9</b>	Mean values of specimens volume in mm <sup>3</sup> after six months using micrometric measurements.	<b>56</b>
<b>10</b>	Descriptive statistics for the mean percentage of polymerization shrinkage after one hour.	<b>60</b>
<b>11</b>	Descriptive statistics for the mean percentage of polymerization shrinkage after one week.	<b>61</b>
<b>12</b>	Descriptive statistics for the mean percentage of polymerization shrinkage after one month.	<b>62</b>
<b>13</b>	Descriptive statistics for the mean percentage of polymerization shrinkage after three months.	<b>63</b>
<b>14</b>	Descriptive statistics for the mean percentage of polymerization shrinkage after six months.	<b>64</b>

<b><i>Table No.</i></b>		<b><i>Page</i></b>
<b>15</b>	Descriptive statistics for the effect of time on percentage of polymerization shrinkage using two resins matrix and conventional packing.	<b>65</b>
<b>16</b>	Descriptive statistics for the effect of time on percentage of polymerization shrinkage using two resins matrix and ultrasonic packing.	<b>65</b>
<b>17</b>	Descriptive statistics for the effect of time on percentage of polymerization shrinkage using three resins matrix and conventional packing.	<b>66</b>
<b>18</b>	Descriptive statistics for the effect of time on percentage of polymerization shrinkage using three resins matrix and ultrasonic packing.	<b>66</b>
<b>19</b>	Descriptive statistics for the percentage of polymerization shrinkage of composite resins after one hour using dilatometric measurements.	<b>69</b>
<b>20</b>	Descriptive statistics and test of significance for the effect of measuring technique on percentage of polymerization shrinkage using different resins and packing techniques.	<b>71</b>

*List of Figures*

<b>Figure No.</b>		<b>Page</b>
<b>1</b>	Light tight tubes representing two resins matrices composite resin.	<b>38</b>
<b>2</b>	Light tight tubes representing three resins matrices composite resin.	<b>38</b>
<b>3</b>	Light curing unit.	<b>39</b>
<b>4</b>	Ultrasonic condenser tip mounted on ultrasonic unit.	<b>41</b>
<b>5</b>	Digimatic micrometer.	<b>41</b>
<b>6a</b>	Water dilatometer.	<b>42</b>
<b>6b</b>	Schematic diagram of the water dilatometer.	<b>42</b>
<b>7</b>	Split Teflon mould for specimen preparation.	<b>47</b>
<b>8</b>	Percentage of mean values of polymerization shrinkage after one hour.	<b>60</b>
<b>9</b>	Percentage of mean values of polymerization shrinkage after one week.	<b>61</b>
<b>10</b>	Percentage of mean values of polymerization shrinkage after one month.	<b>62</b>
<b>11</b>	Percentage of mean values of polymerization shrinkage after three months.	<b>63</b>
<b>12</b>	Percentage of mean values of polymerization shrinkage after six months.	<b>64</b>
<b>13</b>	Percentage of mean values of shrinkage in volume using different resins and packing techniques during the follow-up.	<b>67</b>