## Two-Dimensional Versus Five-Dimensional Ultrasound in Measurement of Nuchal Translucency Thickness Pilot Study

#### **Ehesis**

Submitted for Partial Fulfillment of MD Degree in Obstetrics and Gynecology

## By

#### **Ahmed Gamal Abdel-Nasser Ali**

M.B.B.Ch. (2009), MSc (2014) Assistant Lecturer of Obstetrics and Gynecology Ain-Shams Maternity Hospital

## Under Supervision of

## **Prof. Ahmed Ramy Mohamed Ramy**

Professor of Obstetrics and Gynecology Former Head of FMU-Ain-Shams University Director of Ain Shams University Maternity Hospital Faculty of Medicine - Ain-Shams University

### Dr. Tarek Aly Raafat

Assistant Professor of Obstetrics and Gynecology Faculty of Medicine - Ain-Shams University

#### Dr. Kamal Ahmed El-Dessouki

Lecturer of Obstetrics and Gynecology Faculty of Medicine - Ain-Shams University

> Faculty of Medicine Ain-Shams University 2017



سورة البقرة الآية: ٣٢

# Acknowledgement

First and foremost, I feel always indebted to **ALLAH** the Most Kind and Most Merciful.

I'd like to express my respectful thanks and profound gratitude to **Prof. Dr. Ahmed Ramy Mohamed Ramy,** Professor of Obstetrics and Gynecology, Former Head of FMU, Director of Ain Shams University Maternity Hospital Faculty of Medicine – Ain Shams University for his keen guidance and kind supervision.

I am also delighted to express my deepest gratitude and thanks to **Dr. Tarek Aly Raafat,** Assistant Professor of Obstetrics and Gynecology, Faculty of Medicine – Ain Shams University, for his kind care, continuous supervision, valuable instructions, constant help and great assistance throughout this work.

I am deeply thankful to **Dr. Kamal Ahmed El-Dessouki,** Lecturer of Obstetrics and Gynecology, Faculty of Medicine, Ain Shams University, valuable advices and continuous encouragement, which made the completion of this work possible.

Also, I would like to express my sincere thanks and deep gratitude to **Dr. Rehab Mohamed Abd El Rahman**, Lecturer of Obstetrics and Gynecology, Faculty of Medicine, Ain Shams University, for her keen and valuable guidance and encouraging for applying these techniques.

I would like to express my hearty thanks to all **my family** especially **my wife and daughter** for their support till this work was completed.

Last but not least my sincere thanks and appreciation to all patients participated in this study.

## Contents

Title	Page No.
List of Abbreviations	i
List of Tables	ii
List of Figures	iv
Introduction	1
Aim of the Work	7
Chapter (1): Nuchal Translucency	8
Chapter (2): Introduction to Ultraso	ound36
Patients and Methods	83
Results	88
Discussion	111
Summary	123
Conclusion	126
Recommendation	127
References	128
Arabic Summary	

## List of Abbreviations

Abbreviation	The Meaning
NT	Nuchal translucency thickness
β-hCG	Beta-human chorionic gonadotropin
PAPP-A	Pregnancy-associated plasma protein A
THI	Tissue harmonic imaging
SRF	Speckle reduction filter
2D US	Two-dimensional ultrasound
3D US	Three-dimensional ultrasound
4D US	Four-dimensional ultrasound
5D US	Five-dimensional ultrasound
CRL	Crown-rump length
LMP	Last menstrual period
TTTS	Twin-twin transfusion syndrome
CVS	Chorionic villus sampling
FINE	Fetal Intelligent Navigation Echocardiography
BMI	Body Mass Index
US	Ultrasound
VOCAL	Virtual Organ Computer Aided Analysis

## List of Tables

Table	Title	Page
no	Title	No
1	Indications for ultrasound examination	38
	during pregnancy	
2	Components of a first trimester ultrasound	41
	examination	
3	Components of second and third trimester	41
	ultrasound examinations	
4	Descriptive statistics for the study	90
	population as regards their basic	
	demographic data	
5	Descriptive statistics for the measured 2D	92
	and 5D NT thickness	
6	Success of measurement of NT thickness	94
	by conventional 2D U/S and 5D U/S	
7	Comparison of maternal age, gestational	95
	age, CRL and BMI in women with	
	successful and failed NT thickness	
	measurement	0.5
8	Bland-Altman analysis of reliability of 5D	97
	NT thickness measurement compared to	
	conventional 2D NT thickness	
0	measurement	00
9	Summary of statistical analysis of	98
	reliability of 5D NT thickness	
	measurement compared to conventional	
	2D NT thickness measurement	

Table no	Title	Page No
10	Bland-Altman analysis of repeatability of	100
	5D NT thickness measurement compared	
	to conventional 2D NT thickness	
	measurement	
11	Summary of statistical analysis of	103
	repeatability of 5D NT thickness	
	measurement compared to conventional	
	2D NT thickness measurement	
12	Bland-Altman analysis of reproduciblity of	104
	5D NT thickness measurement compared	
	to conventional 2D NT thickness	
	measurement	
13	Summary of statistical analysis of	107
	reproducibility of 5D NT thickness	
	measurement compared to conventional	
	2D NT thickness measurement	
14	Statistical analysis of examination time	108
	required for conventional 2D vs 5D NT	
	thickness measurement	

# List of Figures

Figure	Content	Page No
1	Nuchal translucency is the lucent zone observed sonographically at the posterior fetal neck	8
2	A) Fetal nuchal translucency is an echolucent space between the dorsal edge of soft tissue of the fetal neck and the linear echo of the skin observed in a midsagittal image. Gross image of the fetus with an abnormally increased NT	9
3	Reference range of fetal nuchal translucency with crown–rump length showing the 5th, 25th, 50th, 75th and 95th centile	12
4	Nuchal translucency normally increases with gestation (crown-rump length)	12
5	CRL 6 to 14 weeks +6days	13
6	Data from Orosz	17
7	Anomalies identified in the first trimester by 3D ultrasound	69
8	3D ultrasound images of a fetal face at 21 weeks' gestation suggestive of a micrognathia	70
9	2D ultrasound image of the fetal skull in a 21- week fetus suggesting a small occipital encephalocele	71

Figure	Content	Page No
10	Fetal thigh volumetry analyzed using the multiplanar method	76
11	Fetal thigh volumetry analyzed using the Virtual Organ Computer-aided Analysis (VOCAL) technique	77
12	Sono W-S S80A Elite ultrasound Medison machine	87
13	CONSORT 2010 flow diagram showing the recruitment and handling of the study population during the course of the	89
14	Box Plots of age, BMI parity, GA and CRL of the study population	91
15	Box Plot showing distribution of NT thickness measured by 2D and 5D U/S	92
16	Bar graph of success of measurement of NT thickness using 2D & 5D U/S	94
17	Difference between 2D & 5D measurement	98
18	Bland-Altman plot showing intra-observer variability in nuchal translucency thickness (NT) measurement using 2D ultrasound	101
19	Bland-Altman plot showing intra-observer variability in nuchal translucency thickness (NT) measurement using 5D ultrasound	102
20	Bland–Altman plot showing inter-observer variability in nuchal translucency thickness (NT) measurement using 2D ultrasound	105

Figure	Content	Page No
21	Bland-Altman plot showing inter-observer variability in nuchal translucency thickness (NT) measurement using 5D ultrasound	106
22	Midsagittal view showing NT measurement using 2D and 5D ultrasound	109
23	NT measurement using 2D and 5D ultrasound (NT= 1.27mm)	109
24	NT measurement using 2D and 5D ultrasound (NT= 1.92mm)	110



# Protocol



# Introduction



# Aim of the Work



## **Nuchal Translucency**



# Introduction to Ultrasound