



Faculty of Science
Department of Chemistry

Separation and Purification of some Lanthanides from Aqueous Solution using Continuous Counter-Current Technique

A Thesis

**Submitted for the Degree of Master of Science as a Partial Fulfillment
for Requirements of the Master of Science**

Presented by

Tarek Maher Monir Mohammed

B. Sc. (Chemistry), Minia University

Under the Supervision of

Signature

Prof. Dr. Sayed S. Abd El Rehim

Prof. of Electro and Physical Chemistry
Faculty of Science
Ain Shams University

Prof. Dr. Amal M. I. Ali

Prof. of inorganic Chemistry
Head of Nuclear Fuel Managment Division
Hot Laboratories Center
Atomic Energy Authority

Dr. M. A. Abdel-Wahab

Hot Laboratories Center
Atomic Energy Authority

2015

Approval Sheet for Submission

Separation and Purification of some Lanthanides from Aqueous Solution using Continuous Counter-Current Technique

A thesis Submitted By

Tarek Maher Monir Mohammed

B.Sc. (Chemistry)

A Thesis Submitted in Partial Fulfillment of the Requirements for the
Master Degree (Chemistry) has been approved by

Name:

Signature:

Prof. Dr. Sayed S. Abd El Rehim

Prof. of Electro and Physical Chemistry

Faculty of Science - Ain Shams University

.....

Prof. Dr. Amal M. I. Ali

Prof. of inorganic Chemistry

Head of Nuclear Fuel Manegment Division

Hot Laboratories Center - Atomic Energy Authority

.....

Prof. Dr. Gaber M. I. Abo El Reish

Prof. of inorganic Chemistry

Faculty of Science- Mansoura University

.....

Prof. Dr Sahar Abd Eldayem El Sayed El Malla

Prof. of Physical Chemistry

Faculty of Education - Ain Shams University

Credit

Head of the Department of Chemistry

Prof. Dr./ Hamed Ahmed Yones Derbala

ACKNOWLEDGEMENT

Before all and above, I thank and pray to my God "ALLAH" for explicit known and by grace of whom the progress and success of this work was possible.

*I would like to thank **prof. Dr. Sayed S. Abd El Rehim**, Prof. of Electro and Physical Chemistry, Faculty of Science, Ain Shams University, whose supervisory approach and fortuitous personal characteristics have inspired me to continue questioning and learning.*

*Deep thanks and gratitude for **Prof. Dr. Amal M. I. Ali**, Prof. of inorganic Chemistry and Head of Nuclear Fuel Management Division, Hot Laboratories Center, Atomic Energy Authority, for providing so much more assistance than deserved, the motivation, detailed technical attention, and support.*

***Dr. Magda A. Abdel-Wahab**, Lecturer, Hot Laboratories Center, Atomic Energy Authority, has been someone on whom I rely for great advice, thank you. I appreciate and value **Dr. Hoda E. Rizk**, Lecturer, Hot Laboratories Center, Atomic Energy Authority, for helping me see the "bigger" picture, and look forward to ongoing heavy oil discussions.*

Finally, I would like also to express my thanks to all the staff members and colleagues of Hot Laboratories Centre for their sweet cooperation.

CONTENTS

LIST OF TABLES.....	VI
LIST OF FIGURES.....	IX
AIM OF WORK.....	XIV
ABSTRACT.....	XVI
ABBREVIATIONS.....	XVIII

CHAPTER-1 INTRODUCTION

1. INTRODUCTION.....	1
1.1. Rare Earth Elements.....	1
1.2. Abundance and Occurrence.....	3
1.2.1. Bastnasite.....	3
1.2.2. Monazite.....	6
1.2.3. Xenotime.....	7
1.3. General Properties of Rare Earth Elements	7
1.3.1. Electronic Configurations.....	7
1.3.2. Lanthanides Contraction.....	8
1.3.3. Coordination Chemistry.....	9
1.3.4. Rare Earth Solubility.....	10
1.3.5. Rare Earth Hydroxides.....	10
1.3.6. Basicity.....	11
1.3.7. Spectral Properties.....	12
1.4. Technological Applications of Rare Earths.....	13
1.5. Separation of Rare Earths.....	15
1.5.1. Fractional Crystallization Method.....	15
1.5.2. Fractional Precipitation Method.....	16
1.5.3. Ion Exchange Method.....	16
1.5.4 Solvent Extraction Method.....	17
1.5.4.1. The Practical Process of Solvent Extraction.....	18
1.5.4.2 Types and Selection of Contactors.....	20
1.5.4.2.1. Mixer-Settler Units.....	20
1.5.4.3. Selection of Mode of Operation.....	20

1.5.4.3.1. Cross-Current Operation.....	22
1.5.4.3.2. Counter-Current Operation.....	22
1.5.4.3.2.1. Continuous Counter-Current Extractions.....	22
1.5.4.3.2.2. Discontinuous Counter-Current Extractions.....	23
1.5.4.4. Sulfur-Containing Solvent Extraction Reagents...	23
1.6. Chemistry of The Investigated Elements.....	24
1.6.1. Lanthanum.....	24
1.6.2. Neodymium.....	26
1.6.3. Samarium.....	26
1.6.4. Europium.....	27
1.6.5. Gadolinium.....	27
1.7. Rare Earth Elements in Egypt.....	28
1.8. Rare Earth Elements in The World.....	29
1.9. Literature Survey.....	31

CHAPTER-2 EXPERIMENTAL

2. EXPERIMENTAL.....	50
2.1. Chemicals and Reagents.....	50
2.2. Instrumentation.....	50
2.2.1. General.....	50
2.2.2. pH Measurements.....	50
2.2.3. UV-Visible Spectrophotometric Measurements.....	52
2.2.4. Inductive Coupled Plasma-Mass Spectrometry.....	52
2.2.5. Thermostated Shaker.....	52
2.3. Preparation of Main Working Solutions.....	52
2.3.1. Preparation of Aqueous Solutions.....	52
2.3.2. Preparation of Organic Solutions.....	53
2.4. Solvent Extraction Procedure.....	53
2.5. Spectrophotometric Determination.....	55
2.5.1 Procedure.....	55
2.6 Counter-Current Extraction Experiment.....	57

2.6.1. Characteristics.....	57
2.6.2. Set-up and Sampling.....	59
2.6.3. Counter-Current Experiments.....	59
2.6.3.1. Rare Earths Extraction Run.....	59
2.6.3.1 Rare Earths Stripping Run.....	61

CHAPTER-3

RESULTS AND DISCUSSION

3. RESULTS AND DISCUSSION.....	62
3.1. Batch Extraction of Lanthanum.....	65
3.1.1. Extraction Investigations.....	65
3.1.1.1. Effect of Shaking Time.....	65
3.1.1.2. Effect of Initial Aqueous pH.....	65
3.1.1.3. Effect of Nitrate Ion Concentration.....	67
3.1.1.4. Effect of Initial Metal Concentration.....	67
3.1.1.5. Effect of Extractant Concentration.....	67
3.1.1.6. Effect of Phase Ratio.....	70
3.1.1.7. Loading Capacity.....	70
3.1.1.8. Extraction Equilibrium.....	72
3.1.1.9. Effect of Temperature.....	74
3.1.2. Stripping Investigations.....	76
3.1.2.1. Acidic Stripping.....	76
3.1.2.2. Effect of Different Nitric Acid Concentrations.....	78
3.1.2.3. Effect of Contact Time.....	78
3.1.2.4. Effect of Phase Ratio.....	78
3.2. Batch Extraction of Neodymium.....	81
3.2.1. Extraction Investigations.....	81
3.2.1.1. Effect of Shaking Time.....	81
3.2.1.2. Effect of Initial Aqueous pH.....	81
3.2.1.3. Effect of Nitrate Ion Concentration.....	81
3.2.1.4. Effect of Initial Metal Concentration.....	83
3.2.1.5. Effect of Extractant Concentration.....	83
3.2.1.6. Effect of Phase Ratio.....	83

3.2.1.7. Loading Capacity.....	86
3.2.1.8. Extraction Equilibrium.....	86
3.2.1.9. Effect of Temperature.....	88
3.2.2. Stripping Investigations.....	90
3.2.2.1. Acidic Stripping.....	90
3.2.2.2. Effect of Different Nitric Acid Concentrations.....	92
3.2.2.3. Effect of Contact Time.....	92
3.2.2.4. Effect of Phase Ratio.....	95
3.3. Batch Extraction of Samarium.....	96
3.3.1. Extraction Investigations.....	96
3.3.1.1. Effect of Shaking Time.....	96
3.3.1.2. Effect of Initial Aqueous pH.....	96
3.3.1.3. Effect of Nitrate Ion Concentration.....	96
3.3.1.4. Effect of Initial Metal Concentration.....	98
3.3.1.5. Effect of Extractant Concentration.....	98
3.3.1.6. Effect of Phase ratio.....	98
3.3.1.7. Loading Capacity.....	101
3.3.1.8. Extraction Equilibrium.....	101
3.3.1.9. Effect of Temperature.....	103
3.3.2. Stripping Investigations.....	106
3.3.2.1. Acidic Stripping.....	106
3.3.2.2. Effect of Different Nitric Acid Concentrations.....	108
3.3.2.3. Effect of Contact time.....	108
3.3.2.4. Effect of Phase ratio.....	108
3.4. Batch Extraction of Europium.....	112
3.4.1. Extraction Investigations.....	112
3.4.1.1. Effect of Shaking Time.....	112
3.4.1.2. Effect of Initial Aqueous pH.....	112
3.4.1.3. Effect of Nitrate Ion Concentration.....	112
3.4.1.4. Effect of Initial Metal Concentration.....	114
3.4.1.5. Effect of Extractant Concentration.....	114
3.4.1.6. Effect of Phase Ratio.....	114
3.4.1.7. Loading Capacity.....	117
3.4.1.8. Extraction Equilibrium.....	117
3.4.1.9. Effect of Temperature.....	118
3.4.2. Stripping Investigations.....	122
3.4.2.1. Acidic Stripping.....	122

3.3.2.2. Effect of Different Nitric Acid Concentrations.....	124
3.4.2.3. Effect of Contact Time.....	124
3.4.2.4. Effect of Phase Ratio.....	124
3.5. Batch Extraction of Gadolinium.....	127
3.5.1. Extraction Investigations.....	127
3.5.1.1. Effect of Shaking Time.....	127
3.5.1.2. Effect of Initial Aqueous pH.....	127
3.5.1.3. Effect of Nitrate Ion Concentration.....	127
3.5.1.4. Effect of Initial Metal Concentration.....	129
3.5.1.5. Effect of Extractant Concentration.....	129
3.5.1.6. Effect of Phase Ratio.....	129
3.5.1.7. Loading Capacity.....	132
3.5.1.8. Extraction Equilibrium.....	132
3.5.1.9. Effect of Temperature.....	134
3.5.2. Stripping Investigations.....	137
3.5.2.1. Acidic Stripping.....	137
3.5.2.2. Effect of Different Nitric Acid Concentrations.....	139
3.5.2.3. Effect of Contact Time.....	139
3.5.2.4. Effect of Phase Ratio.....	139
3.6. Separation Feasibility.....	142
3.7. Continuous Counter-Current Extraction.....	144
CONCLUSION.....	152
SUMMARY.....	154
REFERENCES.....	160
ARABIC SUMMARY.....	

LIST OF TABLES

Table (1.1):	Atomic and ionic radii of rare earths.....	2
Table (1.2):	Different minerals containing rare earth oxides....	4
Table (1.3):	Rare earth of principal minerals as percentage of total rare earth oxide.....	5
Table (1.4):	Some commercial applications of rare earths.....	14
Table (1.5):	Classification of Mixer-Settlers Units.....	21
Table (1.6):	The structural formulas and physical properties of the Cyanex 272, Cyanex 301 and Cyanex 302.....	25
Table (1.7):	Global rare earth mine production and reserves.....	30
Table (2.1):	Chemicals and reagents used.....	51
Table (3.1):	Extraction constants, K_{ex} , for the extraction of 100 mg /l La^{3+} by Cyanex 302 in kerosene from aqueous solution.....	75
Table (3.2):	Thermodynamic parameters for La^{3+} extraction by Cyanex302 in Kerosene from aqueous solution....	77
Table (3.3):	Effect of HCl, HNO_3 and H_2SO_4 (1M) concentration on the stripping percent of La^{3+} from the loaded solvent).....	77
Table (3.4):	Effect of organic/aqueous phase ratio on the stripping percent of La^{3+} from the loaded solvent..	80
Table (3.5):	Extraction constants, K_{ex} , for the extraction of 100 mg /l Nd^{3+} by Cyanex 302 in kerosene from aqueous solution.....	89
Table (3.6):	Thermodynamic parameters for Nd^{3+} extraction by Cyanex302 in Kerosene from aqueous solution....	91
Table (3.7):	Effect of HCl, HNO_3 and H_2SO_4 (1M) concentration on the stripping percent of Nd^{3+} from the loaded solvent).....	93
Table (3.8):	Effect of organic/aqueous phase ratio on the stripping percent of Nd^{3+} from the loaded solvent...	95

Table (3.9):	Extraction constants, K_{ex} , for the extraction of 100 mg /l Sm^{3+} by Cyanex 302 in kerosene from aqueous solution.....	104
Table (3.10):	Thermodynamic parameters for Sm^{3+} extraction by Cyanex302 in Kerosene from aqueous solution....	107
Table (3.11):	Effect of HCl, HNO_3 and H_2SO_4 (1M) concentration on the stripping percent of Sm^{3+} from the loaded solvent).....	109
Table (3.12):	Effect of organic/aqueous phase ratio on the stripping percent of Sm^{3+} from the loaded solvent..	111
Table (3.13):	Extraction constants, K_{ex} , for the extraction of 100 mg /l Eu^{3+} by Cyanex 302 in kerosene from aqueous solution.....	120
Table (3.14):	Thermodynamic parameters for Eu^{3+} extraction by Cyanex302 in Kerosene from aqueous solution.....	123
Table (3.15):	Effect of HCl, HNO_3 and H_2SO_4 (1M) concentration on the stripping percent of Eu^{3+} from the loaded solvent).....	123
Table (3.16):	Effect of organic/aqueous phase ratio on the stripping percent of Eu^{3+} from the loaded solvent...	126
Table (3.17):	Extraction constants, K_{ex} , for the extraction of 100 mg /l Gd^{3+} by Cyanex 302 in kerosene from aqueous solution.....	135
Table (3.18):	Thermodynamic parameters for Gd^{3+} extraction by Cyanex302 in Kerosene from aqueous solution.....	138
Table (3.19):	Effect of HCl, HNO_3 and H_2SO_4 (1M) concentration on the stripping percent of Gd^{3+} from the loaded solvent).....	138
Table (3.20):	Effect of organic/aqueous phase ratio on the stripping percent of Gd^{3+} from the loaded solvent...	141

Table (3.21):	Separation factors of the investigated elements at different extraction parameters using Cyanex 302 in kerosene	143
Table (3.22):	Chemical composition of the working Egyptian Rosetta monazite concentrate (90%).....	146
Table (3.23):	Analysis of rare earth elements in 100 gm of Rosetta monazite concentrate (90%).....	146
Table (3.24):	Conditions and mass balance of the continuous counter-current experiment carried out in a horizontal mixer-settler.....	148
Table (3.25):	Results obtained from Cyrano type mixer-settler unit.....	150