

تبكة المعلومات الجامعية

Cierla resida Coi





ثبيكة المعلومات الجامعية



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



جامعة عين شمس

التوثيق الالكتروني والميكروفيلم



نقسم بللله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأفلام قد اعدت دون آية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 - 20 مئوية ورطوبة نسبية من 20 - 40 %

To be kept away from dust in dry cool place of 15 – 25c and relative humidity 20-40 %



ثبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



ثبكة المعلومات الجامعية



THE UNIVERSITY OF HELWAN FACULTY OF APPLIED ARTS TEXTILE DEPARTMENT

A THESIS ENTITLED

"Compatibility of new Egyptian cotton, polyester blends and its influence on the physical properties of the produced yarn, and its ability to alkali treatment according to its functional performance."

Presented to obtain ph.D degree

By
Eng./ SUZAN HOSSANY SAND
Researcher Assistant at Cotton
Research Institute
Agricultural Research Center

SUPERVISORS

Prof. Dr. Ahmed Ali Salman Spinning and weaving of Faculty of Applied Arts

Prof. Dr. Nafisa Taha Head of spinning research of Cotton Research Inst.

Prof. Dr. Mamdouh El- Hossamy Printing, dyeing and finishing Faculty of Applied Arts

BONE

TO MY DEAR FAMILY



ACKNOWLEDGEMENTS

Deepest gratitude and thanks to Prof. Dr. Mamdouh El-Hosamy, Dyeing and Printing Dep., Fac. of App. Arts, for suggesting the present work line of this research, careful guidance, helpful discussion and keen interest through this work.

Thanks and appreciation is owed to Prof. Dr., Ahmed Ali-Salman, Head of the textile Weaving and Spinning Dep., Faculty of Applied Arts, for his sincere guidance, continues supervision and valuable help in evaluation and presentation of this research.

Great thanks are expressed to **Prof. Dr. Nafisa Taha**, Cotton Res. Inst., for her helpful discussion, keen interest and facilities offered throughout this work.

Thanks are due to **Dr. Mohamed Abd Elrahman**, Cotton Res. Inst., for his sincere assistance, encouragement and useful facilities provided throughout this research.

Thanks are due to also Eng. Abdalla Faraoon, Cotton Res. Inst., for his kind help, cooperation and facilities offered throughout this work.

Thanks are due to **Prof. Dr. Hassan,** Dyeing Dep., Egypt comp. Spin and weave. (Mehalla El-Kobra) for his useful and sincere assistance and valuable discussion.

Deepest thanks are also extended to the staff and fellow colleagues of Cotton Res. Inst. for their kind help, cooperation and facilities provided throughout this work.

Administration of the control of the

CHAPTER I:	Page		
GENERAL PART	J		
1-Cotton	(1).		
1-1. Structure cotton fibers	(2)		
1-2. Morphological structure of cellulose	(2)		
1-3. Reactivity of cellulose	(3)		
1-4. New varieties of Egyptian cotton	(3)		
1-4.1. Giza 86 variety	(4)		
1-4.2. Giza 89 variety	(4)		
1-4.3. Giza 87 variety	(4)		
1-4.4. Giza 88 variety	(5)		
1-5. Polyester fibers	(12)		
1-5.1. Physical structure	(12-13)		
1-6. Polyester / cotton blended fabrics	(14-16)		
1-7. Spinning system	(17-18)		
1-7.1. Comparison between open-end and ring			
spun yarns	(18-20)		
1-7.2. Effect of twist factor and spinning system	on yarn		
properties.	(21-23)		
1-8. Alkali hydrolysis of polyester	(23-29)		
1-9. Alkali treatment of polyester/cotton blends	(30)		
1-10. Alkali treatment of cotton	(30-32)		
1-11. Aim of the present work			
	,		
CHAPTER II			
MATERIAL AND EXPERIMENTAL TECHNIQU	JES		
2.1. Material	(34-35)		
2.2.Substrates	(35)		
2-2.1.Ring spinning system	(35)		
2-2.2.Open end spinning system	(35)		
2-3. Chemicals	(36)		
2-4. Treatment processes			
2-4.1.washing of knitting samples			
2-4.2. Alkali treatment			

2-5 Dyeing processes	(37)
2-5.1. Dyeing of polyester	(37)
2-5.2. Dyeing of cotton	(37)
2-6. Testing processes	(38)
2-6-1 Estimation of tensile strength and elongation	(38)
2-6-2 Estimation of yarn irregularity	(38)
2-6-3 Estimation of yarn appearance	(38)
2.6.4 Color measurements	(39)
2-6-5 Scanning electron microscopy	(39)
2-7. Statistical procedures	(39)
CHAPTER III:	-
RESULTS AND DISCUSSION	
3-1. Introduction.	(40-41)
3-2. Effect of spinning system on yarn properties.	(50-51)
3-3. Scanning electron micrographs open-end and rin	ıg .
spun on yarn structure	(54)
3-4. Effect of blend ratio on yarn properties.	(56-57)
3-5. Relationship between blend ratio and spinning	•
system on yarn properties.	(62)
3-6. Relationship between twist factor and spinning	
system on yarn properties.	(85-86)
3-7. Effect of alkali treatment on the dye uptake(K/	S) of cotton
varieties and its blends of spinning system	(99-100)
3-8. Scanning electron microscopy of alkali treatmer	ıt (105)
3-9. Functional performance of cotton / polyester fal	orics (112)
SUMMARY	(113-116)
REFERENCES	(117-124)
ARABIC SUMMARY	(6-1)

LIST OF TABLES AND FIGURES

- Page
 figures (1 9) properties of new varieties of
 Egyptian cotton.
 table (1) properties of cotton fibers. (11)
 table (2) properties of polyester fibers. (13)
 table (3) cotton fiber properties of the studied varieties.
- table (3) polyester fiber properties of the studied. (35)
- tables (5 8) The effect of blend ratio, twist factor (42-49) and spinning system on yarn properties of G86, G89, G87and G88 respectively.
- table (9,10) & figures (10, 11): Effect of spinning (52-53) system on yarn properties.
- figures (12, 13): Scanning electron micrographs (55) open-end and ring spun on yarn structure.
- tables (11-14) & figures (14-17): Effect of (58-61) blend ratio on yarn properties.
- tables (15, 16) & figures (18-37): Relationship (63-84) between blend ratio and spinning system on yarn properties and the regression equations and correlation coefficients between blend ratio and yarn properties of different spinning systems.
- tables (17, 18) & figures (38 49): Relationship (87-98) between twist factor and spinning system on yarn properties and the egression equations and correlation coefficients between twist factor and yarn properties of different spinning systems.
- tables (19-22) & figures (50-53): Effect of (101-104) alkali treatment on the dye uptake (K/S).
- figures (54 64): Scanning electron microscopy (106-111) of alkali treatment.