

# Cieria Terris Cieria





ثبيكة المعلومات الجامعية



شبكة المعلومات الجامعية التوثيق الالكتروني والمبكروفيل



## جامعة عين شمس

التوثيق الالكتروني والميكروفيلم



نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأفلام قد اعدت دون آية تغيرات



### يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار في درجة حرارة من 15-20 منوية ورطوبة نسبية من 20-40%

To be kept away from dust in dry cool place of 15 – 25c and relative humidity 20-40 %



ثبيكة المعلومات الجامعية





ثبكة المعلومات الجامعيا



بعض الوثائق الأصلية تالفة

# Phosphodiaestrase Inhibitors Versus Catecholamines a Comparative Hemodynamic Study In Patients With Circulatory Failure

Thesis
Submitted in Partial fulfilment
of the MD Degree in
Critical care medicine

By Ashraf Mohe Al-Deen Nadim

**Supervisors** 

Prof. Dr Sherif Moktar
Director of critical care Medicine
Cairo university hospital

Prof. Dr Hossam Mowafi Chief of citical Care Medicine Cairo university

Dr. Faheem Ragab M.D Assistant Prof. of Critical Care Medicine Cairo university

B 0072

Faculty of Medicine Cairo University 2001 أجدا واحدة الحريان الوسالة الرقعية وسين العلم والمراكب المستوع كتاب المراكب المراكب المستوراة توطئة المسامل على موجهة التاجستور / الدكت والقري

Calcululumes a Compart	homostagen palast	s will woodlag follow
12-1112-1		
كيل لجنة الغصوالمناقشة للرسالة		بنات براعة المجارسة بالتراد بالتركيم أمن السال الترمي والعالي ال
عن المسسرفين	<u> 31. °</u>	13. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
متحن داخلی		the second of
ــــــــــــــــــــــــــــــــــــــ		Contraction of the Contraction
	ا وَجَارِهُ مِثَانِينِ مِنْفُورِهُ فَالْكُلُو مِنْدُ / / / 1.1 وقسم كُمُ	و العربة مديالود 14 ماسيلة كل معرورة في ومن المستنسبة لوم
في رجوم الرسالة والنتافي التي فرصل	فانتبذا الللب في جاسة ملتية	पंजाकुरुक्षार १० <sub>अस्त</sub> ासकतः
	بها اليه مره	ારા જ્યારાતમાં. મહાજુત મ
26 - 11 1/1/1/c= V	الله م الرا - في	نهاراللين به دو دُد پات ئ
- call ilation	ديار در العلاء	مسجت الشكل العام
سفرار المراب المرمون للرالة وسيسانة مدن	ى ناه المكن عالم ع	ء الحذ ذ العلم والماهد
ه المالي فنوفرت	ت و سار سالم	مَ رِبُ اللِّيةِ قِيدُ لِدَالِهِ إِلَّهِ
سي المامدات المعربية	ك سر و يؤريم ا	طرح الريالة على نفء أ
<u> </u>	,	وفيرا والمرابع
المشعن <b>الخارجــى</b> أح	البعض الملقلسي	paralle Godi
[ [] ].	····· Profession	

### Acknowledgement

I would like to express my deep gratitude and high appreciation to my teacher *Prof. Dr Hossam Mowafi*, Professor and chief of critical care medicine department. He was generous in devoting enough time and effort to achieve this work. Needless to say without his constant guidance, cordial help, meticulous supervision and constructive criticism this thesis would not have come to light.

A special acknowledgement to *Prof. Dr. Sherif Moktar*, Professor of cardiology and the God father of Critical care medicine in Egypt. He was the person to put the idea and plane of this work. I was fortunate to prepare this thesis under his supervision.

I am specially grateful to *Prof. Dr. Fahim Ragab* for his kind supervision, continuous support and valuable ideas in bringing this work in its present form.

I am especially thankful to all staff members of the critical care department medicine department, third unit who made all the circumstances favorable for me to complete this work especially during the practical part.

Finally but of major importance, was my parents and small family without their love, never fading patience and indispensable support, I would probably not have completed this work.

Ashraf Mohy



Introduction & Aim of Work		
Review of Literature		
Physiology of the circulatory system	4	
Pharmacology of inotropic drugs	32	
Pathophysiology in circulatory failure	65	
Mechanical Circulatory Support And Other Therapies	For Heart	
Failure	92	
Monitoring In Critically- III Patients	102	
Patients & Methods	132	
Results	146	
Discussion	164	
Summary & Conclusion	175	
References	180	
Arabic summary		

#### List of Tables

Table (1)	Distribution of systemic blood flow and oxygen consumption in a normal subject at rest in a comfortable environment.
Table (2)	Expected systemic hemodynamic effects of inotropic or ino-vasodilator agents in treatment of heart failure
Table (3)	Showing classification of PDE inhibitors by their chromatography.
Table (4)	Showing half life of enximone excretion in CHF patients (Okerholm et, al 1987)
Table (5)	Congestive heart failure: proarrhythmic factors (Naccarelli and Godistein, 1989).
Table (6)	List of drug interaction between enoximone and the variety of medications.
Table (7)	Incidences of adverse effects experiences during enoximone administration (Crawford, 1987).
Table (8)	Showing major primary causes of heart failure
Table (9)	Showing Revised NYHA classification
Table (10)	Showing indication and contraindication of mechanical circulatory support.
Table (11)	Mechanical circulatory support- methods (selection)
Table (12)	Monitored physiological variables.
Table (13)	Normal values for the most commonly monitered variables
Table (14)	Showing the relative rating of central venous access technique. (In each category, 1= best, 5= worst).
Table (15)	Showing equipment needed during insertion of Swan-Ganz catheter.
Table (16)	Showing Pressures measurements one-half of anterposterior chest diasmeter. 1 mm Hg = 133.332 Pascal (Pa)= 0.133 kPa.
Table (17)	Indications for pulmonary artery catheterization
Table (18)	Factors affecting cardiac output (Huge et al., 1994)
Table (19)	Illustrates the relation of the gender in this study.
Table (20)	Range and mean age of the studied group.
Table (21)	Illustrate the percentage of etiology in this study.
Table (22)	Illustrates number and percentage of patients according to NYHA functional class criteria.

Table (23)	Liver functions; range, mean value and standard deviation.
Table (24)	Renal functions; range, mean value and standard deviation.
Table (25)	AF and Rythm disturbance percentage
Table (26)	Showing mean, SD and P.value with maxiumum effects of dobutamine and enoximone on CI (cardiac index)
Table (27)	Showing mean, SD and P.value with maxiumum effects of dobutamine and enoximone on SVI (stroke volume index)
Table (28)	Showing mean, SD and P.value with maxiumum effects of dobutamine and enoximone on SWI (stroke work index)
Table (29)	Showing mean, SD and P.value with maxiumum effects of dobutamine and enoximone on SVRI (systemic vascular resistance)
Table (30)	Showing mean, SD and P.value with maxiumum effects of dobutamine and enoximone on PVRI (pulmonary vascular resistance)
Table (31)	Showing mean, SD and P.value with maximum effects of dobutamine and enoximone on PCWP (pulmonary capillary wedge pressure)
Table (32)	Showing mean, SD and P.value with maxiumum effects of dobutamine and enoximone on RAP (right atrial pressure)
Table (33)	Showing mean, SD and P.value with maxiumum effects of dobutamine and enoximone on MAP (mean arterial pressure):
Table (34)	Showing mean, SD and P.value with maxiumum effects of dobutamine and enoximone on PAP (pulmonary artery pressure):
Table (35)	Showing mean, SD and P.value with peak effects of maxiumum dobutamine and enoximone on HR:
Table (36)	Showing Mean and SD of all hemodynamic parameter measured pre and post-dobutamine infusion, and their percentage change (%).
Table (37)	Showing mean and SD of all hemodynamic parameter measured pre and post-enoximone infusion, and their percentage change (%).

#### List of Figures

Figure (1): Diagram of the circulation showing percentage of cardiac output distributed to different organ system (Cardiovascular

physiology. McGraw-Hill, 1981)

Figure (2): A, a sarcomere as it appears under the electron microscope. B, is

schematic of the location and interaction of actin and myosin.

Figure (3): The major molecules of the contractile system. Thin actin filament

(A) interacts with the myosin head (B) when Ca++ ions arrive at troponin-C (C). The giant molecule Titin (D) provides structural

support by linking myosin to the Z line. (L.H.Opie. 1991).

Figure (4): Phases of the action potential of cardiac muscle fiber and the

corresponding changes in ionic conductuanceaacross the muscle membrane (The Human CVS, Facts and Concepts.Raven

Press.1979).

Figure (5): Calcium fluxes in the myocardium.

Figure (6): Signal systems involved in positive inotropic and lusitropic

(enhanced relaxation) effects of beta-adrenergic stimulation.

Figure (7): Showing lung zones and their relation (From Ammetal ,1986).

Figure (8): The slope of the eurve indicates the contractile status of the

myocardium. (Kaplan JA, 1993).

Figure (9): Showing chemical structure of enoximone MDL 17,043 and its

major hemodynamically active metabolite sulfoxide MDL 19,438

(Uretsky et al., 1986)

Figure (10): Influence of PDE inhibitors I, II and III on cyclic nucleotide

metabolism (Kaplan et al., 1993).

Figure (11): Mechanism of action of PDE II inhibitors schematic

representation of the sub cellular site of action of PDE III inhibitors (AC= adenylyle cyclase, GS= stimulatory guanine nucleotide binding protein RS= stimulatory; P protein kinase

(Kaplan et al., 1993)

Figure (12): Showing effect of PDE inhibition in cardiac and vascular cells.

Figure (13): Showing the neurohormonael activation and its consequences in human hear failure Figure (14): Swan-Ganz catheter Normal pressure values and waveforms as a pulmonary catheter is Figure (15): advanced from the right atrium to a wedged position in a pulmonary artery (Morgan et al., 1992) Figure (16): Showing the Echocardiogrpic machine used (Accuson Acuson phased array model XP128 10C) Showing 2D-echocardiography of a dilated heart. Figure (17): A:Parasternal long axis, B: Aorta, C1:Apical 4-chamber view. Figure (18): Pressure at RA, B: Rt ventricular, C: Put artery and D: PCWP. Figure (19): Comparative hemodynamic effects of dobutamine and enoximone at peak doses on CI (Cardiac index). Figure (20): Comparative hemodynamic effects of dobutamine and enoximone at peak doses on SVI (stroke volume index) Comparative hemodynamic effects of dobutamine and enoximone **Figure (21):** at peak doses on LVSWI (left ventricular stroke work index). **Figure (22):** Comparative hemodynamic effects of dobutamine and enoximone at peak doses on SVRI (systemic vascular resistance index) **Figure (23):** Comparative hemodynamic effects of dobutamine and enoximone at peak doses on PVRI (pulmonary vscular resistance). Comparative hemodynamic effects of dobutamine and enoximone **Figure (24):** at peak doses on PCWP (pulmonary capillary wedge pressure). Comparative hemodynamic effects of dobutamine and enoximone Figure (25): at peak doses on RAP (right atrial presure) Figure (26): Comparative hemodynamic effects of dobutamine and enoximone at peak doses on MAP (mean arterial pressure) Figure (27): Comparative hemodynamic effects of dobutamine and enoximone at peak doses on PAP (pulmonary artery presure).

Comparative hemodynamic effects of dobutamine and enoximone

at peak doses on HR (heart rate).

Figure (28):

#### **List of abbreviations**

CHF: Congestive heart failure

CO: Cardiac output

LAP: Left atrial pressure

LVEDP: Left ventricular end-diastolic pressure

LVEDV: Left ventricular end-diastolic volume

MAP: Mean arterial pressure

MPAP: mean pulmonary arterial pressure

MVO2: Myocardial oxygen consumption

NE: Norepinpherine

PAC: pulmonary artery catheter

PADP: pulmonary artery diastolic pressure

PASP: pulmonary artery systolic pressure

PCWP: pulmonary capillary wedge pressure

PVR: Pulmonary vascular resistance

RHC: right cardiac catheterization

SR: Sarcoplasmic reticulum

SV: Stroke volume

SvO2: Mixed venous blood saturation

SVR: Systemic vascular resistance