# The role of caffeic acid in modulating miRNA expression related to diabetic nephropathy in rats

#### A thesis

Submitted for partial fulfillment of Master degree of Science in Biochemistry

## By

Aya Shaaban Ragheb Shaaban B.Sc. Biochemistry and Chemistry (2012) Faculty of Science-Ain Shams University

Under the supervision of

Prof. Dr. Ahmed M. Salem

Prof. of Biochemistry

Faculty of Science

Ain Shams University

Prof. Dr. Sanaa E. Mohamed

prof. of Medical Biochemistry

and Molecular Biology

Faculty of Medicine

Ain Shams University

### Assist. Prof. Dr. Marwa G. A. Hegazy

Assist. Prof. of Biochemistry
Faculty of Science
Ain Shams University

**Biochemistry Department** 

**Faculty of Science Ain Shams University** 

2017

I declare that, this thesis has been composed by myself and the work there in has not been submitted for a degree at this or any other university.

Aya shaaban Ragheb

## **Contents**

Abstract	I
Acknowledgement	III
List of Abbreviations	V
List of Figures	XI
List of Tables	XIII
Introduction	1
Aim of the work	4
I. Review of Literature	5
I.1. Diabetes Millitus	5
I.2. Diabetic Nephropathy	11
I.3. MicroRNAs	27
I.4. Caffeic Acid	44
II. Materials and Methods	51
II.1. Chemicals	51

II.2. Animals	51
II.3. Samples collection & processing	52
II.4. Investigations,	53
III. Results	76
IV. Discussion	94
Summary	102
Conclusion and perspectives	104
Recommendations	104
References	105
Arabic Summary	
Arabic Abstract	

## Acknowledgement:

I would like to express my deep cardinal thanks and gratitude to **Prof. Dr. Ahmed Mohammed Salem**, professor of Biochemistry, Biochemistry department, Faculty of Science, Ain Shams University, not only for giving me the chance to work under his supervision, but also for the great scientific help, continuous guidance and meticulous range observations which lead to the emergence of this work in its current form.

I do feel greatly indepted **to Prof. Dr. Sanaa Eisaa Mohammed,** Professor of Biochemistry and Molecular Biology, Faculty of Medicine, Ain Shams University, for the generous advice, for providing the facilities of this work, continuous assistance, unlimited help, hand by hand support and useful remarks.

I am also deeply grateful **to Dr. Marwa Galal El-Deen,** Assistant Professor of Biochemistry, Faculty of Science, Ain Shams University, for her skillful help, excellent finishing of the work and discussion during all stages of the research and preparation of the thesis.

## Acknowledgement

I would like to thank prof. Dr. Adel Mohamed Baker. Prof of Pathology, Faculty of Veterinary medicine, Cairo University, for his skillful help in histopathology section.

I dedicate this work to all my family and I have to thank them for supporting me with kindness and patience.

#### List of Abbreviations

Ab Antiobody

AGEs Advanced glycation end-products

Ago 2 Argonaute 2

Ago Argonaute

AIDS Acquired Immune Deficiency Syndrome

PKB Protein kinase B

ALK1 Anaplastic lymphoma kinase 1
ALK5 Anaplastic lymphoma kinase 5

ALP Alkaline phosphatase

ALT Alanine transaminase

Ang II Angiotensin II

AP-1 Activated protein-1

aPKC Atypical protein kinase C

AST Aspartate transaminase

ATP Adenosine tri phosphate

BCL2 B-cell lymphoma 2

BUN Blood urea nitrogen

CA Caffeic acid

cAMP Cyclic Adinosine Mono Phosphate

CAPE Caffeic acid phenyl ester

CCR Creatinine clearance rate

CD4 Cluster of differentiation 4

CD8 Cluster of differentiation 8

CKD Chronic kidney disease

CML Carboxymethyl lysine

CMPs Chromatin modifying proteins

Coll 11 Collectin Kidney Protein

cPKC Conventional protein kinase C

DAG Diacylglycerol

DCL Dicer-like proteins

DKD Diabetic Kidney disease

DM Diabetes mellitus

DN Diabetic Nephropathy

DNA Deoxy Ribonucleic acid

dsmiRNA Double stranded micro RNA

ECM Extracellular matrix

eGFR Estimated glomerular filteration rate

EIF6 Eukaryotic Translation Initiation Factor 6

ELISA Enzyme linked immune sorbent assay

ERK1 Extracellular Signal-regulated Kinase-1

ESRD End-stage renal disease

ET-1 Endothelin-1

FGF21 Fibroblast growth factor 21

FGF23 Fibroblast growth factor 23

FN Fibronectin

G6-ase Glucose-6-phosphatase

GAD Glutamic acid decarboxylase

GBM Glomerular basement membrane

GDM Gestational diabetes mellitus

GFR Glomerular filtration rate

GLUT2 Glucose transporter 2

GLUT3 Glucose transporter 3
GLUT4 Glucose transporter 4

GPR91 G-protein coupled receptor 91

H&E staining Hematoxyline and Eosin staining

H3K4 Methylation of lysine 4 on histone 3

HbA1c Glycated hemoglobin

HDAC4 Histone deacetylase 4

HDL High density lipoprotein

HIV Human immunodeficiency virus

HK2 Hexokinase 2

HOXB8 Homeobox Protein Ho 8

HRP Horse-reddish peroxidase

IAs Insuline antibodies

ICAs Islet cell antibodies

IDDM Insulin dependent diabetes mellitus

IL-1 Interleukin-1

IL-6 Interleukin-6

Imp8 Importin 8

i.p. Intraperitoneal

KIM-1 Kidney injury marker-1

LDH Lactate dehydrogenase

LDL low density lipoprotein

let-7 lethal 7

lin-41 lineage 41

lncRNAs long non-coding RNAs

MAP Mitogen-activated protein

MAPK Mitogen-activated protein kinase

MCP-1 Monocyte chemoattractant protein-1

MCs Mesangial cells

MHC Major histocompatibility complex

miRISC miRNA-induced silencing complex

miRNAs MicroRNAs

miRNP MicroRNA containing ribonucleoprotein

MMCs Mice mesangeal cells

MODY Maturity-onset diabetes of the young

mRNA Messenger ribonucleic acid

mTOR Mammalian Target of Rapamycin

NADPH Nicotinamide Adenine Dinucleotide

Phosphate.

NAG N-acetylglucosaminidase

ncRNAs non-coding ribonucleic acid

NFK National Kidney Foundation

NF- B Nuclear factor- B

NGAL Neutrophil gelatinase-assiociated lipocalin

NIDDM Non-insuline dependent diabetes milletus

NO Nitric oxide

nPKC Novel protein kinase c

nt Nucleotids.

PACT Protein activator of protein kinase R
PAI-1 Plasminogen activator inhibitor-1

PAK-1 Serine/threonine p21-activated kinases

PEDF Pigment epithelium-derived factor

PI3K Phosphoinositide 3-kinase

piRNAs Piwi-interacting RNAs

PKC Protein kinase C

PMA Phorbol 12-myristate 13-acetate

PPAR Peroxisome proliferator-activated receptor

PR Progesterone receptor

pre-miRNA Precursor miRNA pri-miRNA Primary transcript

PRR Pro renin receptor

PTEN Phosphatase and tensin homolog

qRT-PCR Quantitative real time polymerase chain

reaction

RAAS Renin angiotensin aldosterone system

RAGE Receptor for advanced glycation end

product

RAS Renin angiotensin system

RNA Ribonucleic acid

RNAa Ribonucleic acid activation

ROS Reactive oxygen species

RQ Relative quantity

rRNAs Ribosomal ribonucleic acid

RRT Renal replacement therapy

Sad Succinate semialdehyde dehydrogenase

siRNAs Short interfering RNAs

snoRNAs Small nucleolar RNAs

snRNAs Small nuclear RNAs

SOD Superoxide dismutase

SP1 Specificity protein 1

SPRY-1 Protein sprouty homolog 1

STZ Streptozotocin

T1DM Type 1 diabetes mellitus

T2DM Type 2 diabetes mellitus

TC Total cholesterol

TGA Transcription gene activation

TGF- transforming growth factor

TGS Transcriptional gene silencing

TGs Triacylglycerols

TIMP3 Tissue inhibitor of metalloproteinases-3

TLR Toll-like receptor

TNF Tumor necrosis factor

TRBP Trans-activation response RNA-binding

protein

TRCP-1 Transient receptor potential channel 1

tRNAs Transfer ribonucleic acids

UACR Urine albumin to creatinine ratio

UTRs Untranslated regions

VEGF Vascular endothelial growth factor

VLDL Very low density lipoprotein

WHO World Health Organization

XPO5 Exportin 5

-GST -Glutathione-S-Transferase

## List of Figures

Figure (1): pathologic consequences of increased production of AGE precursors
Figure (2): High glucose levels elevate flux through the polyol pathway21
Figure (3): Biogenesis of microRNA31
Figure (4): miRNA-regulatory networks in proximal tubular epithelial cells and mesangial cells in response to TGF- 1, and in podocytes in response to TGF- 1 and high glucose42
Figure (5): Chemical structure of caffeic acid47
Figure (6): standard curve of microalbuminuria62
Figure (7): Glucose levels among different groups at the end of study
Figure (8): Serum creatinine levels among different groups at the end of study
Figure (9): Microalbuminuria and urine creatinine levels among different groups at the of study81
Figure (10): Urine volume among different groups at the end of study
Figure (11): Blood urea nitrogen level among different groups at the end of study
Figure (12): creatinine clearance levels among different groups at the end of study

Figure (13): Albumin-Creatinine ratio values among different groups at the end of study83
Figure (14): Total cholesterol and triglycerides among different groups at the end of study
Figure (15): HDL & LDL- Cholesterol among different groups at the end of study
Figure (16): Photomicrograph of kidney in control and placebo groups
Figure (17): Photomicrograph of kidney in diabetic group
Figure (18): Photomicrograph of kidney in diabetic nephropathy group
Figure (19): Photomicrograph of kidney in prophylactic group
Figure (20): Photomicrograph of kidney in treated group
Figure (21): miRNA-636 expression level among different groups of study93