



صدق الله العظيم

آية ( 114 )

سورة الإسراء

**Accuracy of electronic apex locator in relation to the  
condition of human dental pulp**

**[ Histological and histochemical study ]**

**Thesis**

**Submitted to Faculty of oral and dental medicine  
Cairo University**

**In partial fulfillment of the requirements for master  
degree in Oral Biology**

**By**

***Asmaa Serry Mohammed***

**B.D.S Mansoura University**

**Faculty of oral and dental medicine**

**Cairo University**

**2012**

# **Supervisors**

## **Prof. Dr. Mohammed Adel Ahmed**

Professor of Oral Biology  
Oral biology department  
Faculty of Oral and Dental Medicine  
Cairo University

## **Dr. Ehab Mohammed Mohey Elden**

Lecturer of Oral Biology  
Oral biology department  
Faculty of Oral and Dental Medicine  
Cairo University

## ***Acknowledgment***

*First of all, I want to thank **GOD** for giving me the strength, the effort and everything that helped me in accomplishing this thesis.*

*I am greatly honored to express my deepest gratitude to **Professor Dr. Mohammed Adel Ahmed**, Professor of Oral Biology, Oral Biology Department, Faculty of Oral and Dental Medicine, Cairo University for his unlimited guidance, valuable advises and continuous encouragement.*

*I would like to express my deep thanks to **Dr. Ehab Mohammed Mohey Elden**, lecturer of Oral Biology, Oral Biology Department, Faculty of Oral and Dental Medicine, Cairo University for his help, extensive effort and encouragement.*

*Finally I would like express my deep thanks also to all my Professors and colleagues at **Nahda University** for their endless encouragement and support.*

# *Dedication*

*I would like to dedicate my effort in this work to....*

*My father who guided me through my whole life,*

*My mother who gave me endless love and  
support,*

*My beloved sister and brothers,*

*And last but not least my dear husband who  
shared me the hardest moment and his family for  
their encouragement and understanding*

# **Table of contents**

<b><u>Review of literature</u></b> .....	1
Anatomy of the root apex.....	1
Working length determination.....	3
Importance of working length determination.....	3
Methods of working length determination:.....	4
Tactile sensation:.....	4
Moisture on a paper point:.....	5
Radiographic determination of working length: .....	6
Electronic apex locators (EAL):.....	9
History and types of Electronic Apex Locators:.....	9
1 <sup>st</sup> generation apex locators.....	10
2nd generation apex locators:.....	10
3rd generation apex locators.....	11
4th generation apex locator.....	12
5th generation Apex locators.....	12
Measurement of root canal by using EAL:.....	13
Methods of study the accuracy of apex locators:.....	13
Factors affecting the accuracy of EALs:.....	14
Pulp diseases:.....	17
Reaction of the pulp to irritants:.....	17
classification of pulp diseases:.....	20
<b><u>Aim of the study</u></b> :.....	22
<b><u>Materials and methods</u></b> .....	23
Radiographic technique:.....	23
A-Steps performed for endodontic treatment:.....	25

B-Steps performed for root length determination.....	25
C-Steps performed for pulp extirpation and histological analysis:.....	29
D-steps performed for Image digitization.....	30
<b><u>Results</u></b> .....	32
(A)Histopathological results.....	32
(1) Group I.....	32
(2) Group II.....	37
(3) Group III.....	46
(4) Group IV.....	56
(5) Group V.....	56
(B) Radiographic results.....	61
(1) group I:.....	61
(2) group II:.....	64
(3) Group III.....	67
(4) Group IV.....	70
(5) group V:.....	73
(C) Statistical results.....	77
<b><u>Discussion</u></b> .....	81
Group I:.....	84
Group II:.....	84
Group III.....	85
Group IV.....	88
Group V:.....	89
<b><u>Conclusion</u></b> .....	91
<b><u>Summary</u></b> .....	92
<b><u>References</u></b> .....	96

## List of Figures

<b>No.</b>	<b>Interpertation</b>	<b>Page</b>
<b>Figure 1</b>	Photograph showing anatomy of root apex	1
<b>Figure 2</b>	photograph showing the components of I ROOT apex locator	26
<b>Figure 3</b>	a photograph showing application of apex locator	28
<b>Figure 4</b>	a photomicrograph of 1 <sup>st</sup> group (upper lateral incisor pulp) showing: (A) the connective tissue, (B) prominent odontoblastic layer and (C) few blood vessels (H&E X 40)	33
<b>Figure 5</b>	a photomicrograph of 1 <sup>st</sup> group dental pulp showing: (A) collagen fibers, (B) odontoblastic layer, and (C) mildly infiltrated lymphocytes (H&E X 100) .	33
<b>Figure 6</b>	a photomicrograph of 1 <sup>st</sup> group dental pulp showing: (A) odontoblastic layer in the coronal pulp and (B) blood vessels with intact endothelial lining and (C) mild infiltration with chronic inflammatory cells (H&E X 200).	34
<b>Figure 7</b>	a photomicrograph of 1 <sup>st</sup> group dental pulp showing: (A) regular collagen fibers, (B) discontinuous odontoblastic layer, (C) blood vessels and (D) mildly infiltrated lymphocytes (H&E X 200)	34
<b>Figure 8</b>	a photomicrograph of 1 <sup>st</sup> group dental pulp showing: (A) odontoblastic layer in radicular pulp and (B) densely arranged collagen bundles in the most apical part (H&E X 100)	35
<b>Figure 9</b>	a photomicrograph of 1 <sup>st</sup> group dental pulp showing: PAS +ve reaction of the pulp (PAS Alcian X100).	35
<b>Figure 10</b>	a photomicrograph of 1 <sup>st</sup> group dental pulp showing: PAS +ve reaction of the pulp (PAS Alcian X100).	36

<b>Figure 11 :</b>	a photomicrograph of 2 <sup>nd</sup> group (upper lateral incisor pulp) showing inflamed connective tissue not surrounded by odontoblastic layer (H&E X 40)	38
<b>Figure 12</b>	photomicrograph of 2 <sup>nd</sup> group dental pulp showing: (A) disrupted odontoblastic layer, (B) dilated blood vessels filled with RBCs (C) extravasated RBCs (H&E X 100)	38
<b>Figure 14</b>	photomicrograph of 2 <sup>nd</sup> group dental pulp showing: (A) areas of oedema in connective tissue (B) connective tissue undergo degeneration (H&E X 100).	39
<b>Figure 15</b>	photomicrograph of 2 <sup>nd</sup> group dental pulp showing: (A) dilated blood vessels filled with RBCs, (B) infiltration of chronic inflammatory cells (H&E X 200).	40
<b>Figure 16</b>	photomicrograph of 2 <sup>nd</sup> group dental pulp showing: (A) dilated blood vessels with interrupted endothelial lining engorged with RBCs, (B) infiltration of chronic inflammatory cells (H&E X 200).	40
<b>Figure 17</b>	photomicrograph of 2 <sup>nd</sup> group dental pulp showing: (A) blood vessels with interrupted endothelial lining (B) extravasated RBCs and (arrows) polymorphnuclear leucocytes (H&E X 400).	41
<b>Figure 18</b>	photomicrograph of 2 <sup>nd</sup> group dental pulp showing: (A) degenerated collagen fibers, (B) acute inflammatory cells, (C) extravasated RBCs and (D) thrombus formation(H&E X 400).	41
<b>Figure 19</b>	photomicrograph of 2 <sup>nd</sup> group dental pulp showing: (A) acute inflammatory cells in the connective tissue. (B) acute inflammatory cells in the blood vessel (H&E X 200).	42
<b>Figure 20</b>	photomicrograph of 2 <sup>nd</sup> group dental pulp showing: acute inflammatory cells (red arrow) and chronic inflammatory cells (white arrow) (H&E X 400).	42

<b>Figure 21</b>	photomicrograph of 2 <sup>nd</sup> group dental pulp showing (A) eosinophils, (B) neutrophils and (C) lymphocyte (H&E X 1000)	43
<b>Figure 22</b>	photomicrograph of 2 <sup>nd</sup> group dental pulp showing (A) eosinophils, (B) neutrophils and (C) lymphocyte and (d) plasma cell (H&E X 1000)	43
<b>Figure 23</b>	photomicrograph of 2 <sup>nd</sup> group dental pulp showing: strong +ve alcianophilic reaction. The pink dots is the cytoplasm of PMNLs which gives +ve PAS reaction (PAS Alcian X100).	44
<b>Figure 24</b>	a photomicrograph of 2 <sup>nd</sup> group dental pulp showing: (A) strong +ve alcianophilic reaction. The pink dots is the cytoplasm of PMNLs which gives +ve PAS reaction. (B) PAS +ve alcianophilic reaction (PAS Alcian X100).	44
<b>Figure 25</b>	a photomicrograph of 2 <sup>nd</sup> group dental pulp showing: (A) +ve alcianophilic reaction. (B) PAS +ve alcianophilic reaction that appears mostly in the wall of blood vessels (PAS Alcian X100).	45
<b>Figure 26</b>	a photomicrograph of 3 <sup>rd</sup> group showing: inflamed connective tissue and absence of continuous odontoblastic layer (H&E X 40)	48
<b>Figure 27</b>	a photomicrograph of 3 <sup>rd</sup> group dental pulp showing: (A) absence of odontoblastic layer, (B) odontoblastic layer infiltrated with inflammatory cells (H&E X 100)	48
<b>Figure 28</b>	a photomicrograph of 3 <sup>rd</sup> group dental pulp showing: (A) blood vessels with interrupted endothelial lining engorged with coagulated blood, (B) odontoblastic layer infiltrated with inflammatory cells (H&E X 100).	49

<b>Figure 29</b>	a photomicrograph of 3 <sup>rd</sup> group dental pulp showing: (A) blood vessels with interrupted endothelial lining not engorged with RBCs (B) irregular collagen fiber and(C) thrombus formation (H&E X 100)	49
<b>Figure 30</b>	a photomicrograph of 3 <sup>rd</sup> group dental pulp showing thickening of collagen fiber (H&E X 100)	50
<b>Figure 31</b>	a photomicrograph of 3 <sup>rd</sup> group dental pulp showing hyaline degeneration (H&E X 100)	50
<b>Figure 32</b>	a photomicrograph of 3 <sup>rd</sup> group dental pulp showing: (A) fatty degeneration (B) heavy infiltration of chronic inflammatory cells. (H&E X 100)	51
<b>Figure33</b>	a photomicrograph of 3 <sup>rd</sup> group dental pulp showing: fatty degeneration (H&E X 400)	51
<b>Figure 34</b>	a photomicrograph of 3 <sup>rd</sup> group dental pulp showing: pulp stone (H&E X 200)	52
<b>Figure 35</b>	a photomicrograph of 3 <sup>rd</sup> group dental pulp showing: heavy infiltration of chronic inflammatory cells (H&E X 100)	52
<b>Figure 36</b>	a photomicrograph of 3 <sup>rd</sup> group dental pulp showing: heavy infiltration of chronic inflammatory cells (H&E X 400).	53
<b>Figure 37</b>	a photomicrograph of 3 <sup>rd</sup> group dental pulp showing: (A) moderate infiltration of chronic inflammatory cells and (B) macrophages (H&E X 400).	53
<b>Figure 38</b>	a photomicrograph of 3 <sup>rd</sup> group dental pulp showing: (A) lymphocytes,(B) lymphocyte with kidney shaped nucleus (C) macrophage(H&E X 400).	54

<b>Figure 39</b>	a photomicrograph of 3 <sup>rd</sup> group dental pulp showing: (A) +ve alcianophilic reaction. (B) +ve PAS reaction (C) PAS +ve alcianophilic reaction (PAS Alcian X100).	54
<b>Figure 40</b>	a photomicrograph of 3 <sup>rd</sup> group dental pulp showing: (A) +ve alcianophilic reaction. (B) +ve PAS reaction (C) PAS +ve alcianophilic reaction (PAS Alcian X100).	55
<b>Figure 41</b>	a photomicrograph of 3 <sup>rd</sup> group dental pulp showing: (A) +ve alcianophilik reaction. (B) +ve PAS reaction (C) PAS +ve alcianophilic reaction (PAS Alcian X100).	55
<b>Figure 42</b>	a photomicrograph of 4 <sup>th</sup> group dental pulp showing: (A) no odontoblast, (B)degenerated collagen fiber with few fibroblast, (C) blood vessels filled with remnant or RBCs (H&E X 100).	57
<b>Figure 43</b>	a photomicrograph of 4 <sup>th</sup> group dental pulp showing: necrosis of all the pulp (arrows) (H&E X 100).	57
<b>Figure 44</b>	photomicrograph of 4 <sup>th</sup> group dental pulp showing: (A) no odontoblastic layer, (B)degenerated collagen fiber without fibroblast, (C) thrombus formation in the blood vessels,(D) necrotic cells and (E) scattered acute inflammatory cells (H&E X 100).	58
<b>Figure 45</b>	a photomicrograph of 4 <sup>th</sup> group dental pulp showing: (A) hyaline degeneration, (B) area of necrosis and (C) dilated blood vessels filled with coagulated blood (H&E X 100).	58
<b>Figure 46</b>	a photomicrograph of 4 <sup>th</sup> group dental pulp showing: (A)area of degeneration and scattered acute inflammatory cells (arrows) (H&E X 100).	59
<b>Figure 47</b>	a photomicrograph of 4 <sup>th</sup> group dental pulp showing: (A) weak +ve alcianophilic reaction (B) +ve PAS reaction (C) PAS +ve alcianophilic reaction (PAS Alcian X100).	59

<b>Figure 48</b>	a photomicrograph of 4 <sup>th</sup> group dental pulp showing: (A) weak +ve alcianophilic reaction (B) weak +ve PAS reaction (PAS Alcian X100)	60
<b>Figure 49</b>	a photomicrograph of 4 <sup>th</sup> group dental pulp showing: PAS +ve alcianophilic reaction (PAS Alcian X100).	60
<b>Figure 50 (a)</b>	x-ray of lower central Incisor preoperative	62
<b>Figure 50(b)</b>	x-ray of lower central incisor with the file fixed in the canal	62
<b>figure 50 (c)</b>	digora measurement of the distance between the apex and file tip indicates normal reading (-0.8 mml)	62
<b>Figure 51(a)</b>	x-ray of upper 1 <sup>st</sup> molar preoperative	63
<b>figure 51(b)</b>	x-ray of upper 1 <sup>st</sup> molar with the file Fixed in the canal	63
<b>figure 51(c):</b>	digora measurement of the distance between the apex and file tip indicates normal (-1.4 mml) reading	63
<b>Figure 52(a)</b>	x-ray of upper 2 <sup>nd</sup> premolar preoperative	65
<b>figure 52(b)</b>	x-ray of upper 2 <sup>nd</sup> premolar with the file Fixed in the canal	65
<b>figure 52(c)</b>	digora measurement of the distance between the apex and file tip indicates over Reading (+0.6 mml)	65

<b>Figure 53(a)</b>	x-ray of lower 1 <sup>st</sup> molar preoperative 1 <sup>st</sup> molar preoperative	66
<b>figure 53 (b)</b>	x-ray of lower 1 <sup>st</sup> molar with the file Fixed in the canal	66
<b>figure 53 (c)</b>	digora measurement of the distance between the apex and file tip indicates under Reading (-1.7 mml)	66
<b>Figure 54(a)</b>	x-ray of upper central Incisor preoperative	68
<b>figure 54(b)</b>	x-ray of upper central incisor with the file fixed in the canal	68
<b>figure 54(c)</b>	digora measurement of the distance between the apex and file tip indicates over reading (+1.1 mml)	68
<b>Figure 55(a)</b>	x-ray of lower 1 <sup>st</sup> molar preoperative	69
<b>figure 55(b)</b>	x-ray of lower 1 <sup>st</sup> molar with the file Fixed in the canal	69
<b>figure 55(c)</b>	digora measurement of the distance between the apex and file tip indicates normal Reading (-0.8 mml)	69
<b>Figure 56 (a)</b>	x-ray of lower 2 <sup>nd</sup> molar preoperative	71
<b>Figure56(b)</b>	x-ray of lower 2 <sup>nd</sup> molar with the file Fixed in the canal	71
<b>figure 56(c)</b>	digora measurement of the distance between the apex and file tip indicates under Reading (-1.6 mml)	71
<b>Figure 57(a)</b>	x-ray of lower canine	72
<b>Figure 57(b)</b>	x-ray of lower canine with the file Fixed in the canal	72
<b>figure 57(c)</b>	digora measurement of the distance between the apex and file tip indicates normal Reading (-0.7 mml)	72

<b>Figure 58(a)</b>	x-ray of upper central Incisor preoperative	74
<b>figure 58(b)</b>	x-ray of upper central incisor with the file fixed in the canal	74
<b>figure 58(c)</b>	digora measurement of the distance between the apex and file tip indicates normal reading (-1.2 mml)	74
<b>Figure 59 (a)</b>	x-ray of upper lateral Incisor preoperative	75
<b>figure 59 (b)</b>	x-ray of upper central incisor with the file fixed in the canal	75
<b>figure 59 (c)</b>	digora measurement of the distance between the apex and file tip indicates over reading (zero mml)	75