## Evaluation of Electrocardiographic Changes and Some Laboratory Investigations as Predictors of Prognosis of Acute Organophosphorous Intoxicated Patients

### **Thesis Submitted**

For Partial Fulfillment of Master Degree in Clinical Toxicology

#### By

#### **Eman Abd El-Fatah Mohammed**

MRRCh

Demonstrator in Forensic Medicine and Clinical Toxicology department Faculty of Medicine - Ain Shams University

### **Under Supervision of**

#### Prof. Dr. Suzan Mostafa Mahmmoud

Professor of Forensic Medicine and Clinical Toxicology Faculty of Medicine - Ain Shams University

#### Prof. Dr. Enas Abul-Wafa El-Taftazani

Professor of Forensic Medicine and Clinical Toxicology Faculty of Medicine - Ain Shams University

#### Dr. Heba Mohammed Mohammed Halawa

Lecturer of Forensic Medicine and Clinical Toxicology
Faculty of Medicine - Ain Shams University

Faculty of Medicine
Ain Shams University
2007

تقييم رسم القلب الكهربى و بعض الفحوص المعمليه كمتنبئات بالمسار المرضى لحالات التسمم الحاد بالمبيدات الحشرية الفسفورية العضوية

رسالـــة مقدمة توطئة للحصول على درجة الماجستير في السموم الاكلينيكية

مقدمه من الطبيبة / ايمان عبد الفتاح محمد بكالوريوس الطب و الجراحة العامة معيدة بقسم الطب الشرعي و السموم الاكلينيكية كلية الطب – جامعة عين شمس

تحت اشراف الأستاذة الدكتورة/ سوزان مصطفى محمود أستاذ الطب الشرعي والسموم الاكلينيكية كلية الطب - جامعة عين شمس

الأستاذة الدكتورة / إيناس أبو الوفا التفتاز انى أستاذة الطب الشرعي والسموم الاكلينيكية كلية الطب – جامعة عين شمس

الدكتورة/ هبه محمد محمد حلاوة مدرس الطب الشرعي والسموم الاكلينيكية كلية الطب - جامعة عين شمس

كلية الطب جامعة عين شمس 2007

## **Acknowledgment**

First and for most, I feel always indebted to Allah the kind and merciful.

I wish to express my sincere thanks and appreciation to **Prof. Dr. Suzan Mostafa Mahmoud,** Professor of Forensic Medicine and Clinical Toxicology, Faculty of Medicine, Ain Shams University, for her sincere directions, meticulous supervision, continuous advice and constant encouragement. This thesis owes a great deal to her guidance and careful comments.

My deepest gratitude and appreciation to **Prof. Dr. Enas Abul-Wafa EL Taftazani,** Professor of Forensic Medicine and Clinical Toxicology, Faculty of Medicine, Ain Shams University, for her great effort, continuous encouragement, kind guidance and support throughout this work. She has generously devoted much of her time and effort for supervision of this study.

I am deeply grateful for **Dr. Heba Mohammed Mohammed Halawa**, Lecturer of Forensic Medicine and Clinical Toxicology, Faculty of Medicine, Ain Shams University, for her great help, meticulous supervision, valuable guidance and continuous support

I would like to express my sincere thanks and appreciation to **Prof. Dr. Hani A. Gamalulddin,** Professor and Head of Forensic Medicine and Clinical Toxicology Department, Faculty of Medicine, Ain Shams University and director of PCC for his continuous support, constant encouragement unlimited help and fruitful guidance.

I am also grateful to all My Professors and Colleagues in the Forensic Medicine and Clinical Toxicology Department, Faculty of Medicine, Ain Shams University, and Staff members of the Poison Control Centre for their cooperation and help.

Last but not least, I want to thank **All members of my family** for their real help and reassurance as without their help, this work could not have been completed.

Eman Abd El Fatah Mohammed



## List of Contents

	Page
• Acknowledgement	
Introduction and aim of the work	
Review of Literature	5
Historical review	5
<ul> <li>Uses of OP compounds</li> </ul>	6
<ul> <li>Epidemiology and incidence of OP poisonir</li> </ul>	
Chemistry and classifications	_
<ul> <li>Mechanism of action</li> </ul>	12
Pharmacokinetics	15
■ Toxicity	18
<ul> <li>Mode of poisoning</li> </ul>	18
<ul> <li>Onset of symptoms and signs</li> </ul>	19
• Clinical manifestations	20
<ul> <li>Grading of severity of OP poisoning</li> </ul>	22
• Acute toxicity	22
• Prognosis	35
• Causes of death	36
• Chronic toxicity	36
<ul> <li>Monitoring of organophosphate is</li> </ul>	ntoxicated
patients	40
<ul> <li>Monitoring of physiological parameters</li> </ul>	40
<ul> <li>Toxin specific findings</li> </ul>	40
Biochemical parameters	47
■ ECG	50

•	Chest radiography	51
•	Electromyogram studies (EMG)	51
-	Further investigations	51
•	Monitoring of treatment	52
• P	revention	52
• T	reatment	53
-	Emergency measures	53
•	Decontamination	54
•	Anticholinergics	56
	Oximes	61
	Supportive treatment	64
	Additional therapies	67
	Other treatments under evaluation	69
	Further inpatient care	70
	Further outpatient care	71
■ Method	ology	74
• Results		94
• Discuss	sion	160
■ Summa	ıry	189
• Conclus	sion	194
■ Recomm	nendations	196
■ Referen	ices	198
• Arabic	summary	1

## List of Tables

Ta	ıbles. No.	Page No.
1.	Reed's classification of the level of consciousness.	79
2.	Sociodemographic criteria (age, sex, residence occupation) of the selected 60 patients with a organophosphate poisoning	cute
3.	Types of OP insecticide and their mode and route intoxication in the selected 60 patients v organophosphate poisoning	vith
4.	ANOVA one-way statistical analysis of vital of [temperature, pulse, blood pressure (BP) respiratory rate]in the studied groups, group (control group n=10), group B (moderate group n= and group C (severe group n=30)	and A :30)
5.	Incidence of general manifestations (temperat skin, and pupil size) in the selected 60 patients vacute OP poisoning	vith
6.	Incidence of respiratory and cardiovasc manifestations in the selected 60 patients with a organophosphate poisoning	cute
7.	The incidence of other systems manifestatic (neurological gastrointestinal, urinary manifestatic as well as relapse) in the selected 60 patients was acute OP poisoning	ons, vith
8.	ANOVA one-way statistical analysis of arterial bl gas values (pH, PaO2, PaCO2, SaO2and HCO3 the studied groups, group A (control group n=	) in

111	group B (moderate group n=30) and group C (severe group n=30)
114	9. ANOVA one-way statistical analysis of biochemical parameters (serum sodium, potassium, amylase, lipase, BUN and creatinine) in the studied groups, group A (control group n=10), group B (moderate group n=30) and group C (severe group n=30)
117	10. ANOVA one-way statistical analysis of pseudocholinestrase (PChE) level in the studied groups, group A (control group n=10), group B (moderate group n=30) and group C (severe group n=30)
119	11. Incidence of chest X –ray findings in the selected 60 patients with acute organophosphate poisoning
124	12. ANOVA one-way statistical analysis studying the relation between respiratory failure and some clinical variables (atropine dosage, oxime dosage, pseudocholinesterase level, plasma amylase level, QTc interval and hospitalization days) in the selected 60 patients with acute OP intoxication
128	13. Chi-Square Test statistical analysis studying the relation between respiratory failure and some clinical variables (sweating, excessive salivation, tachypnea, bradypnea, creipitations, wheezes, pneumonia bradycardia, tachycardia, hypertension, hypotension, fasciculations, weakness, convulsions, coma, and PVCs) in the selected 60 patients with acute OP intoxication
	14. ANOVA one-way statistical analysis of electrocardiographic (ECG) findings (P-R interval and Q-Tc Interval) in the studied groups, group A (control

group n=10), group B (moderate group n=30) and group C (severe group n=30)	135
15. Incidence of ECG changes in the selected 60 patients with acute organophosphate poisoning	137
16. Chi-Square Test for statistical analysis studying the relation between ECG changes and the outcome in the selected 60 patients with acute organophosphate poisoning.	141
17. Chi-Square Test statistical analysis studying the relation between cardiotoxicity and its predisposing factors (hypoxia, acidosis and electrolyte abnormalities) in the selected 60 patients with acute organophosphate poisoning	144
18. ANOVA one-way statistical analysis studying relation between serum BUN and relapse in the selected 60 patients with acute organophosphate poisoning	147
19. Survival pattern in the selected 60 patients with acute OP intoxication and causes of death in the 10 fatality cases	149
20. Chi-Square Test in the selected 60 patients with organophosphate poisoning comparing the frequency of occurrence of complications with patient's survival	151
21. Chi-Square Test for statistical analysis of the relation between ICU admissions, need of MV and the outcome in the selected 60 patients with acute organophosphate poisoning	154
22. The FiO2 (Fraction of inspired oxygen) requirement of both survivor and survivor patients with mechanical ventilation (MV)	156

23. ANOVA one-way statistical analysis studying the
relation between FiO2 requirement and the outcome
in the mechanically ventilated patients158

# List of Histograms

Histogram. No.	ge No.
1. Age distribution in the selected 60 patients with acute organophosphate poisoning	
2. Sex distribution in the selected 60 patients with acute organophosphate poisoning	
3. Residence distribution pattern in the selected 60 patients with acute organophosphate poisoning	
4. Occupational distribution in the selected 60 patients with acute organophosphate poisoning	
5. Types of OPC involved in toxicity in the selected 60 patients with acute organophosphate poisoning	
6. Mode of poisoning in the selected 60 patients with acute organophosphate poisoning	
7. Route of intoxication in the selected 60 patients with acute organophosphate poisoning	
8. Mean body temperature in the studied groups	104
9. Mean pulse (heart rate) in the studied groups	104
10. Mean systolic and diastolic blood pressure (BP in the studied groups	
11. Mean respiratory rate (RR) in the studied groups	105
12. The mean Arterial Blood Gases (ABGs) values in the studied groups	
13. The mean values of biochemical parameters in the studied groups	

14. The mean pseudocholinestrase (PChE) level in the studied groups
15. Incidence of chest X –ray findings in the selected 60 patients with acute organophosphate poisoning 120
16. Relation of atropine and oxime dosage with respiratory failure in the selected 60 patients with acute OP intoxication
17. Relation of pseudocholinesterase (PChE) and serum amylase (AML) level with respiratory failure in the selected 60 patients with acute OP intoxication
18. Relation of QT corrected interval (QTc) with respiratory failure in the selected 60 patients with acute OP intoxication
19. Relation of hospitalization days with respiratory failure in the selected 60 patients with acute OP intoxication
20. Comparison of some clinical variables (sweating and excessive salivation) between patients with respiratory failure and patients without respiratory failure in the selected 60 patients with acute OP intoxication
21. Comparison of some clinical variables (respiratory manifestations in the form of tachypnea, bradypnea, crepitations, wheezes, pneumonia) between patients with respiratory failure and patients without respiratory failure
22. Comparison of some clinical variables (cardiovascular manifestations in the form of bradycardia, tachycardia, hypertension and

(neurological manifestations in the form of fasciculation, weakness, coma and convulsions) between patients with respiratory failure and patients without respiratory failure	hypotension) between patients with respiratory failure and patients without respiratory failure	133
ventricular contractions and respiratory failure in the selected 60 patients with acute OP intoxication 134  25. The mean QTc and P-R intervals in the studied groups	fasciculation, weakness, coma and convulsions) between patients with respiratory failure and	133
groups	_ ·	134
patients with OP poisoning	25. The mean QTc and P-R intervals in the studied groups	136
survival in the selected 60 patients with acute organophosphate poisoning	26. Frequency of ECG changes in the selected 60 patients with OP poisoning.	137
(serum Na and K) in the selected 60 patients with acute OP intoxication in relation to cardiotoxicity 146 29. Relation between blood urea nitrogen (BUN) and relapse		143
relapse	· · · · · · · · · · · · · · · · · · ·	146
the patients' survival in the selected 60 patients with acute organophosphate poisoning	29. Relation between blood urea nitrogen (BUN) and relapse	148
MV and the outcome in the selected 60 patients	-	153
	<u> </u>	155

airement of both non survivor and atients with mechanical ventilation	
	157
on between FiO2 requirement and the the mechanically ventilated patients	159

# List of Figures

Fig.	No. Page No.
1.	General chemical structure of organophosphorous
	compound 9
2.	Chemical formulae of common organophosphate insecticides
3.	Chemical formulae of common organophosphate nerve agents
4.	Impulse transmission at the cholinergic synapse 12
5.	A: schematic diagram representing the normal action of the enzyme (AChE). B: Schematic representing the action of organophosphorous compounds on AChE
6.	Chest x-ray showing upper right lobar pneumonia 121
7.	Chest x-ray showing lower right lobar pneumonia 121
8.	Chest x-ray showing right and left lobar pneumonia
9.	Chest x-ray showing bronchopneumonia
10.	Chest x-ray showing non-cardiogenic pulmonary edema 123
11.	Within normal ECG findings
12.	ECG showing sinus bradycardia139
13	ECG showing sinus tachycardia 139