



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية

# جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

## قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها  
على هذه الأفلام قد أعدت دون أية تغييرات




## يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من 15-25 مئوية ورطوبة نسبية من 20-40%

To be Kept away from Dust in Dry Cool place of  
15-25- c and relative humidity 20-40%





# شبكة المعلومات الجامعية التوثيق الالكتروني والميكرو فيلم

**Maternal and Fetal Clinical Effects of  
Ropivacaine versus Bupivacaine for Epidural  
Anesthesia in Labor and Normal Vaginal Delivery**

**Thesis Submitted for Partial Fulfillment  
of the M.D. Degree in Anesthesiology**

**BY**

**Amr Mohamed Abd El-Fatah Sayed**

*M.B.B.Ch., M.Sc., Anesthesia, Ain Shams University*

**Supervised By**

**Prof. Dr. Yousry Robeen Ghatas**

*Professor of Anesthesia and Intensive Care*

*Faculty of Medicine - Ain Shams University*

**Prof. Dr. Fikry Fouad Ahmed El-Bokl**

*Professor of Anesthesia and Intensive Care*

*Faculty of Medicine - Ain Shams University*

**Dr. Adel Ahmed Fathy**

*Assistant Professor of Anesthesia and Intensive Care*

*Faculty of Medicine - Ain Shams University*

**Dr. Gihan Seif El-Nasr Mohamed**

*Assistant Professor of Anesthesia and Intensive Care*

*Faculty of Medicine - Ain Shams University*

**Faculty of Medicine  
Ain Shams University**

**\*\*\* 2001 \*\*\***



# ACKNOWLEDGMENT

First of all thanks to **GOD** the most gracious most merciful.

I would like to express my deep obligation and gratitude to **Professor Dr. YOUSRY ROBEEN GHATAS**; Professor of anesthesia and ICU, Faculty of Medicine, Ain Shams University for his kind moral consent to collaborate in the supervision of this thesis, whose fruitful suggestions and honest criticism were extremely important in the accomplishment of this work.

I wish also to express my deepest gratitude to **Professor Dr. FIKRY FOUAD AHMED EL-BOKL**; Professor of anesthesia and ICU, Faculty of Medicine, Ain Shams University, for his kind advice, valuable supervision and his great effort throughout this work.

I am deeply indebted to **Assistant Professor Dr. ADEL AHMED FATHY**; Assistant Professor of anesthesia and ICU, Faculty of Medicine, Ain Shams University, for his helpful guidance and honest effort that assisted me to finish this thesis.

I would like to express my honest gratitude for Assistant **Professor Dr. GHIHAN SEIF EI-NASR MOHAMED**; Assistant Professor of anesthesia and ICU, Faculty of Medicine, Ain Shams University; who gave me all the time, endorsement and support she could to fulfill this scientific work.

*Amr Abd El-Fatah*



# **Contents**

	<b>PAGE</b>
<b>Introduction</b>	<b>1 - 3</b>
<b>Review of Literature</b>	<b>4 - 71</b>
Historical Background of Regional Anesthesia	4 - 5
Vertebral Column Anatomy	6 - 11
Epidural Anesthesia	12 - 21
Fundamental Concepts of Pain	22 - 26
Maternal Epidural Analgesia	27 - 37
Mechanism of Action of Local Anesthetics	38 - 55
Ropivacaine: A New Kid on the Block	56 - 64
Fetal and Maternal Drug Kinetics in Obstetric Anesthesia	65 - 68
Neurological and Adaptive Capacity Scoring (NACS) System for Evaluating Obstetric Medications in Full Term Newborn	69 - 71
<b>Patients and Methods</b>	<b>72 - 79</b>
<b>Results</b>	<b>80 - 94</b>
<b>Discussion</b>	<b>95 - 104</b>
<b>Conclusion</b>	<b>104</b>
<b>Summary</b>	<b>105 - 106</b>
<b>References</b>	<b>107 - 123</b>
<b>Arabic Summary</b>	<b>1 - 2</b>





# **List of Tables**

<b>No.</b>	<b>Table</b>	<b>Page</b>
Table (1):	Adverse physiological sequelae of pain.	26
Table (2):	Physicochemical properties and maximum dose of selected local anesthetic agents.	51
Table (3):	Physical properties of lidocaine, ropivacaine and bupivacaine.	58
Table (4):	Chemical pKa and molecular weight of commonly used local anesthetics.	66
Table (5):	Neurological and Adaptive Capacity Scoring System.	71
Table (6):	Parturients demographics.	80
Table (7):	The onset of sensory analgesia after epidural injection using the Verbal scale.	82
Table (8):	The degree of sensory analgesia using VAS after epidural injection.	84
Table (9):	The degree and potency of motor block after epidural injection using modified Bromage scale.	87
Table (10):	Mode of vaginal deliveries in the four studied groups.	88
Table (11):	Number of vigorous neonates achieving $\geq 35$ NACS in the four studied groups.	89
Table (12):	The difference in heart rate (beat per minute) between the four studied groups.	90
Table (13):	The difference in mean arterial blood pressure (mmHg) between the four studied groups.	92



## List of Figures

No.	Figure	Page
Figure (1):	Illustrated anatomy of the epidural space.	11
Figure (2):	Illustrated epidural injection technique.	16
Figure (3):	Parturient position during labor.	31
Figure (4):	Diagrammatic illustration for the effect of supine position on the aorta and inferior vena cava.	32
Figure (5):	Factors determining the distribution of local anesthetic near the site of injection and within the body.	47
Figure (6):	Continuum of toxic effects produced by increasing local anesthetic concentration.	54
Figure (7):	Ropivacaine.	57
Figure (8):	Terumo Terufusion syringe pump TE-311.	76
Figure (9):	Patients' demography.	81
Figure (10):	The onset of sensory analgesia after epidural injection using the verbal scale.	83
Figure (11):	The degree of sensory analgesia using VAS after epidural injection.	85
Figure (12):	The difference in heart rate (beat per minute) between the four studied groups.	91
Figure (13):	The difference in mean arterial blood pressure (MABP) in mmHg between the four studied groups.	93



# Introduction

L