# Role of Speckle Tracking Echocardiography in Assessment of Significance of Coronary Artery Lesion in Non ST Segment Elevation Acute Coronary Syndrome.

# Thesis Submitted for Partial Fulfillment of Master Degree in Cardiology

By Rania Mohamed Abd El Hady (M.B.B.CH)

**Supervisors** 

#### **Professor Salwa Suwailem**

Prof. of Cardiology Faculty of Medicine Ain Shams University

#### Dr. Viola William Kedis Dr. Ghada Kamel Selim

Fellow of Cardiology Faculty of Medicine Ain Shams University

Lecturer of Cardiology Faculty of Medicine Ain Shams University

Faculty of Medicine Ain Shams University 2013

### Acknowledgment

It is a great thing to feel success and have the pride of achieving all what is always aspired. Nevertheless, one must not forget all those who usually help and push him onto the most righteous way that inevitably ends with fulfillment and perfection.

When the instant comes to appreciate all those kind-hearted people, I soon mention Prof. Salwa Mahmoud Suwailem, Professor of Cardiology, Ain Shams University, the person who gave me the honor to be her student. She really helped me by her precious opinions and contributive comments that served much in the construction of this work.

Great thanks are also due to Dr. Violla William, fellow of Cardiology, Ain Shams University. She was always there to care, support, encourage and provide constructive pieces of advice in every possible way.

Thanks also to Dr. Ghada Seliem, lecturer of cardiology, Ain Shams University, who has been the real sister, whom fruitful thinking was behind the progress of this work.

I cannot forget the help of the medical staff and nursing team Cardiology department for their cooperation in the practical part of this work.

I would also like to record my thanks and sincere gratitude to my family for their great help and support throughout the work.

Rania Mohamed Abd el Hady

# **List of Contents**

Title	Page No.
Introduction	1
Aim of the Work	2
Review of Literature	
Acute coronary syndrome	3
NSTEMI stratification	15
• Role of echocardiography in acute coronary syndr	rome 29
• Strain and strain rate (S/SR)	43
Speckle tracking	61
Patients and Methods	77
Results	83
Discussion	97
Limitations of the study	103
Summary	105
Conclusions.	107
Recommendations	109
References	111

# **List of Tables**

Table No	o. Title	Page No.
Table (1)	*Current definitions and prognosis of ac coronary syndrome according to troponic	
	concentration	
<b>Table (2):</b>	Some risk scores	21
Table (3)	:Mortality in hospital and at 6 months low, intermediate, and high risk categor in registry populations, according to GRACE risk score	ries the
<b>Table (4):</b>	ACCF/AHA classification:	25
<b>Table (5):</b>	Gender distribution	83
<b>Table (6):</b>	Risk factors distribution	84
<b>Table (7):</b>	Clinical findings	84
<b>Table (8):</b>	Cardiac enzymes levels	84
<b>Table (9):</b>	ECG findings	85
Table (10)	Echocardiographic findings	86
<b>Table (11)</b>	): 2D strain	87
Table (12)	): Number of vessels diseased	87
Table (13)	): Presence of total occlusion	87

Table (14): Correlations between GS and different patients' data	0.0
patients data	88
Table (15): Correlation between reduced GS and number	
of vessels diseased	89
Table(16): Comparison between the groups with	
different number of vessel diseased in GS	
values and number of segments with reduced	
strain.	91
<b>Table (17):</b> Comparison between the two groups ECG	
changes	92
Table (18): Comparison between the two groups in	
CPK and CKMB levels	92
Table (19): Comparison between the two groups	
regarding LV dimensions and function:	93
Table (20): Correlation between reduced GS and total	
occlusion	93
<b>Table (21):</b> Comparison between the two groups in 2D	
strain parameters	94
Table (22): Co ordinate of the ROC curve	95

# List of Figures

Fig. No.	. Title	Page No.	_
Fig. (1):	diagram showing the correlations be velocity and displplacement parameter	tween	7
Fig. (2):	The basic direction in three dimension given by the coordinate system given.		8
Fig. (3):	In the heart, the usual directions longitudinal, transmural and circumfer as shown to the left.	rential	9
Fig. (4):	Diastolic and systolic images of the Systolic shortening of the left ver relative to diastolic length, is the systrain of the ventricle.	ntricle /stolic	0
Fig. (5):	Both the strain length, L0 and the short (L - L0) will be different when mea along a skewed line (red) and even lalong a line following the wall curv (blue).	asured longer vature	1
Fig. (6):	In short axis view, the septum and in wall can be imagined in cross section.		2
Fig. (7):	Simplified and exaggerated diagram sho the relation between fiber thickening wall thickening.	g and	4
Fig. (8):	Area strain.	55	5

Fig. (9):	Doppler derived Strain imaging	59
Fig. (10):	Typical speckle pattern in the myocardium.	62
Fig. (11):	Speckle tracking. Defining a kernel in the myocardium	64
Fig. (12):	Angle independency of non doppler 2-dimensional(2D)strain.	69
Fig. (13):	para sternal short axis view tracking quality is graded by the software.	71
Fig. (14):	Strain curves and numeric values. Apical 2-chamber view.	72
Fig. (15):	Apical 4 chamber «quad» view	73
Fig. (16):	Bull's eye map of normal functioning left ventricle (LV).	74
Fig. (17):	Graph showing ROC curve of GS and no. of segments having reduced strain with presence of total occlusion.	95

#### **List of Abbreviations**

2-d Two dimensional

2DS Two dimensional strain

ACS Acute coronary syndrome

AHA American Heart Association

AFI Automated functional imaging

ASE American society of echocardiography

AUC Area under curve

AVC Aortic valve closure

CAD Coronary artery disease

CKMB Creatine phosphpo kinase (Muscle, Brain)

CMR Contrast magnetic resonance

CPK Creatine phosphpo kinase

DM Diabetes mellitus

ECG Electrocardiogram

EDD End diastolic diameter

EF Ejection fraction

ESD End systolic diameter

FIG Figure

GS Global strain

GLPSS Global longitudinal peak systolic strain

IRA Infarct related artery

LAD Left anterior descending

LBBB Left bundle branch block

LCX Left circumflex

LPSS Longitudinal peak systolic strain

LV Left ventricle

LVEF. Left ventricular ejection fraction

NPV Negative predactive value

MI Myocardial infarction

MVG Myocardial velocity gradient

NSTEMI Non ST elevation myocardial infarction

PCI Percutanous coronary intervention

PPV Positive predective value

PSL Peak systolic strain

RCA Right coronary artery

#### ROC curve receiver operating characteristic curve

RV Right ventricle

S Strain

SR Strain rate

SRI Strain rate imaging

STE Speckle tracking echocardiography

STEMI ST elevation myocardial infarction

TDE Tissue Doppler Echocardiography

TDI Tissue Doppler Imaging

TVI Tissue velocity imaging

WMSI wall motion segmental index



# The Protocol