STUDY OF ATHEROSCLEROSIS IN PATIENTS WITH ANKYLOSING SPONDYLITIS

Chesis

Submitted for Partial Fulfillment of M.D. Degree in Internal Medicine

BU

Rasha Nabil Thabet

(M.B.B.Ch, M.Sc)

Under supervision of

Prof. Dr. Dahlia Abd El-Moshen Hussein

Professor of Internal Medicine and Rheumatology Faculty of Medicine - Ain Shams University

Prof. Dr. Hanan Mohamed Farouk

Professor of Internal Medicine and Rheumatology Faculty of Medicine - Ain Shams University

Dr. Sameh Abdelmoteleb Hassan

Lecturer of Internal Medicine and Rheumatology Faculty of Medicine - Ain Shams University

Dr. Noran Osama Ahmed El-Azizi

Lecturer of Internal Medicine and Rheumatology Faculty of Medicine - Ain Shams University

Faculty of Medicine
Ain Shams University
2013

ACKNOWLEDGEMENT

First of all, thanks to GOD the most merciful for giving me the strength to complete work.

I wish to express my deepest gratitude to **Prof. Dr. Dahlia Abd El-Mohsen Hussein,** Professor of Internal Medicine and Rheulatology, Ain Shams University, for her guidance, scientific supervision and support. she has generously devoted much of her time and effort helping me throughout the whole work.

Also, I wish to express my deep gratitude to **Prof. Dr. Hanan Mohamed Farouk**, Professor of Internal Medicine and Rheumatology, Ain Shams University, for her good support, continuous supervision and help during this work.

My thanks and great appreciation to **Dr. Sameh Abdelmoteleb Hassan**, Lecturer of Internal Medicine and Rheumatology, Faculty of Medicine, Ain Shams University for his valuable supervision and continuous encouragement. His valuable advice has helped me a lot.

My thanks and great appreciation also to **Dr. Noran Osama Ahmed El-Azizi,** Lecturer of Internal Medicine and Rheumatology, Faculty of Medicine, Ain Shams University for her kind supervision, continuous support, unlimited help, and encouragement throughout this work.

I would like to express my great thanks to **Dr. Zainab**Abdelsalam Fahmy, Asistant Professor of Cardiology, Ain Shams

University, and **Dr. Remon Zaher Elia**, Lecturer of

Radiodiagnosis, Ain Shams University for their valuable help in

this work

All my thanks and loves are offered to my family, for their continuous encouragement and support.



LIST OF CONTENTS

Title	Page
→ Introduction	1
• Aim of the Work	3
• Review of the Literature:	
• Chapter 1: Ankylosing spondylitis	4
• Chapter 2: Atherosclerosis	90
• Chapter 3: Atherosclerosis in Patients with Ankylosing Spondylitis.	120
Subjects and Methods	150
♦ Results	164
Discussion	190
Summary and Conclusion	200
• Recommendations	203
• References	104
Arabic Summary	

LIST OF ABBREVIATIONS

Abbrev.	Full Term
ABI	Ankle-brachial index
ACE	Angiotensin-converting enzyme
ADA	Adalimumab
ADAMTS13	3 Disintegrin-like and metalloprotease with thrombospondin type 1 motif no 13
Ai x	Augmentation index
ALP	Alkaline phosphatase
ALT	Alanine amino-transferase
ANA	Antinuclear antibody
ANCA	Anti-neutrophilic cytoplasmic antibody
Anti TNF	Antitumor necrosis factor
APC	Antigen presenting cells
ApoA	Apolipoprotein A
AS	Ankylosing spondylitis
ASAS	The Assessment of Spondyloarthritis international Society
AST	Aspartate amino-transferase
BASDAI	Bath AS Disease Activity Index
BASFI	Bath AS Functional Index
BAS-G	The Bath AS global
BASMI	Bath Ankylosing Spondylitis Metrology Index
ВМІ	Body mass index
BP	Blood pressure

Abbrev.	Full Term
CAC	Coronary artery calcium
CAD	Coronary artery disease
СВС	Complete blood count
CETP	Cholesteryl ester transfer protein
CFR	Coronary flow reserve
CHD	Coronary heart disease
CIEAS	The chronic inflammation-enhanced atherosclerosis syndrome
CRP	C-reactive protein
CT	Computed tomography
CTLA-4	Cytotoxic T lymphocyte antigen-4
CVD	Cardiovascular disease
CYP2D6	Cytochrome P450 2D6
DEXA	Dual-energy X-ray absorptiometry.
DFI	Dougados functional index
DMARDs	Disease modifying antirheumatic drugs
DSE	Dobutamine stress echocardiography
EBCT	Electron beam CT
EC	Endothelial cells
ECG	Electrocardiogram
ECPR	Endothelial protein C receptors
EDASMI	Edmonton AS Metrology Index
ELISA	Enzyme-Linked Immunosorbent Assay

Abbrev.	Full Term
eNOS	Endothelial nitric oxide synthase
ER	Endoplasmic reticulum
ERAD	Endoplasmic reticulum associated degradation
ERAP1	The gene for endoplasmic reticulum aminopeptidase 1
ESAF	Endothelial cell stimulating angiogenesis factor
ESR	Erythrocyte sedimentation rate
ESSG	The European Spondylo-arthropathy Study Group
ETA	Etanercept
FDA	. Food and Drug Administration
FMD	. Flow-mediated dilation
GI	. Gastrointestinal
GP	. Glycoprotien
GP1	.Glycoprotein 1
GUESS	. Glasgow Ultrasound Enthesitis Scoring System
HDL	. High density lipoproteins
HLA	. Human leucocyte antigen
HMG-CoA	. Hydroxy-3-methyl Co-A
HMWM	. High molecular weight multimers
HPETE	. Hydroperoxy eicosatetraenoic acid

Abbrev.	Full Term
HPODE	Hydro peroxyoctadecadienoic acid
нѕ	Highly significant
HSP	Heat shock protein
IBD	Inflammatory bowel disease
IBP	Inflammatory back pain
ICAM	Intercellular adhesion molecule
IFN-γ	Interferon gamma
IFX	Infliximab
Ig	Immunoglobulin
IL	Interleukin
IL23R	Interleukin 23 receptor
IM	Intramuscular
IMT	Intimal media thickness
IVUS	Intravascular ultrasound
LCAT	Lecithin cholesterol asyl transferase
LDL	Low-density lipoproteins
LMP	Low molecular weight proteasome
MASES	Maastricht AS enthesitis score
MCP1	Macrophage chemoattractant protein 1
MDCT	Multidetector CT
мнс	Major histocompatability complex
MMPs	Matrix metalloproteinases

Abbrev.	Full Term
MPV	. Mean platelet volume
	. Magentic resonance imaging
	. Metatarsophalengeal
NO	
	. Non significant
	. Non steroidal antiinlammatory drugs
	. Oxidized low-density lipoproteins
	. Platelet-Derived Growth Factor
	. Positron emission tomography
PGA	. Patient global assessment
PON1	. Paroxonase 1
PsA	. Psoriatic arthritis
PTX3	. Pentraxin-3
PVC	. Pulmonary vital capacity
PWV	. Pulse-wave analysis
RA	. Rheumatoid arthritis
RF	. Rheumatoid factor
ROM	. Range of movement
	. Regional wall motion abnormality
s	. Significant
SAA	. Serum amyloid A
	. Serum amyloid protein
sc	. Subcutaneous

Abbrev.	Full Term
	. Systematic coronary risk evaluation . Standard deviation
	. San Francisco . Short Form 36
SLE	. Systemic lupus erythematosus
_	. Spondyloarthropathy . Single-photon emission computed tomography
TC	. Total cholesterol
TG	. Triglyceride
$TGF\beta\dots\dots\dots$.Transforming growth factor β
TIA	.Transient ischemic attack
TNF	.Tumor necrosis factor
TTDE	.Transthoracic doppler echocardiography
UPR	. Unfolded protein response
us	. Ultrasonography
VAS	. Visual analog scale
VCAM	. Vascular cell adhesion molecule
VEGF	. Vascular endothelial growth factor
vWF	. von Willebrand factor
WP	. Weibel-Palade
внсс	.β-human chorionic gonadotropin

LIST OF TABLES

Tab. No	Title	Page
Table (1):	Genetic associations with ankylosing spondylitis	15
Table (2):	ESSG and Amor criteria for diagnosis of SpA	36
Table (3):	New York and Rome Criteria for Diagnosis of AS	37
Table (4):	The New York criteria for the diagnosis of AS which are based on clinical and radiographic findings	38
Table (5):	Modified New York criteria for AS	39
Table (6):	Dosage of NSAIDS used to treat AS	63
Table (7):	Assessmentof AS response criteria	87
Table (8):	Pathogenesis of atherosclerosis	91
Table (9):	Immune responses and pro-inflammatory molecules that promote atherosclerosis in autoimmunity	96
Table (10):	The complications of atherosclerosis	101
Table (11):	Imaging techniques for the assessement of vascular disease	107
Table (12):	Comparison of endothelial-derived and platelet-derived VWF	140
Table (13):	The Bath AS Metrology Index	154
Table (14):	BASMI measurement	144

LIST OF TABLES (CONT.)

Tab. No	Title	Page
Table (15):	Description of BASDAI, BASMI and BASFI scores among study cases	165
Table (16):	Description of IMT among study cases	166
Table (17):	Description of dobutamine echo among study cases	167
Table (18):	Comparison between cases and controls as regard laboratory data	168
Table (19):	Comparison between cases and controls as regard lipid profile	170
Table (20):	Comparison between cases and controls as regard carotid duplex	171
Table (21):	Comparative study between CRP negative and CRP positive patients as regard vWF using	173
Table (22):	Comparative study between normal echo and hypertensive response patients as regard vWF using	173
Table (23):	Comparative study between normal echo and hypertensive response patients as regard different scores	174
• •	Correlations between laboratory data and different scores using	175
Table (25):	Correlation between vWF and each of ESR, lipid profile using	178
Table (26):	Correlations between IMT and other variables using	179

LIST OF TABLES (CONT.)

Tab. No	Title	Page
Table (27):	Comparison between active and inactive cases as regard laboratory data	181
Table (28):	Comparison between active and inactive cases as regard lipid profile and IMT	182
Table (29):	Comparison between active and inactive cases as regard dobutamine echo	183
Table (30):	Comparison between patients receiving and non receiving anti TNF therapy as regard laboratory data	185
Table (31):	Comparison between patients receiving and non receiving anti TNF as regard lipid profile and IMT	186
Table (32):	Comparison between inactive case receiving and not receiving anti TNF as regard laboratory data and IMT	188
Table (33):	Comparison between inactive case receiving and not receiving anti TNF as regard dobutamine echo	189

LIST OF FIGURES

Fig. No	Title	Page
Figure (1):	Overview of AS pathogenesis	16
Figure (2):	Picture showing patient with AS	
Figure (3):	ASAS classification criteria for axial SpA	
Figure (4):	Plain X ray showing bilateral sacroiliitis	42
Figure (5):	Plain X ray showing Bamboo spine	43
Figure (6):	Plain X ray showing cervical vertebral fusion	44
Figure (7):	Plain X ray showing bony bridges across vertebrae	44
Figure (8):	MRI showing sacroiliitis	46
Figure (9):	Flow chart of series of the various treatment modalities	56
Figure (10-17):	Daily exercises for AS treatment	57-6
Figure (18):	Algorithm for the management of patients AS	82
Figure (19):	Lipids and inflammation combine to produce atherosclerotic plaque	93
Figure (20):	Role of normal HDL in preventing plaque formation	97
Figure (21):	Characteristics of normal, protective HDL and non-protective, pro-inflammatory HDL	99
Figure (22):	TNF might cause atherosclerosis through actions on leukocytes, endothelial cells and adipocytes	129
Figure (23):	Diagram representing the functional activity of VWF at areas of endothelial injury	142

LIST OF FIGURES (CONT.)

Fig. No	Title	Page
Figure (24):	Comparison between cases and controls as regard vWF and ESR	168
Figure (25):	Comparison between cases and controls as regard lipid profile	170
Figure (26):	Comparison between cases and controls as regard IMT	172
Figure (27):	Correlation between ESR and BASDAI	175
Figure (28):	Correlation between ESR and BASFI	176
Figure (29):	Correlation between CRP and morning stiffness	176
Figure (30):	Correlation between vWF and BASDAI	177
Figure (31):	Correlation between vWF and HDL	178
Figure (32):	Correlation between vWF and IMT	179
Figure (33):	Comparison between active and inactive cases as regard ESR, CRP and vWF	181
Figure (34):	Comparison between active and inactive cases as regard dobutamine echo findings	183
Figure (35):	Comparison between patients receiving and non receiving anti TNF as regard lipid profile	186



INTRODUCTION

Ankylosing spondylitis (AS) is a systemic inflammatory disorder that causes arthritis of the spine and sacroiliac joints, and even the peripheral joints and that involves extraarticular structures including the eyes, lung, heart, vessels, kidneys and nerves (Yuan, 2009). AS affects up to 1% of the population, and associated with increased mortality rates (Peters et al., *2010*).

Epidemiology studies have shown that increased mortality in largely attributable to cardiovascular disease (CVD) that has been found as 20%-40% (Lautermann and Braun, 2002).

Divecha et al. (2005), demonstrated that patients with AS have several CVD risk factors, which are driven in turn by systemic inflammatory mediators. Accelerated atherosclerosis in AS may be due to traditional CV risk factors e.g, atherogenic lipid profile and hypertension (Van Halm et al., 2006).

Indeed, there is increased evidence that the underlying in chronic inflammatory processes inflammatory process contribute to various stages of atherothrombosis from early atheroma formation to plaque instability and thrombus formation (Libby, 2008).