The effect of diode laser and photoactivated disinfection on root canal Enterococcus faecalis biofilm

Thesis

submitted to Endodontic Department
Faculty of dentistry, Ain Shams university

For

partial fulfillment of requirements of master degree In endodontics

Ву

Eman Maged Fouad

B.D.S faculty of dentistry, Ain Shams University 2002

Supervisors

Prof dr Hossam Mohamed Tawfik

Professor of endodontic and dean of faculty of dentistry Ain Shams University

Prof.Dr. Ali Mohamed Saafan

Professor of Medical application of laser

National institute of laser Enhancement sciences (NILES)

Assoc Prof. Dr Soha AbdElrahman Elhady

Associate professor of Microbiology and Immunity
Faculty of Medicine, Ain shams university

ت لامتعابے اِنَّا یَخت کی میرعِبا دہ لعمُ اِمَاءُ اِنَّا یَخت کی میرعِباً دِہِ لِعِبِ لَمَاءُ

Dedication

To my dearest family, older sister, my husband and my two little angels
For their kindness, generosity and endless support

Acknowledgement

First of all, I would like thank **Dr/ Hossam Mohamed Tawfik,** Professor of endodontics and dean of Faculty of Dentistry,
Ain Shams University for his consistent support, enthusiastic help
and generous guidance to me.

Secondly, I would like to show my greatest appreciation to **Dr/ Ali Saafan,** Professor of Medical application of laser, National Institute of Laser science (NILES) for his enormous efforts, advise, encouragement and valuable scientific and emotional assistance for this research to look the way it has become.

Also, I want to thank **Dr/Soha ElHady**, Ass Professor of microbiology and immunity, Faculty of medicine, Ain Shams University for her unforgettable help and also for her continuous scientific guidance.

I would like also to express my gratefulness to **Dr/Mona Morsi** lecture, medical application of laser, **NILES** for her assistance and guidance to me.

Finally, I really want to express my deepest gratitude to my colleges and dearest friends **Nirmeen Ghareeib** and **Israa Khairy,** for their efforts and support helping my research to be done.

تاثير ليزر الديود و التطهير المنشط بالضوء على بكتيريا المعوية الكروية لقناة الجذر

بحث مقدم الى قسم علاج الجذور كلية طب الاسنان جامعة عين شمس توطئة للحصول على درجة المجيستير في علاج الجذور

مقدمة من الطبيبة /ايمان ماجد فؤاد محمد الطبيبة الفم و الاسنان وجامعة عين شمس بكالوريوس طب الفم و الاسنان وجامعة عين شمس

تحت اشراف

أ.د/حسام محمد عصام الدين توفيق أستاذ علاج الجذورو عميد كلية طب الفم و الاسنان كلية طب الاسنان جامعة عين شمس

> أ.د/علي محمد سعفان أستاذ في قسم التطبيقات الطبية لليزر المعهد القومي لعلوم الليزر

أم .د/سها عبد الرحمن الهادي أستاذ مساعد قسم الميكروبيولوجيا و المناعة كلية الطب جامعة عين شمس

List of contents

Table of Figures	i
Table of Tables	i
Table of Abbreviations	i
Introduction	1
Literature Review	2
Aim of the study	50
Materials and Methods	51
Results	68
Discussion	83
Summary and conclusion	97
References	101
Arabic Summary	118

Table of figures

Figure	Title	Page
number		number
Figure 1	nanoparticles	
Figure 2	The diode laser used in the present study	53
Figure 3	Root sample held upright in acrylic block	
Figure 4	Root sample irradiated with diode laser	
Figure 5	Methylene blue dye	60
Figure 6	Sample filled with MB	60
Figure 7	Silver nanoparticles solution	61
Figure 8	Silver nanoparticles solution in the syringe	61
Figure 9	Sample filled with AgNPs	63
Figure 10	Sample filled with AgNPs then MB	63
Figure 11	Colonies of E. faecalis in agar plates	65
Figure 12	irrigated with NaOCl 2.6% as compared to control samples	
Figure 13	Histogram for mean reduction of CFU among samples irradiated with diode laser as compared to control group	69
Figure 14	Histogram for mean reduction of CFU among samples inoculated with MB and irradiated with diode laser as compared to control group	70
Figure 15		

Figure 16 Figure 17 Figure 17 Figure 17 Figure 18-a Figure 18-a Photomicrograph for sample from control group showing undistrupted biofilm covering dentine surface (650X) Figure 19-a Photomicrograph for sample from NaOCl group showing undistrupted biofilm covering dentine surface (2500X) Figure 20-a Photomicrograph for sample from NaOCl group showing undistrupted biofilm covering dentine surface (2500X) Figure 20-a Photomicrograph for sample from NaOCl group showing undistrupted biofilm covering dentine surface (2500X) Figure 20-a Photomicrograph for sample from NaOCl group showing undistrupted biofilm covering dentine surface (2500X) Figure 20-a Photomicrograph for sample from diode laser group showing partial removal of smear layer (650X) Figure 20-b Photomicrograph for sample from diode laser group showing partial removal of smear layer (2500X) Figure 21-a Photomicrograph for sample from PAD group showing partial removal of biofilm and evident dentinal tubules opening (650X) Figure 21-b Photomicrograph for sample from PAD group showing partial removal of biofilm and evident dentinal tubules opening (2500X)	
experimental treatment modalities Figure 18-a Photomicrograph for sample from control group showing dentine surface covered by biofilm (650X) Figure Photomicrograph for sample from control group showing dentine surface covered by biofilm (2500X) Figure Photomicrograph for sample from NaOCl group showing undistrupted biofilm covering dentine surface (650X) Figure Photomicrograph for sample from NaOCl group showing undistrupted biofilm covering dentine surface (2500X) Figure Photomicrograph for sample from NaOCl group showing undistrupted biofilm covering dentine surface (2500X) Figure Photomicrograph for sample from diode laser group showing partial removal of smear layer (650X) Figure Photomicrograph for sample from diode laser group showing partial removal of smear layer (2500X) Figure Photomicrograph for sample from PAD group showing partial removal of biofilm and evident dentinal tubules opening (650X) Figure Photomicrograph for sample from PAD group showing partial removal of biofilm and evident dentinal tubules opening (650X)	
showing dentine surface covered by biofilm (650X) Figure 18-b Photomicrograph for sample from control group showing dentine surface covered by biofilm (2500X) Figure Photomicrograph for sample from NaOCl group showing undistrupted biofilm covering dentine surface (650X) Figure Photomicrograph for sample from NaOCl group showing undistrupted biofilm covering dentine surface (2500X) Figure Photomicrograph for sample from diode laser group showing partial removal of smear layer (650X) Figure Photomicrograph for sample from diode laser group showing partial removal of smear layer (2500X) Figure Photomicrograph for sample from PAD group showing partial removal of biofilm and evident dentinal tubules opening (650X) Figure Photomicrograph for sample from PAD group showing partial removal of biofilm and evident dentinal tubules opening (650X) Figure Photomicrograph for sample from PAD group showing partial removal of biofilm and evident dentinal tubules opening (650X)	
Figure 20-a Photomicrograph for sample from NaOCl group showing undistrupted biofilm covering dentine surface (2500X) Figure 19-b Photomicrograph for sample from NaOCl group showing undistrupted biofilm covering dentine surface (2500X) Figure 20-a Photomicrograph for sample from diode laser group showing partial removal of smear layer (650X) Figure 20-b Photomicrograph for sample from diode laser group showing partial removal of smear layer (2500X) Figure 21-a Photomicrograph for sample from PAD group showing partial removal of biofilm and evident dentinal tubules opening (650X) Figure Photomicrograph for sample from PAD group showing partial removal of biofilm and evident dentinal tubules opening (650X)	
showing undistrupted biofilm covering dentine surface (650X) Figure 19-b Photomicrograph for sample from NaOCl group showing undistrupted biofilm covering dentine surface (2500X) Figure 20-a Photomicrograph for sample from diode laser group showing partial removal of smear layer (650X) Figure 20-b Photomicrograph for sample from diode laser group showing partial removal of smear layer (2500X) Figure 21-a Photomicrograph for sample from PAD group showing partial removal of biofilm and evident dentinal tubules opening (650X) Figure 21-b Photomicrograph for sample from PAD group showing partial removal of biofilm and evident	
showing undistrupted biofilm covering dentine surface (2500X) Figure 20-a Photomicrograph for sample from diode laser group showing partial removal of smear layer (650X) Figure 20-b Photomicrograph for sample from diode laser group showing partial removal of smear layer (2500X) Figure 21-a Photomicrograph for sample from PAD group showing partial removal of biofilm and evident dentinal tubules opening (650X) Figure Photomicrograph for sample from PAD group showing partial removal of biofilm and evident showing partial removal of biofilm and evident	
Showing partial removal of smear layer (650X) Figure 20-b Photomicrograph for sample from diode laser group showing partial removal of smear layer (2500X) Figure 21-a Photomicrograph for sample from PAD group showing partial removal of biofilm and evident dentinal tubules opening (650X) Photomicrograph for sample from PAD group showing partial removal of biofilm and evident 80 Showing partial removal of biofilm and evident	
Showing partial removal of smear layer (2500X) Figure 21-a Photomicrograph for sample from PAD group showing partial removal of biofilm and evident dentinal tubules opening (650X) Figure 21-b Photomicrograph for sample from PAD group showing partial removal of biofilm and evident	
showing partial removal of biofilm and evident dentinal tubules opening (650X) Figure 21-b Photomicrograph for sample from PAD group showing partial removal of biofilm and evident	
showing partial removal of biofilm and evident	
dentinal tubules opening (2500A)	
Figure 22-a Photomicrograph for sample from photothermal group showing modified smear layer covering dentine surface to a great extent (650X)	
Figure 22-b Photomicrograph for sample from photothermal group showing modified smear layer covering dentine surface to a great extent (2500X)	

Figure 23-a	Photomicrograph for sample from photothermal group showing clear dentine surface and opening of dentinal tubules (650X).	82
Figure 23-b	Photomicrograph for sample from photothermal group showing clear dentine surface and opening of dentinal tubules (2500X).	82

Table of Tables

Table (1)	Mean, percent and log reduction of CFU among samples of group1 (NaOCI 2.6%) as compared to control group	65
Table (2)	Mean, percent and log reduction of CFU among samples of group 2 (diode laser) as compared to control group	66
Table (3)	Mean, percent and log reduction of CFU among samples of group 3 (PAD) as compared to control group	66
Table (4)	Mean, percent and log reduction of CFU among samples of group 4 (Photothermal) as compared to control group	67
Table (5)	Mean, percent and log reduction of CFU among samples of group 5 (PAD+AgNPs) as compared to control group	67
Table (6)	Mean±SD bacterial population among different treatment modalities	69
Table (7)	Statistical differences between different experimental treatment modalities.	70

Table of Abbreviations

1-	AgNPs:	Silver Nanoparticles.
2-	Ag ₂ O:	Silver Oxide.
3-	Au:	Gold.
4-	ATPase:	Adenosine Triphosphatase.
5-	CFU:	Colony Forming Units.
6-	C. albicans	Candida albicans
7-	Ca (OH) ₂ :	Calcium Hydroxide.
8-	СНХ:	Chlorhexidine.
9-	CMD:	Chemo- mechanical Debridement.
10-	E.coli	Enterococcus coli
11-	EDTA:	Ethylene Diamine Tetra- Acetic Acid.
12-	EDTAC:	EDTA plus Cetavlon.
13-	E. faecalis	Enterococcus faecalis
14-	Er,Cr:YSGG Laser:	Erbium:Cribrium:YAG
15-	Er: YAG laser:	Erbium Yag Laser.
16-	EOS:	Eosin.
17-	ERI:	Erythrosine.
18-	F. nucleatum	Fusobacterium nucleatum

19-	Ho:YAG Laser:	Holmiumn Yag Laser.
20-	HeNe Laser:	Helium- neon Laser.
21-	IKI:	Iodine potassium iodide.
22-	J:	Joul.
23-	LED:	Light- Emitting Diode.
24-	LAD:	Light Activated Disinfection.
25-	LAAA:	Light Activated Antimicrobial Agents.
26-	Laser:	Light amplification through simulated emission of radiation
27-	Log:	Logarithm,
28-	MTAD	Mixture of tetracycline, acid and detergent
29-	MB:	Methylene Blue.
30-	MG:	Malachite Green.
31-	μm:	Micrometer.
32-	mW:	Milli Watt.
33-	MRSA:	Methicillin- resistant Staphylococcus aureus
34-	MBCs:	Minimum Bactericidal Concentrations.
35-	NaOCl:	Sodium Hypochloride.
36-	NaCl:	Sodium Chloride.
37-	Nd:YAG Laser:	Neodymium- doped Yttrium Aluminum Garnet Laser.
38-	NR:	Neutral Red.
39-	Nm:	Nano meter.

40-	PDT:	Photodynamic Therapy.
41-	PS:	Photosensitizer.
42-	Phs:	Photosensitizers.
43-	PDL:	Periodontal Ligament.
44-	PAD:	Photoactivated disinfection
45-	PACT:	Photodynamic Antimicrobial Chemotherapy.
46-	PDT:	Photodynamic therapy
47-	PLGA:	Poly lacticco-glycolic acid
48-	P. gingivalis	Porphyromonas gingivalis
49-	QTH:	Quartz-Tungsten-Halogen
50-	ROS:	Reactive Oxygen Species.
51-	RB:	Rose Bengal.
52-	S. anginosus	Streptococcus anginosus
53-	S. intermedius	Streptococcus intermedius
54-	S. mutans	Streptococcus mutans
55-	TBO:	Toluidine Blue Ortho.
56-	TEM:	Transmission Electron Microscope
57-	t-RNA	Transfer Ribonucleic acid
58-	TiO ₂ :	Titanium Oxide.
59-	Th Cells:	T (Lymphocyte) helper Cells.
60-	SEM:	Scanning Electron Microscope (y).

61-	S:	Second.
62-	UV:	Ultraviolet Rays.
63-	W:	Watt.
64-	ESEM:	Enviromental scanning electron Microscop