

**INTELLIGENT FAULT DETECTION AND DIAGNOSIS
IN THREE PHASE INDUCTION MOTOR DRIVE
SYSTEM**

By

Eng. Shorouk Ossama Ibrahim Foad Ahmed

**A THESIS SUBMITTED TO THE
FACULTY OF ENGINEERING AT CAIRO UNIVERSITY
IN PARTIAL FULFILMENT OF THE
REQUIRMENTS FOR THE DEGREE OF
DOCTOR OF PHILOSOPHY**

In

Electrical Power and Machines Engineering

Under the Supervision of

Prof. Dr. Essam-El-Din Mohamed Abou-El-Zahab

Faculty of Engineering

Cairo University

Dr. Khaled Nagdy Salama Faris

Electronic Research Institute

**FACULTY OF ENGINEERING, CAIRO UNIVERSITY
GIZA, EGYPT
2014**

ACKNOWLEDGEMENT

First, I would like to thank **ALLAH** for all things he offered me and satisfied to me for this work.

This Work would not have been possible without the support of my supervisor **Dr. Khaled Nagdy Salama** who was abundantly helpful and offered invaluable assistance, support and guidance. I would like to express my thanks and gratitude to my supervisor also **Prof. Dr. Essam-El-Din Abou-El-Zahab** for his encouragement, and advices throughout the accomplishment for this work and **Eng. Ahmed Emam Newir** who help me in the part of the experimental results.

I am also thankful **Prof. Dr. Mohamed Mamdouh Abd Elaziz** for his love, encouragement and I am not forgetting him.

I am very grateful with my deep thanks and love to my Husband **Hossam Mohamed Mamdouh** for his kind advices and support throughout this work. Thanks to my lovely kids (Karim, Malak & Jana) you are my heart.

I would like to dedicate this work to My Father (**Dr. Ossama Ibrahim Foad**), My Mother, My Sister and My lovely girl Sama for their support and care.

Special thanks also to my beloved friends for sharing any information with me and giving me moral support to finish up this work.

(ربى قد استودعتك كل حياتى فاجعلها من سعادة الى سعادة و احفظ لى من أخشى فقده
و لا تحملنى ما لا طاقة لى به)

Eng. Shorouk Ossama Ibrahim Foad

TABLE OF CONTENTS

ACKNOWLEDGEMENT	i
TABLE OF CONTENTS	ii
LIST OF FIGURES	ix
LIST OF TABLES	xix
LIST OF SYMBOLS	xx
ABSTRACT	xxi
CHAPTER I: INTRODUCTION	1
1.1 Overview.....	1
1.2 Objectives	6
1.3 Thesis Outline.....	6
1.4 Summary.....	7
CHAPTER II: THREE PHASE INDUCTION MOTOR IN HEALTHY STATE.....	8
2.1 Introduction.....	8
2.2 Three Phase Induction Motor.....	8
2.2.1 Structures of Induction Motor	8
2.2.1.1 Stator	9
2.2.1.2 Rotor	9
2.2.2 Faults in Induction Motor	10
2.2.2.1 Mechanical Faults in Induction Motor	11
2.2.2.1.1 Bearing Failure	11

2.2.2.1.2 Eccentricity	12
2.2.2.1.3 Broken Rotor Bar Fault.	13
2.2.2.2 Electrical Faults in Induction Motor	14
2.2.2.2.1 Stator Winding Faults.....	14
2.2.2.1.2 Rotor Winding Faults.....	14
2.3 The Electrical Faults Studied in The Induction Motor.....	15
2.4 The Modeling and Simulation of direct On-Line Induction Motor using Matlab/Simulink.....	16
2.4.1 Induction Motor Performance Parameter analysis	17
2.4.1.1 Sub Models	18
2.4.1.1.1 Voltage Sub Model	18
2.4.1.1.2 Stator Current Sub Model	18
2.4.1.1.3 Mechanical Model	19
2.4.1.1.4 The Electromagnetic Torque Model	20
2.5 Induction Motor Performance Under Healthy Condition	21
2.6 Induction Motor Performance Under Faulty Condition	25
2.6.1 Unbalanced Voltage Fault	25
2.6.1.1 No-Load	25
2.6.1.2 Full Load	27
2.6.2 Phase Reversing Fault	28
2.6.2.1 Balanced condition	28
2.6.2.2 Unbalanced condition	30
2.6.3 Over/Under Voltage Fault	31
2.6.3.1 Under Voltage Fault	31
2.6.3.2 Over Voltage Fault	33
2.6.4 Over Load Fault	34
2.6.5 Ground Fault	36
2.6.6 Open phase Fault	37
2.6.7 Turn-To-Turn Fault	38
2.6.8 Rotor Fault	40
2.6.9 Bearing Fault	41
2.6.9.1 With Bearing B=0.1	40

2.6.9.2 With Bearing $B=0.2$	42
2.7 Summary	44

CHAPTER III: MODELING AND SIMULATION USING DIRECT TORQUE CONTROL FOR THREE PHASE INDUCTION MOTOR45

3.1 Introduction	45
3.2 Control Techniques Of Induction Motor.....	46
3.2.1 Vector Control (VC).....	47
3.1.2 Direct torque Control (DTC).....	47
3.3 The Basic Principles of Direct torque control For Induction Motor	48
3.3.1 Hysteresis Controller for Torque and Flux	49
3.3.2 Sector Determination	50
3.3.3 Switching Table	52
3.3.4 Space Vector Modulation of Three Phase Voltage Source Inverter With DTC	53
3.3.5 Mathematical Model Simulation For Induction Motor	55
3.3.5.1 Three Phase to D-Q Stationary Reference Frame	55
3.3.5.2 Torque and Flux Estimation	56
3.4 Simulation Results	58
3.4.1 Different Cycles For Reference Speed	64
3.4.1.1 Sine Wave Reference Speed.....	64
3.4.1.2 Unit Step Reference Speed.....	64
3.4.1.3 Repeating Sequence Reference Speed.....	65
3.5 Application For Using DTC Induction Motors	65
3.5.1 Electric Vehicle	66
3.5.2 Hybrids Electric Vehicle.....	68
3.6 Summary	71

CHAPTER IV: INTELLIGENT TECHNIQUES FOR FAULT DETECTION AND DIAGNOSIS IN THREE PHASE INDUCTION MOTOR DRIVE SYSTEM.....72

4.1 Introduction	72
4.2 Different Techniques Used For Fault Detection and Diagnosis.....	73
4.2.1 Thermal Monitoring	73
4.2.2 Noise Monitoring	73
4.2.3 Magnetic Flux Monitoring	73
4.2.4 Motor Current Signature Analysis	74
4.2.5 Artificial Intelligence Techniques	74
4.2.5.1 Fuzzy Logic	75
4.2.5.2 Artificial Neural Networks	77
4.2.5.3 Adaptive Network Based Fuzzy Interference System (ANFIS).....	77
4.3 Proposed Algorithm For Fault Detection and Diagnosis By using Fuzzy Logic System	79
4.3.1 Fuzzy Interference System	79
4.3.2 Membership Function	80
4.3.2.1 Input Membership Function	80
4.3.2.2 Output Membership Function	81
4.3.2.3 Defuzzification and Fuzzy Rules	81
4.4 Simulation and Results For Direct On-Line Motor Condition To Faults Detection	83
4.4.1 Healthy Induction Motor	83
4.4.2 Faulty Induction Motor	84
4.4.2.1 Open Phase Fault	84
4.4.2.2 Turn-To-Turn Fault	85
4.4.2.3 Rotor Fault	86
4.4.2.4 Unbalance voltage	87
4.4.2.4.1 No-Load	87
4.4.2.4.2 Full Load	88
4.4.2.5 Over Load Fault	89

4.4.2.6 Phase Reversing Fault	90
4.4.2.6.1 Balanced condition	90
4.4.2.6.1 Unbalanced condition	91
4.4.2.7 Ground Fault	92
4.4.2.8 Over/Under Voltage Fault	93
4.4.2.8.1 Under Voltage Fault	93
4.4.2.8.2 Over Voltage Fault	94
4.4.2.9 Bearing Fault	96
4.5 Fault Detection Taking Time Into Consideration	98
4.6 Comparison Between Healthy Motor Under Normal Operation and Faulty Motor under Faults Operation	102
4.7 Faults Diagnosis	106
4.7.1 Healthy Motor	108
4.7.2 Open Phase	109
4.7.3 Unbalanced Fault	110
4.7.4 Over Load Fault	113
4.8 Faults Detection And Diagnosis For Induction Motor Drive System	115
4.8.1 Faults Detection.....	115
4.8.1.1 Healthy Drive System	115
4.8.1.2 Faulty Drive System	116
4.8.1.2.1 Open Phase	116
4.8.1.2.2 Turn to turn	117
4.8.1.2.3 Unbalanced Fault	117
4.8.1.2.4 Under Voltage Fault.....	118
4.8.1.2.5 Over Voltage Fault.....	119
4.8.1.2.6 Over Load Fault.....	120
4.8.2 Faults Diagnosis.....	120
4.8.2.1 Healthy Drive System	121
4.8.2.2 Faulty Drive System	122
4.8.2.2.1 Open Phase	122
4.8.2.2.2 Unbalance Voltage.....	123
4.8.2.2.3 Over Load Fault.....	124

4.9 Response Of The Electric Vehicle & Metro Speed Cycle Due To Some Faults	125
4.9.1 Electric Vehicle	126
4.9.1.1 Open Phase	126
4.9.1.2 Unbalance Voltage.....	127
4.9.1.3 Over Voltage Fault 20%	128
4.9.1.4 Under Voltage Fault 20%.....	129
4.9.1.5 Over Load Fault.....	130
4.9.2 Subway Metro..	131
4.9.2.1 Open Phase	131
4.9.2.2 Unbalance Voltage.....	132
4.9.2.3 Over Voltage Fault 20%.....	133
4.9.2.4 Over Voltage Fault 40%.....	134
4.9.2.5 Under Voltage Fault 20%.....	135
4.9.2.6 Under Voltage Fault 40%.....	136
4.9.2.7 Over Load Fault.....	137
4.10 Summary	138

CHAPTER V: *EXPIREMENTAL SYSTEM SET-UP AND RESULTS*

.....	139
5.1 Introduction	139
5.2 Fuzzy System In Experimental Set-Up	139
5.3 Faults Detection	143
5.3.1 Input Membership Function	143
5.3.2 Output Membership Function	144
5.4 Faults Diagnosis	144
5.5 Simulation and Results For IM To Faults Detection And Diagnosis.....	146
5.5.1 Induction Motor (3hp)	146
5.5.1.1 Normal Operation Mode	146
5.5.1.2 Unbalanced Input Voltage.....	148

5.5.1.3 Open Phase	150
5.5.2 Induction Motor (0.5Hp)	153
5.5.2.1 Normal Operation Mode	153
5.5.2.2 Unbalanced Input Voltage	155
5.5.2.3 Open Phase.....	157
5.6 Summary	160

CHAPTER VI: GENERAL CONCLUSIONS AND FUTURE WORK161

6.1 General Conclusions	161
6.2 Future Work.....	162

REFERENCES163

APPENDIX.....169

PUBLISHED PAPERS178

LIST OF FIGURES

Fig. (1.1)	: Real System Using In Screen For Traction System By Using Fuzzy Inference system	5
Fig. (2.1)	: The Structure of Induction Motor	8
Fig. (2.2)	: Stator of a Three-Phase Asynchronous Motor	9
Fig. (2.3)	: Rotor of a Three-Phase Asynchronous Motor	9
Fig. (2.4)	: Induction Motor Faults	11
Fig. (2.5)	: Bearings for Induction Motor	11
Fig. (2.6)	: Cross-Section Of Induction Motor For Three Types Of Eccentricities.....	12
Fig. (2.7)	: Shape For Broken Rotor Bars.....	13
Fig. (2.8)	: Various Types of Short Winding Faults	14
Fig. (2.9)	: Simulink Model of Direct On-Line System	17
Fig. (2.10)	: Simulink Model of Induction Motor Subsystem	17
Fig. (2.11)	: Simulink Stator Current Sub model	19
Fig. (2.12)	: Simulink Mechanical Sub model	20
Fig. (2.13)	: Simulink Electromagnetic Torque Sub model	20
Fig. (2.14)	: Induction motor model in Simulink/Matlab	21
Fig. (2.15)	: Voltage Source Vs Time Graph for Machine Parameters	21
	(a-e) Stator Currents, Steady State Stator Currents, Rotor Currents,	
Fig. (2.16)	: Torque and Speed (rpm) Vs Time for Induction Motor, (Normal Operation).....	23
	(a-e) Stator Currents, Steady State Stator Currents, Rotor Currents,	
Fig. (2.17)	: Torque and Speed (rpm) Vs Time for Induction Motor with TL=20 N.m, (Normal Operation).....	24
Fig. (2.18)	: Supply Three Voltage Vs Time for Unbalanced Voltage Fault	25
	(a-e) Stator Currents, Steady State Stator Currents, Rotor Currents,	
Fig. (2.19)	: Torque and Speed (rpm) Vs Time for Faulty Induction Motor at no-Load (Unbalanced Voltage).....	27

	(a-d) Stator Currents, Rotor Currents, Torque and Speed (rpm) Vs	
Fig. (2.20)	: Time for Faulty Motor at Full-Load (Unbalanced Voltage).....	28
	(a-d) Stator Currents, Rotor Currents, Torque and Speed (rpm) Vs	
Fig. (2.21)	: Time for Faulty Motor at Balanced Condition (Phase Reversing)....	30
	(a-d) Stator Currents, Rotor Currents, Torque and Speed (rpm) Vs	
Fig. (2.22)	: Time for Faulty Motor at Unbalanced Condition (Phase Reversing).	31
	(a-d) Stator Currents, Rotor Currents, Torque and Speed (rpm) Vs	
Fig. (2.23)	: Time For Faulty Induction Motor (Under Voltage)	33
	(a-d) Stator Currents, Rotor Currents, Torque and Speed (rpm) Vs	
Fig. (2.24)	: Time for Faulty Induction Motor (Over Voltage)	34
	(a-d) Stator Currents, Rotor Currents, Torque and Speed (rpm) Vs	
Fig. (2.25)	: Time for Faulty Induction Motor (Over Loaded)	35
	(a-d) Stator Currents, Rotor Currents, Torque and Speed (rpm) Vs	
Fig. (2.26)	: Time for Faulty Induction Motor (Ground Fault).....	37
	(a-d) Stator Currents, Rotor Currents, Torque and Speed (rpm) Vs	
Fig. (2.27)	: Time for Faulty Induction Motor (Open Phase)	38
	(a-d) Stator Currents, Rotor Currents, Torque and Speed (rpm) Vs	
Fig. (2.28)	: Time for Faulty Induction Motor (Turn-To-Turn)	39
	(a-d) Stator Currents, Rotor Currents, Torque and Speed (rpm) Vs	
Fig. (2.29)	: Time for Faulty Induction Motor (Rotor Fault).....	41
	(a-c) Stator Currents, Torque and Speed (rpm) Vs Time for Faulty	
Fig. (2.30)	: Induction Motor (Bearing Fault (B=0.1)	42
	(a-d) Stator Currents, Torque and Speed (rpm) Vs Time for Faulty	
Fig. (2.31)	: Induction Motor (Bearing Fault (B=0.2)	43
Fig. (3.1)	: Schematic Of Basic DTC	46
Fig. (3.2)	: Basic Scheme Of PWM Inverter Fed Induction Motor With DTC	49
Fig. (3.3)	: Simulink Block Diagram Of The Hysteresis Controller	49
Fig. (3.4)	: Hysteresis Bands, (a) The Stator Flux, (b): Electromagnetic Torque	50
Fig. (3.5)	: Simulink Block Diagram Of Sector Determination	51

Fig. (3.6)	: Sectors and Space Vectors in The Classical DTC Method & Control of The Stator Flux Linkage	51
Fig. (3.7)	: Sector number with respect to stator flux position	52
Fig. (3.8)	: Illustrative Phase Voltages In Space Vector With Sectors	52
Fig. (3.9)	: Circuit Diagram of Three Phase Voltage Source Inverter	53
Fig. (3.10)	: Simulink Block Diagram Of The VSI	54
Fig. (3.11)	: Three Phase Square-Wave Forms Which Is Produced By The Inverter.....	54
Fig. (3.12)	: Three Phase To D-Q Stationary Frame Transformation	55
Fig. (3.13)	: The Simulink Block Diagram Of Stator Flux Estimation	56
Fig. (3.14)	: The Simulink Block Diagram For Electromagnetic Torque	57
Fig. (3.15)	: Simulink Block Diagram of DTC for Induction Motor	57
Fig. (3.16)	: Actual Torque & Reference Torque unit step from 10N.m to 20 N.m	58
Fig. (3.17)	: Actual & Ref. Motor Torque at Reference Torque step unit from 15N.m to 30N.m	58
Fig. (3.18)	: Actual Torque & Reference Torque Repeating Sequence from -15N.m to -15N.m	59
Fig. (3.19)	: Actual & Ref. Motor Torque at Reference Torque Repeating Sequence from 25N.m to -25N.m	59
Fig. (3.20)	: Reference and Actual Torque at Sine Wave With Value 20N.m	59
Fig. (3.21)	: Actual flux at reference value=0.4Wb	60
Fig. (3.22)	: Stator Flux Components (F_{ds}, F_{qs})	60
Fig. (3.23)	: Flux Trajectory at Reference Value = 0.4Wb	61
Fig. (3.24)	: Stator Flux Position	61
Fig. (3.25)	: Stator Current Components In Stator Reference Frame	62
Fig. (3.26)	: Stator Current For Phase (a)	62
Fig. (3.27)	: Stator Current For Three-Phases	63
Fig. (3.28)	: Stator Phases Voltage	63
Fig. (3.29)	: Actual Speed & reference value at amplitude 100 rad/sec.....	64
Fig. (3.30)	: Speed Motor & Reference Value at Unit Step	64

Fig. (3.31)	: Speed Motor & Reference Value at Repeated Sequence Cycle.....	65
Fig. (3.32)	: Basic Direct Torque Control Scheme with Electric Vehicle	66
Fig. (3.33)	: Actual Speed & Reference Value For Electric Vehicle Cycle	67
Fig. (3.34)	: Actual Torque & Load Torque For Electric Vehicle Cycle	67
Fig. (3.35)	: Stator Current Components For Electric Vehicle Cycle	67
Fig. (3.36)	: Basic Direct Torque Control Scheme with Metro	68
Fig. (3.37)	: Full Traction Characteristic Of The Traction System	69
Fig. (3.38)	: Actual Speed & Reference Value For Subway Metro Cycle	69
Fig. (3.39)	: Actual Torque & Load torque For Subway Metro Cycle	69
Fig. (3.40)	: Stator Current Components For Subway Metro Cycle	70
Fig. (3.41)	: Actual Speed & Reference Value For Subway Metro Cycle (Two Station).....	70
Fig. (3.42)	: Actual Torque & Load torque For Subway Metro Cycle (Two Station)	70
Fig. (3.43)	: Stator Current Components For Subway Metro Cycle (Two Station)	71
Fig. (4.1)	: Internal Structure of Fuzzy Logic Controller	76
Fig. (4.2)	: Basic Principles of Artificial Neural Networks	77
Fig. (4.3)	: ANFIS Architecture	78
Fig. (4.4)	: Block Diagram of the Fuzzy Inference System	77
Fig. (4.5)	: Fuzzy Membership Functions for Stator currents I_a , I_b , I_c Scaled (Time By 6 Irated).....	80
Fig. (4.6)	: Fuzzy Membership functions for Outputs	81
Fig. (4.7)	: Simulation for Fuzzy Logic in Matlab/Simulink	81
Fig. (4.8)	: Motor Condition for Healthy Motor (Good=80.5%)	83
Fig. (4.9)	: Motor Condition Vs Time for Healthy Motor	84
Fig. (4.10)	: Motor Condition for Faulty Motor (Open Phase)	84
Fig. (4.11)	: Motor Condition Vs Time for Open Phase Fault	85
Fig. (4.12)	: Motor Condition for Faulty Motor (Turn-To-Turn)	85
Fig. (4.13)	: Motor Condition Vs Time for Turn-To-Turn Fault	85

Fig. (4.14)	: Motor Condition for Faulty Motor (Rotor Fault)	86
Fig. (4.15)	: Motor Condition Vs Time for Rotor Fault	87
Fig. (4.16)	: Motor Condition for (Unbalanced Voltage) No-Load	87
Fig. (4.17)	: Motor Condition Vs Time for Unbalanced Voltage Fault	88
Fig. (4.18)	: Motor Condition for (Unbalanced Voltage) Full-Load	88
Fig. (4.19)	: Motor Condition Vs Time for Unbalanced Voltage Fault	89
Fig. (4.20)	: Motor Condition for Faulty Motor (Over Load)	89
Fig. (4.21)	: Motor Condition Vs Time for Over Load Fault	90
Fig. (4.22)	: Motor Condition for Faulty Motor (Phase Reversing) Balanced Condition	90
Fig. (4.23)	: Motor Condition Vs Time for Phase Reversing Fault	91
Fig. (4.24)	: Motor Condition for Faulty Motor (Phase Reversing) Unbalanced Condition	91
Fig. (4.25)	: Motor Condition Vs Time for Phase Reversing Fault	92
Fig. (4.26)	: Motor Condition for Ground Fault	92
Fig. (4.27)	: Motor Condition Vs Time for Ground Fault	93
Fig. (4.28)	: Motor Condition for Under Voltage 20%	93
Fig. (4.29)	: Motor Condition Vs Time for Under Voltage 20%	94
Fig. (4.30)	: Motor Condition for Under Voltage 40%	94
Fig. (4.31)	: Motor Condition Vs Time for Under Voltage 40%	94
Fig. (4.32)	: Motor Condition for Over Voltage 20%	95
Fig. (4.33)	: Motor Condition Vs Time for Over Voltage 20%	95
Fig. (4.34)	: Motor Condition for Over Voltage 40%	96
Fig. (4.35)	: Motor Condition Vs Time for Over Voltage 40%	96
Fig. (4.36)	: Motor Condition for Bearing Fault	97
Fig. (4.37)	: Motor Condition Vs Time for Bearing Fault	97
Fig. (4.38)	: Proposed Fuzzy System for Faults Detection and Identification	98
Fig. (4.39)	: Membership functions for Motor (I_a, I_b, I_c) Scaled	98
Fig. (4.40)	: Membership functions for (Time)	99

Fig. (4.41)	: Fuzzy Logic to Detect Faults Quickly	99
Fig. (4.42)	: Rule (7) SD motor is Good and LD motor is Damaged	100
Fig. (4.43)	: Rule (8) SD motor is Good and LD motor is Damaged.....	101
Fig. (4.44)	: Rule (12) SD motor is Good and LD motor is Damaged	101
Fig. (4.45)	: Membership functions for Stator Currents	106
Fig. (4.46)	: Membership functions for Type of Faults	107
Fig. (4.47)	: Waveforms Normal Operation of Motor	108
Fig. (4.48)	: Simulation for Type of Fault Under Healthy Condition	108
Fig. (4.49)	: Type of Fault Vs Time Under Healthy Condition	108
Fig. (4.50)	: Stator Currents For Faulty Operation (Open Phase)	109
Fig. (4.51)	: Type of Fault Vs Time Under Open Phase Condition	109
Fig. (4.52)	: Stator Currents For Faulty Operation (Unbalanced Voltage).....	110
Fig. (4.53)	: Type of Fault Vs Time Under Unbalanced Condition	110
Fig. (4.54)	: Symmetrical Components of Induction motor (V_z, V_n, V_p) (Unbalance Voltage)	111
Fig. (4.55)	: Simulation for Symmetrical of three unbalanced phases	112
Fig. (4.56)	: Simulink Sub model of Symmetrical Components	112
Fig. (4.57)	: Stator Currents For Faulty Operation (Over Loaded)	113
Fig. (4.58)	: Type of Fault Vs Time Under Over Loaded Condition	113
Fig. (4.59)	: Block Diagram Of The Direct Torque Control Drive System With Fuzzy Logic	115
Fig. (4.60)	: Stator Currents For Normal Operation	115
Fig. (4.61)	: Motor Condition For Normal Operation	116
Fig. (4.62)	: Stator Currents For Open Phase Operation	116
Fig. (4.63)	: Motor Condition For Open Phase Operation	116
Fig. (4.64)	: Stator Currents For Turn-To-Turn Operation	117
Fig. (4.65)	: Motor Condition For Turn-To-Turn Operation	117
Fig. (4.66)	: Stator Currents For Unbalanced Operation	118
Fig. (4.67)	: Motor Condition For Unbalanced Operation	118