ROLE OF MRI IN EARLY MANAGEMENT OF ACUTE INFLAMMATORY PEDIATRIC BRAIN DISEASES

Thesis

 $Submitted \ for \ Partial \ Fulfillment \ of \ MD \ degree \\ in \ Radiodiagnosis$

By

Moataz Sayed Abdelarahman

MSc Radiodiagnosis Ain Shams University

Supervised by

Prof.Dr.Yasser Abdelazim Abbas

Professor of Radiodiagnosis
Faculty of Medicine - Ain Shams University

Dr.Shaimaa Abdel Sattar Mohammad

Assistant Professor of Radiodiagnosis Faculty of Medicine - Ain Shams University

Dr.Remon Zaher Elia

Assistant Professor of Radiodiagnosis Faculty of Medicine - Ain Shams University

Dr. Shaymaa Maher Deifalla

Lecturer of Pediatrics
Faculty of Medicine - Ain Shams University

Faculty of Medicine
Ain Shams University
2018



سورة البقرة الآية: ٣٢

Acknowledgment

First and foremost, I feel always indebted to ALLAH, the Most Kind and Most Merciful.

I'd like to express my respectful thanks and profound gratitude to **Prof. Dr. VJasser Abdelazim Abbas**, Professor of Radiodiagnosis Faculty of Medicine - Ain Shams University for his keen guidance, kind supervision, valuable advice and continuous encouragement, which made possible the completion of this work.

I am also delighted to express my deepest gratitude and thanks to **Dr. Shaimaa** Abdel Sattar Mohammad, Assistant Professor of Radiodiagnosis Faculty of Medicine - Ain Shams University, for her kind care, continuous supervision, valuable instructions, constant help and great assistance throughout this work.

I wish to introduce my deep respect and thanks to **Dr.Remon Zaher Elia**, Assistant Professor of Radiodiagnosis Faculty of Medicine - Ain Shams University, for his kindness, supervision and cooperation in this work.

I am deeply thankful to **Dr. Shaymaa Maher Deifalla,** Lecturer of Pediatrics Faculty of Medicine - Ain Shams University, for her great help, active participation and guidance.

Moataz Sayed Abdelarahman

List of Contents

Title	Page No.
List of Tables	5
List of Figures	6
List of Abbreviations	14
Introduction	1
Aim of the Work	18
Brain Anatomy	19
Review	36
Patients and Methods	68
Results	74
Illustrative Cases	92
Discussion	121
Summary & Conclusion	130
References	131
Master Sheet Error! 1	Bookmark not defined.
Arabic Summary	

List of Tables

Table No.	Title	Page No.
Table (1):	Age Specific Progression of Myelinatic	
Table (2):	Summary of viral encephalitis	42
Table (3):	Summary of brain bacterial infections.	47
Table (4):	The 2017 McDonald Criteria for diag of multiple sclerosis in patients with attack at onset	h an
Table (5):	2017 McDonald criteria for diagnos multiple sclerosis in patients wit disease course characterized by progre from onset (primary progressive mu sclerosis).	th a ession ltiple
Table (6):	Summary of Parasitic infections of brain	
Table (7):	Anatomically based deferential diagno inflammatory brain disease	
Table (8):	Modality specific imaging fine deferential diagnosis of inflammatory	brain
TT 11 (0)	disease.	
Table (9):	MRI findings of the grey matter	
	MRI findings of the white matter	
Table (11):	Number of cases in different type IBrainDs in our study	
Table (12):	Different prognosis of the cases	89
Table (13):		nosis

List of Figures

Fig. No.	Title	Page No.
Figure (1):	Diagrammatic view of lobes of the ce	
Figure (2):	Sagittal MRI of the brain showing collabes	erebral
Figure (3):	Axial T2WI of the brain at the level basal ganglia	of the
Figure (4):	Axial T2WI of the brain showing the ganglia at the level of third ventricle	e basal
Figure (5): Figure (6):	Mid sagittal T2WI of the brain	23 l of the
Figure (7):	Axial T2WI of the brain at the level pons	of the24
Figure (8):	Axial T2WI of the brain at the level superior cerebellar peudancle	25
Figure (9):	Axial T2WI of the brain at the level crus cererbri and vermis	25
Figure (10):	Coronal T2WI of the brain	26
Figure (11):	A newborn boy imaged at 1.5 Tesl strength	30
Figure (12):	A 2-month-old girl imaged at 3 Tesl strength	31
Figure (13):	A 6½-month-old boy imaged at 3 field strength	
Figure (14):	A 12-month-old boy imaged at 3 Tessstrength	
Figure (15):	An 18-month-old girl imaged at 1.5 field strength	
Figure (16):	A 28-month-old boy imaged at 1.5 field strength	Tesla35
Figure (17):	Atypical PACNS (confirmed at biopsy)	

Fig. No.	Title Pag	ge No.
Figure (18): Figure (19):	Axial FLAIR MR shows classic bilate but asymmetric abnormal hyperinter signal in the medial temporal lobes of the patient with herpes encephalitis	nse his 39 nse rior
Figure (20):	frontal lobe in an immunosuppress patient with CMV meningoencephalic CMV typically involves the periventricular white matter	tis. lar 41 7ho
Figure (21):	presented with asymptomatic skin lesion Axial FLAIR MR is a sensitive tool to det early complicated extra axial fluid collection FLAIR hyperintensity is seen in the right	tect ons. ght
Figure (22):	increasing headache shows	43 a 5- and a
Figure (23):	predominately hypointense mass with incomplete, slightly hyperintense rim Axial T2WI MR in a patient w tuberculoma shows a large, mos hypointense left parietal lesion w edema affecting almost the ent	44 ith itly ith
Figure (24): Figure (25):	hemisphere	46 ion 47 ith
	worsening partial complex seizures a progressive right hemiplegia demonstra marked left hemispheric atrophy	tes

Fig. No.	Title	Page	No.
Figure (26):	Axial FLAIR MR shows peripheral, of areas of hyperintensity predor involving the subcortical white matter child with ADEM	ninantly in this	
Figure (27):	(a) FLAIR sequence shows asymmeterogeneous hyperintense lesi bilateral periventricular regions. sequence shows "blooming" (i.e., da suggestive of hemorrhage	netrical ons in (b) T2* ark) foci	
Figure (28):	A 1.3-year-old boy (patient 1) le spasticity and decerebrate posture	ft with	
Figure (29): Figure (30):	A 2.3-year-old boy	nultiple	
Figure (31):	lesions in the centrum-semiovale On the left axial and Coronal STIR orbit show swelling and altered signal	on the	
Figure (32):	right optic nerve (arrows) denoting neu Axial FLAIR MRI of another cas NMO demonstrating hyper- plaque-like lesion in the right co- semiovale	se with intense entrum-	
Figure (33):	Coronal FLAIR MR in a 7-year-ol months after initial prese (following confirmatory CSF complication test for measles) demonprogressive frontal lobe white	d boy 6 ntation olement ostrates	
Figure (34):	FLAIR hyperintensity	patient e sulci, horn tage of	

Fig. No.	Title	Page No.
Figure (35):	Parasite-induced vasculitis neurocysticercosis	
Figure (36):	Axial T2WI MR shows hyperintensity cerebellum related to edema in this adult male with schistosomiasis	y in the s young
Figure (37):	Relation between the age and score.	clinical
Figure (38):	Percentage of clinical presentation	
Figure (39):	Severity of mental status affection.	
Figure (40):	Severity of motor affection	
Figure (41):	Severity of sensory affection	
Figure (42):	Severity of communication affection	
Figure (43):	Severity of feeding affection.	
Figure (44):	Severity of respiratory affection	
Figure (45):	The relation between clinical an	
Eigene (46).		80
Figure (46):	Percentage of different MRI finding cortex	
Figure (47):	Percentage of different MRI finding	
J	thalamus	
Figure (48):	Percentage of different MRI finding cerebellum.	s at the
Figure (49):	Percentage of different MRI finding	
	sub cortical white matter	
Figure (50):	Percentage of different MRI finding central white matter	
Figure (51):	Percentage of different MRI finding	
	peri-ventricular white matter	
Figure (52):	Percentage of different MRI finding	
	corpus ccallusum	86
Figure (53):	Percentage of different prognosis	of the
	cases	90

Fig. No.	Title	Page	No.
Figure (54):	The relation between the prognos and the summation of MRI and score.		
Figure (55):	Left: axial FLAIR of the brain at t		
	of basal ganglia shows asymmetric scattered white matter patches of	•	
	signal. Right: axialT2WI of the k		
	the level of centrum semi ovale rev		
	large patches of abnormal hyersignals		93
Figure (56):	Left: axial FLAIR of the brain at t	he level	
	of basal ganglia shows complete reg	_	
	of the scattered white matter Right: axialT2WI of the brain at t	-	
	of centrum semi ovale revea		
	regressions of the two large pat		
Figure (57).	abnormal signalsLeft: axial DWI of the brain shows b		
riguie (01).	symmetrical supratentorial periven		
	lesions with marginal diffusion res		
	Right: axial FLAIR at the level shows swollen both thalami with a		
	altered signals at the periventricular		
Figure (58):	Left: axial T2WI of the brain		
	bilateral high parietal, encepahalo		
	areas with surrounding gliosis. axial T1WI at the level of BGs		
	swollen both thalami with hyper		
	signals represent sub acute hemorr		97

Fig. No.	Title	Page No.
Figure (59):	Left: axial FLAIR of the brain bilateral swollen both thalami more left, with abnormal high signals. axial T2WI shows abnormal signals	on the Right:
Figure (60):	dorsal aspect of the cerebral pedunce. Left: axial FLAIR of the brain show total resolution of the signal abnorm of both thalami, leaving residual patchy areas bilaterally. Right: axia	es
Figure (61):	shows complete resolution of the signals of the cerebral peduncles Axial DWI show foci of true di restriction in the dorsal brain (central tegmental tracts) and	100 ffusion stem
Figure (62):	periaqueductal region	102 ffusion ffusion
Figure (63):	Axial T2WI shows mildly dilated axial CSF spaces. Left: Axial FLAIR shows masymmetric altered signal patch variable sizes are seen in both control of the c	103 aultiple nes of erebral
Figure (64):	hemisphere white matter. Right: axia shows patches of altered signals at the brain	he mid 105 shows altered rbellar

Fig. No.	Title P	age	No.
Figure (65):	Axial FLAIR & DWI shows abnormated and diffusion restriction within the water of the left temporal lobe involutes medial segment and the left instruction with clear grey/white madifferentiation.	vhite ving sular atter	
Figure (66):	Axial T2WI & FLAIR shows subcortical cystic lesions with surroun edema at both parietal regions	two ding	
Figure (67):	Axial and distorted coronal reformation DWI images showing marginal incoming diffusion restriction at the left para subcortical lesion	atted plete rietal	
Figure (68):	Left: Axial FLAIR shows multiple bila centrum semiovale scattered foci of abnormal signals. Right: axial T2W stabnormal high signals at the left	teral high hows optic	
Figure (69):	nerve	and ntra- high	
Figure (70):	disc down to D5 vertebrae Axial T2WI & coronal T1WI show: ma cerebral left hemi-atrophy	rked	
Figure (71):	Axial T2WI & FLAIR: show abno signal intensity at the dorsal brain ste	rmal	
Figure (72):	Axial DWI & ADC: show true diffurestriction at the dorsal brain stem		115
Figure (73):	Axial DWI images show differestriction at both superior frontal left pareito-occipital gyrus and both leganglia	oasal	

Fig. No.	Title	Page No.
Figure (74):	Left: axial T2WI shows swoll with abnormal bright SI. I FLAIR shows diffuse patches bright signals at the peri-vent white matter and corona radisemi ovale.	Right: axial of abnormal tricular deep iate/centrum

List of Abbreviations

Abb.	Full term
ADEM	Acute disseminated encephalomyelitis
	Acute necrotizing encephalopathy
CBL	cerebellar
CC	.Corpus callosum
CMV	Citomegalo virus
CNS	Central nervous system
cPACNS	Childhood primary angiitis of the central nervous system
CSF	Cerebrospinal fluid
DCL	Dimensioned conscious levels
DW	.Diffusion-weighted
FLAIR	Fluid attenuation inversion recovery
FLAIR	Fluid-attenuated inversion recovery
FSE	Fast spin echo
FSE-IR	Fast spin echo inversion recovery
FSS	Functional status scale
GCS	Galasco coma score
GM	Gray matter
I/S	Inferior and superior
IbrainDs	Inflammatory brain diseases
IC	Internal capsule
MRI	Magnetic resonance imaging
MRI	Magnetic resonance imaging
MS	Multiple sclerosis
NCC	Neurocysticercosis
NMO	Neuromyelitis optica
PACNS	Primary angitis of the CNS
PD	Proton density

List of Abbreviations Cont...

PVL.......Peri-ventricular leuko-encephalopathy SPSS.....Statistical Package for Social Science TBM.....Tuberculus meningitis VL.....Ventral lateral VZV.....Varicella-zoster virus WM.....White matter