



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكرو فيلم

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد اعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



شبكة المعلومات الجامعية



بالرسالة صفحات
لم ترد بالأصل



South Valley University
Faculty of Science
Qena, Egypt.

SYNTHESIS OF HETEROCYCLIC COMPOUNDS DERIVED FROM HETEROCYCLIC ANHYDRIDES

A THESIS

Submitted in Partial Fulfillment
for the Degree of
M. Sc. in Chemistry

By

Talaat Shaker Wasef Gergis

B.Sc. (CHEMISTRY)

SUPERVISED BY

Dr. M.A.Hassan
Dr .H.H. Abass

Assistant Prof. of organic chemistry
Lecturer of organic chemistry

Head of chemistry department
Prof Dr . M.Kh .Malla

Dean of the faculty
prof . Dr . H . M . Rageh

Department of Chemistry
Faculty of Science at Qena
South Valley University

2000

B

Λ777



South Valley University
Faculty of Science
Qena , Egypt.

Approval Sheet

Name : Talaat Shaker Wasef Gergis

Title : Synthesis of heterocyclic compounds derived from heterocyclic
anhydrides

Supervisors

Approved

1- Dr. Mamdouh Adly Hassan

Assistant Prof. of Organic.

Chemistry, Faculty of Science (Qena).

2- Dr. Hussein Hassan Abaas.....

Lecturer of Organic.

Chemistry, Faculty of Science (Qena).

TO MY FAMILY

My Wife

My Sons and

My Daughter

ACKNOWLEDGEMENT

ACKNOWLEDGEMENT

The author would like to express his great indebtedness and heartily thanks to Assistant Prof. Dr. Mamdouh Adly Hassan, and to Dr. Hussein Hassan Abaas, Lecturer of Organic Chemistry, Chemistry Department, Faculty of Science, South Valley University at Qena for suggesting the frame of this work, the problem, and for their advice criticism, encouragement and help through the work of this thesis.

The author wished also to express his deep thanks to Prof. Dr. H.M. Reageh, Dean of Faculty of science at Qena and to Prof. Dr. M. Kh. Malla, Head of Chemistry Department for their valuable support, help and advice.

Special thanks to Prof. Dr. J. Daub, Prof. of Organic Chemistry at Regensburg University, Germany, and to Dr. A.M. Younes, Lecture of Organic Chemistry at Faculty of Science (Qena) for the determination of 250 MHz ^1H -NMR and elemental analysis during his stay in Germany.

Thanks and profound gratitude are also give to all the colleagues in chemistry department at Qena.

T.S.W

