



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية



شبكة المعلومات الجامعية

التوثيق الإلكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم



نقسم بللّاه العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد اعدت دون أية تغييرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية
@ ASUNET



بعض الوثائق

الأصلية تالفة



شبكة المعلومات الجامعية



بالرسالة صفحات

لم ترد بالأصل

B1977

**THE PRESENCE OF MYCOPLASMA SPECIES
IN BOVINE SEMEN**

Thesis Presented

By

Atef Mohammed Omar El-Mahrok

B.V.Sc., Zagazig University
(1984)

For The Degree of
M.V.Sc.
Microbiology (Bacteriology)

to

Department of Microbiology
Faculty of Veterinary Medicine
Alexandria University

1997

UNDER THE SUPERVISION OF

Prof. Dr. M.M.H. El-Nimr

Professor and Chairman of Department of Microbiology
Faculty of Veterinary Medicine
Alexandria University

Dr. Samy A. Khaliel

Lecturer of Microbiology (Virology)
Faculty of Veterinary Medicine
Alexandria University

Prof. Dr. Abd El-Fatah S. Gad

Chief Researcher at Department of Mycoplasma
Animal Health Research Institute
Dokki, Giza

جامعة الاسكندرية
كلية الطب البيطرى
قسم الميكروبيولوجيا

قرار لجنة الحكم والمناقشة


قررت لجنة الحكم والمناقشة المنعقدة يوم الاثنين الموافق ١٩٩٧/١٢/٢٩ ترشيح السيد
ط.ب/ عاطف محمد عمر للحصول على درجة الماجستير فى العلوم الطبية البيطرية تخصص ميكروبيولوجيا
(بكتريولوجيا) وعنوان الرسالة :
" تواجد ميكروبات الميكوبلازما فى منى الفصيلة البقرية "

أعضاء اللجنة

التوقيع


١- أ.د/ أحمد محمد عمار

أستاذ الميكروبيولوجيا - كلية الطب البيطرى
جامعة الزقازيق




٢- أ.د/ محمد على عقيلة مرعى

أستاذ الميكروبيولوجيا ووكيل كلية الطب البيطرى
لشئون خدمة المجتمع وتنمية البيئة -
جامعة الاسكندرية

١١
←

٣- أ.د/ محمد محب حسن النمر

أستاذ ورئيس مجلس قسم الميكروبيولوجيا - كلية الطب
البيطرى - جامعة الاسكندرية
(والمشرّف على الرسالة)



٤- أ.د/ عبد الفتاح السيد جاد

To My Children

My Parents

and My Wife

ACKNOWLEDGEMENT

First of all, prayerful thanks are to our Merciful GOD who gives us every thing we have.

I would like to express my appreciation and gratitude to Prof. Dr. M.M.H. El-Nimr, Professor and Chairman of Microbiology Department, Faculty of Veterinary Medicine, Alexandria University for his supervision, helpful advice, continuous encouragement, guidance and criticism.

My thanks are due to Prof. Dr. Abd El-Fatah El-Sayed Gad, Chief Researcher at Department of Mycoplasma, Animal Health Research Institute, Dokki, Giza for extreme valuable advices, instructions, suggestions and encouragement throughout my investigation; under his supervision, this work has been completed.

Deep appreciation is expressed to Dr. Samy A. Khaliel, Lecturer of Virology, Department of Microbiology, Faculty of Veterinary Medicine, Alexandria University for his supervision, careful guidance and kind orientation throughout the research work.

I want to record my thanks and deep gratitude to Prof. Dr. M.A. Aheila, Professor of Microbiology and Vice-Dean for Community Development and Environment affairs, Faculty of Veterinary Medicine, Alexandria University for his willing assistance, continuous advice and encouragement.

Grateful acknowledgement and thanks are due to *Dr. Mona Shaker*, Researcher of *Mycoplasma*, Animal Health Research Institute, Dokki, Giza for her excellent technical guidance devices and kind helps.

I am deeply grateful and wish to express my sincere appreciation and heartily thanks to *Dr. Nagat A. Saleh*, Head of the Department of Buffalo Diseases Research, Animal Health Research Institute, Dokki, Giza for great interest she kindly gave to me and to my work.

I owe special and deep gratitude to *Prof. Dr. Nabil M. Al-Zeftawi*, Chief Researcher at Department of *Mycoplasma*, Animal Health Research Institute, Dokki, Giza for great interest he kindly gave to me and to my work.

I wish to express my deep thanks to *Prof. Ahmed, A.A.*, Vice-President of Pyramid Animal Reproduction Research Institute, Cairo, for his great efforts, encouragement and continuous help during this study.

I wish to express my deepest thanks to members of the Department of *Mycoplasma* and those of the Department of Buffalo Diseases, Animal Health Research Institute, Dokki, Giza.

CONTENTS

1.0 INTRODUCTION	1
2.0 REVIEW OF LITERATURE	3
2.1. History of mycoplasmas	3
2.2. Incidence of mycoplasma in the bovine semen and prepuce	5
2.3. Pathogenicity of bovine mycoplasmas	15
3.0 MATERIAL AND METHODS	20
3.1. Material	20
3.1.1. Samples	20
3.1.1.1. Raw semen samples	20
3.1.1.2. Frozen semen	20
3.1.1.3. Preputial swabs	21
3.1.2. Media	21
3.1.2.1. Media used for primary isolation of Mycoplasma species.	21
3.1.2.2. Media used for identification of Mycoplasma species	22
3.1.3. Supplements and inhibitors	22
3.1.3.1. Horse serum	22
3.1.3.2. Yeast extract	22
3.1.3.3. Deoxyribonucleic acid (DNA)	22
3.1.3.4. Thallium acetate	23
3.1.3.5. Penicillium G sodium	23
3.1.3.6. Digitonin stock solution	23
3.1.3.7. Tetrazolium stock solution	23
3.1.3.8. Antisera	23

3.2. Methods	24
3.2.1. Collection and preparation of the samples	24
3.2.1.1. Raw semen samples	24
3.2.1.2. Preputial swabs	24
3.2.1.3. Frozen semen samples	24
3.2.2. Examination of the samples for Mycoplasma species	25
3.2.3. Purification of mycoplasma isolates	26
3.2.4. Identification of mycoplasma	26
4.0 RESULTS	30
4.1. Incidence of mycoplasma isolated from cow bulls used for A.I.	30
4.2. Incidence of mycoplasma isolated from buffalo bulls use for A.I.	34
4.3. Incidence of mycoplasma isolated from cow bulls used for natural breeding	38
4.4. Incidence of mycoplasma isolated from buffalo bulls used for natural breeding	43
4.5. Incidence of mycoplasma isolated from cow bulls used for artificial and natural breeding	43
4.6. Incidence of mycoplasma isolated from buffalo bulls used for artificial and natural breeding	43
4.7. Prevalence of Mycoplasma species isolated from buffalo and cow bulls.	43
5.0 DISCUSSION	48
6.0 SUMMARY	55
7.0 REFERENCES	57
ARABIC SUMMARY	

LIST OF TABLES

Table (1): Samples collected from bulls for mycoplasmal examination.	21
Table (2): Interpretation of results of biochemical characterization tests.	28
Table (3): Incidence of mycoplasmas isolated from samples collected from cow bulls at Beni-Suef A.I. centre.	31
Table (4): Different species of mycoplasma isolated from samples collected from cow bulls at Beni-Suef A.I. centre.	32
Table (5): Incidence of mycoplasma and acholeplasma isolated from samples collected from buffalo bulls at El-Abbasia A.I. centre.	35
Table (6): Different species of mycoplasma isolated from samples collected from buffalo bulls at El-Abbasia A.I. centre.	36
Table (7): Incidence of mycoplasma isolated from preputial swabs collected from farmer's cow bulls.	39
Table (8): Different species of mycoplasma isolated from preputial swabs collected from cow bulls used for natural breeding.	39
Table (9): Incidence of mycoplasma and acholeplasma isolated from preputial swabs collected from buffalo bulls used for natural insemination.	41
Table (10): Different species of mycoplasma isolated from preputial swabs collected from buffalo bulls used for natural insemination.	41
Table (11): Incidence of mycoplasma isolated from cow bulls used for natural and artificial breeding.	44
Table (12): Incidence of mycoplasma isolated from buffalo bulls used for natural and artificial breeding.	45

LIST OF FIGURES

- Figure (1): Incidence of mycoplasmas isolated from samples collected from cow bulls at Beni-Suef A.I. centre. 33
- Figure (2): Different species of mycoplasma isolated from samples collected from cow bulls at Beni-Suef A.I. centre. 33
- Figure (3): Incidence of mycoplasma and acholeplasma isolated from samples collected from buffalo bulls at El-Abbasia A.I. centre. 37
- Figure (4): Different species of mycoplasma isolated from samples collected from buffalo bulls at El-Abbasia A.I. centre. 37
- Figure (5): Different species of mycoplasma isolated from preputial swabs collected from cow bulls used for natural insemination. 40
- Figure (6): Incidence of mycoplasma and acholeplasma isolated from preputial swabs collected from buffalo bulls used for natural insemination. 42
- Figure (7): Different species of mycoplasma isolated from preputial swabs collected from buffalo bulls used for natural insemination. 42
- Figure (8): Incidence of mycoplasma isolated from cow bulls used for natural and artificial insemination. 47
- Figure (9): Incidence of mycoplasma isolated from buffalo bulls used for natural and artificial insemination. 47