ACKNOWLEDGEMENT

First and foremost, I feel always indebted to **ALLAH**, the most beneficent and merciful.

Words stand short when they came to express my gratefulness to my supervisors.

First I would like to express my utmost gratitude to **Prof. Dr. Ahmed Abd El Kader Abd El Aziz El Hissewy**, Emeritus Head of Research and Head of Rice Technology Training Center (Previously), Field Crop Research Institute, Agriculture Research Center (A.R.C.), for his guidance, fruitful suggestions, valuable advice and great help.

Iam highly indebted to **Prof. Dr. Fathy Ibrahim Radwan**, Professor of Agronomy, and Vice Dean for Community Development and Environment Affairs, Faculty of Agriculture (Saba Basha), Alexandria University for his useful supervision, encouragement and helping to over come all the obstacles to bring that work to light.

I wish sincerely to thank **Prof. Dr. Mahmoud Abd El Aziz Gomaa,** Professor of Agronomy, Plant Production Department, Faculty of Agriculture (Saba Basha), Alexandria University.

My deepest appreciation to **Prof. Dr. Ali Issa Nawar**, Professor of Crop Science, Faculty of Agriculture, Alexandria University, for his valuable assistance in the statistical analysis, continuous support and his useful everlasting advice.

Also, my deepest appreciation to **Prof. Dr. Sobhy Abd El Halim Ghanem,** Emeritus Head of Research and Head of Rice Research and Training Center (previously), Field Crop Institute, Agriculture Research Center (A.R.C.), for his valuable assistance in soil analysis and his kind support.

Special thanks to **all stuff** menders of the Experimental Farm (Saba Basha) Alexandria University, for their help during this work in the farm.

Special thanks to **all stuff** menders of Plant Production Department, Faculty of Agriculture (Saba Basha), Alexandria University, for their encouragement and great help.

I would like to express my deepest appreciation to **all staff** members of Rice Technology Training Center, Field crop Institute, Agricultural Research Center, for their help and providing any facility for this work.

Finally I would like to express my deepest appreciation from my heart to my, **Family Members and all my friends** for their support, encouragement, care and patience during preparing MS.C. Thesis.

TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENT	i
TABLE OF CONTENTS	ii
LIST OF TABLES	iv
INTRODUCTION	2
REVIEW OF LITRATURE.	4
2.1. Hill spacings	5
2.2. Number of seedlings/hill	11
2.3. Nitrogen levels	13
MATERIALS AND METHODS	23
RESULTS AND DISCUSSION.	33
4.1. Experiment (1)	33
4.1.1. Agronomic characters	33
4.1.1.1. Number of days to heading (days)	33
4.1.1.2. Plant height (cm)	33
4.1.1.3. Panicle length (cm)	34
4.1.1.4. Harvest index (%)	34
4.1.2. Root characters.	36
4.1.2.1. Root length (cm)	36
4.1.2.2. Root dry weight (gm)	36
4.1.2.3. Root/shoot ratio	37
4.1.3. Shoot characters	37
4.1.3.1. Shoot fresh weight (gm)	37
4.1.3.2. Shoot dry weight (gm)	39
4.1.4. Yield and yield components characters	39
4.1.4.1. Number of ear-bearing tillers/hill.	39
4.1.4.2. Number of filled grains/panicle	42
4.1.4.3. One hundred grain weight (gm)	42
4.1.4.4. Grain Yield/hill (gm)	43
4.1.4.5. Grain Yield/fed (ton)	43
4.1.5. Grain quality characters	44
4.1.5.1. Grain appearance characters	44
4.1.5.1.1. Grain length (mm)	44
4.1.5.1.2. Grain shape (length/width ratio)	48
4.1.5.1.3. Translucency %	48
4.1.5.2. Milling recovery characters	48
4.1.5.2.1. Hull percentage	50
4.1.5.2.2. Milling percentage	50
4.1.5.2.3. Broken rice percentage	50
1 0	-

4.1	.5.3. Cooking and eating quality characters
4.1	.5.3.1. Grain protein content %
4.1	.5.3.2. Amylose content %
4.1	.5.3.3. Gel consistency (mm)
4.2	. Experiment (2)
4.2	.1. Agronomic characters
4.2	2.1.1. Number of days to heading (days)
4.2	2.1.2. Plant height (cm)
4.2	2.1.3. Panicle length (cm)
4.2	2.1.4. Harvest index (%)
4.2	2.2. Root characters
4.2	2.2.1. Root length (cm)
4.2	2.2.2. Root dry weight (gm)
4.2	2.2.3. Root/shoot ratio (30 days)
4.2	2.3. Shoot characters
4.2	2.3.1. Shoot fresh weight (gm)
4.2	2.3.2. Shoot dry weight (gm)
4.2	2.4. Yield and yield components characters
	2.4.1. Number of ear-bearing tillers/hill
4.2	2.4.2. Number of filled grains/panicle
4.2	2.4.3. one hundred grain weight (gm)
4.2	2.4.4. Grain yield/hill (gm)
4.2	2.4.5. Grain yield/fed (ton)
	2.5. Grain quality characters
4.2	2.5.1. Grain appearance characters
4.2	2.5.1.1. Grain length (mm)
4.2	2.5.1.2. Grain shape (length/width ratio)
	2.5.1.3. Translucency percentage
4.2	2.5.2. Milling recovery characters
4.2	2.5.2.1. Hull percentage
4.2	2.5.2.2. Milling percentage
4.2	2.5.2.3. Broken rice percentage
4.2	2.5.3. Cooking and eating quality characters
	2.5.3.1. Grain protein content %
	2.5.3.2. Amylose content %
4.2	2.5.3.3. Gel consistency (mm)
SU	JMMARY AND CONCLUSION
TT	TERATURE CITED

LIST OF TABLES

ble	
<u>1</u>	Mechanical and chemical analysis of soil of the experimental site
<u>2</u>	The effect of various plant spacings and nitrogen fertilizer levels on some agronomic characters of Sakha 101 rice cultivar during 2004 and 2005 seasons
<u>3</u>	The effect of various plant spacings and nitrogen fertilizer levels on some root characters of Sakha 101 rice cultivar during 2004 and 2005 seasons
<u>!</u>	The effect of various plant spacings and nitrogen fertilizer levels on some shoot characters of Sakha 101 rice cultivar during 2004 and 2005 seasons
<u>5</u>	The effect of various plant spacings and nitrogen fertilizer levels on some yield and yield components characters of Sakha 101 rice cultivar during 2004 and 2005 seasons
<u>6</u>	The interaction between plant spacings and nitrogen levels for yield and yield components characters during 2004 season
<u>7</u>	The interaction between plant spacings and nitrogen levels for yield and yield components characters during 2005 season
3	The effect of various plant spacings and nitrogen fertilizer levels on grain appearance characters of Sakha 101 rice cultivar during 2004 and 2005 seasons.
9	The interaction between plant spacings and nitrogen levels for grain shape character during 2004 and 2005 seasons
0	The effect of various plant spacings and nitrogen fertilizer levels on milling characters of Sakha 101 rice cultivar during 2004 and 2005
1	The interaction between plant spacings and nitrogen levels for hulling % character during 2004 and 2005 seasons
2	The effect of various plant spacings and nitrogen fertilizer levels on some cooking and eating quality characters of sakha 101 rice cultivar during 2004 and 2005 seasons
3	The effect of number of seedlings/hill and nitrogen fertilizer levels on some agronomic characters of Sakha 101 rice cultivar during
1	2004 and 2005 seasons
5	The effect of number of seedlings/hill and nitrogen fertilizer levels on some root characters of Sakha 101 rice cultivar during 2004 and 2005 seasons.

Fable		page
16	The interaction between number of seedlings/hill and nitrogen fertilizer levels for root length and root dry weight characters during 2004 and 2005 seasons	62
17	The effect of number of seedlings/hill and nitrogen fertilizer levels on some shoot characters of Sakha 101 rice cultivar during 2004 and 2005 seasons.	64
18	The interaction between number of seedlings/hill and nitrogen fertilizer levels for shoot dry weight character during 2004 and 2005 seasons.	66
19	The effect of number of seedlings/hill and nitrogen fertilizer levels on yield and yield components characters of Sakha 101 rice cultivar during 2004 and 2005 seasons.	69
20	The interaction between number of seedlings/hill and nitrogen fertilizer levels for yield and yield components characters during 2004 season.	70
21	The interaction between number of seedlings/hill and nitrogen fertilizer levels for yield and yield components characters 2005	70
<u>22</u>	The effect of number of seedlings/hill and nitrogen fertilizer levels on grain appearance characters of Sakha 101 rice cultivar during 2004 and 2005 seasons	73
23	The effect of number of seedlings/hill and nitrogen fertilizer levels on milling characters of Sakha 101 rice cultivar during 2004 and	75 75
24	2005 seasons The interaction between number of seedlings/hill and nitrogen fertilizer levels for milling % character during 2004 and 2005	
25	The effect of number of seedlings/hill and nitrogen fertilizer levels on some cooking and eating quality characters of Sakha 101 rice	77
26	cultivar during 2004 and 2005 seasons	79 80



EFFECT OF SOME AGRICULTURAL PRACTICES ON YIELD AND GRAIN QUALITY OF RICE IN NEWLY RECLAIMED SOILS

A Thesis

Presented to the Graduate School
Faculty of Agriculture (Saba Basha), Alexandria University
In Partial Fulfillment of the
Requirements for the Degree

of

Master of Agricultural Sciences

In

Agronomy

Presented by

Khaled Moustafa Hamdy Abd El-Salam

July 2006



تأثير بعض المعاملات الزراعية علي محصول وجودة حبوب الأرز في الأراضي المستصلحة حديثاً

رسالة علمية

مقدمة إلى الدراسات العليا بكلية الزراعة (سابا باشا) جامعة الإسكندرية إستيفاءً للدراسات المقررة للحصول على درجة

الماجستير في العلوم الزراعية

في

(المحاصيل)

مقدمة من

خالد مصطفي حمدي عبد السلام

يوليو 2006

ADVISOR'S COMMITTEE

Prof. Dr. Fathy Ibrahim Radwan (Supervisor) Professor of Agronomy, and Vice Dean for Community Development and Environment Affairs, Faculty of Agriculture (Saba Basha), Alexandria University Prof. Dr. Mahmoud Abd El-Aziz Gomaa Professor of Agronomy, Plant Production Department, Faculty of Agriculture (Saba Basha), Alexandria University. Dr. Ahmed Abd El-Kader Abd El-Aziz El-Hissewy Emeritus Chief Researcher, Rice Technology Training Center, Field Crops Research Institute, Agricultural Research Center (A.R.C.).

لجنة الإشراف

الأستاذ الدكتور/فتحي إبراهيم رضوان (مشرفاً رئيسياً) أستاذ المحاصيل أستاذ المحاصيل ووكيل الكلية لشئون خدمة المجتمع وتنمية البيئة كلية الزراعة (سابا باشا) جامعة الإسكندرية

الأستاذ الدكتور/ محمود عبد العزيز جمعه أستاذ المحاصيل قسم الإنتاج النباتي كلية الزراعة (سابا باشا) جامعة الإسكندرية

الدكتور/ أحمد عبد القادر عبد العزيز الحصيوي رئيس بحوث متفرغ مركز تدريب تكنولوجيا الأرز معهد بحوث المحاصيل الحقلية

مركز البحوث الزراعية



كلية الزراعة - سابا باشا

قسم الإنتاج النباتي

تأثير بعض المعاملات الزراعية علي محصول وجودة حبوب الأرز في الأراضي المستصلحة حديثاً

رسالة علمية

مقدمة إلي الدراسات العليا بكلية الزراعة (سابا باشا) جامعة الإسكندرية إستيفاء للدراسات المقررة للحصول علي درجة الماجستير في العلوم الزراعية (المحاصيل) مقدمة من

خالد مصطفي حمدي عبد السلام

<u>موافقــون</u>	<u>لجنة المناقشة والحكم علي الرسالة</u> :
	الأستاذ الدكتور/ محمد نجيب البنا
	أستاذ المحاصيل المتفرغ – قسم الإنتاج النباتي
	كلية الزراعة (سابا باشا) جامعة الإسكندرية
	الأستاذ الدكتور/ فتحي إبراهيم رضوان
	أستاذ المحاصيل - ووكيل الكلية لشئون
	خدمة المجتمع وتنمية البيئة
	كلية الزراعة (سابا باشا) جامعة الإسكندرية
	الأستاذ الدكتور/ محمود عبد العزيز جمعه
	أستاذ المحاصيل – قسم الإنتاج النباتي
	كلية الزراعة (سابا باشا) جامعة الإسكندرية
	الأستاذ الدكتور/ عبد الحميد محمد عمر

أستاذ المحاصيل – قسم المحاصيل
كلية الزراعة (كفر الشيخ) جامعة طنطا
الدكتور/ أحمد عبد القادر عبد العزيز الحصيوي
رئيس بحوث متفرغ – مركز تدريب تكنولوجيا الأرز
معهد بحوث المحاصيل الحقلية – مركز البحوث الزراعية

2006/7/22

......



EFFECT OF SOME AGRICULTURAL PRACTICES ON YIELD AND GRAIN QUALITY OF RICE IN NEWLY RECLAIMED SOILS

A Thesis

Presented to the Graduate School
Faculty of Agriculture (Saba Basha), Alexandria University
In Partial Fulfillment of the
Requirements for the Degree
of

Master of Agricultural Sciences

In

Agronomy

Presented by

Khaled Moustafa Hamdy Abd El-Salam

Examiner's Committee:	Approvea
Prof. Dr. Prof. Dr. Mohamed Naguib El-Banna	
Emeritus Professor of Agronomy, Plant Production	•••••
Department, Faculty of Agriculture (Saba Basha),	
Alexandria University.	
Prof. Dr. Fathy Ibrahim Radwan	•••••
Professor of Agronomy, and Vice Dean for Community	
Development and Environment Affairs, Faculty of	
Agriculture (Saba Basha), Alexandria University.	
Prof. Dr. Mahmoud Abd El-Aziz Gomaa	•••••
Professor of Agronomy, Plant Production Department,	
Faculty of Agriculture (Saba Basha), Alexandria University.	

Prof. Dr. Abd El-Hamed Mohamed Omar	•••••
Professor of Agronomy, Agronomy Department,	
Faculty of Agriculture (Kafr El-Sheikh), Tanta University.	
Dr. Ahmed Abd El-Kader Abd El-Aziz El-Hissewy	•••••
Emeritus Chief Researcher, Rice Technology Training Center,	
Field Crops Research Institute, Agricultural Research Center	
(A.R.C.).	
	22/7/2006