Non-endoscopic parameters for prediction of esophagogastric varices in Egyptian Patients with Budd Chiari Syndrome

Thesis

Submitted for Partial Fulfillment of Master Degree in Tropical Medicine

By

Saad Ali Saad Mohammed *M.BB.Ch.*

Under Supervision of

Prof. Dr. Zakaria Yahia Mohran

Professor of Tropical Medicine Faculty of Medicine-Ain Shams University

Prof. Dr. Mohammad El-Ghareeb Abou Elmaaty

Professor of Radiodiagnosis
Faculty of Medicine-Ain Shams University

Dr. Ahmed Samir Abdelmoaty

Lecturer of Tropical Medicine Faculty of Medicine- Ain Shams University

> Faculty of Medicine Ain Shams University 2017

List of Contents

Title	Page No.
List of Tables	3
List of Figures	9
List of Abbreviations	13
Protocol	
Introduction	1
Aim of the Work	6
Review of Literature	
Hepatic Vascular Anatomy and Circulation	7
Budd Chiari Syndrome	16
Portal Hypertension	64
• Non Invasive Prediction of Esophageal Varices	111
Patients and Methods	
Results	
Discussion	192
Summary 21	
Conclusion	222
Recommendations	
References	
Arabic Summary	

List of Tables

Table No.	Title Page No.
Table (1):	Inherited and acquired causes of thrombophilia implicated in etiology of BCS 21
Table (2):	Prevalence of different risk factors in BCS patients
Table (3):	Relative risk of thrombosis coupled to different risk factors for thrombophilia
Table (4):	Proposed work-up for acquired causes of thrombophilia implicated in primary BCS 49
Table (5):	Suggested workup for inherited causes of thrombophilia implicated in primary BCS 50
Table (6):	Classification of portal hypertension according to the anatomic site of increased resistance to portal blood flow
Table (7):	Detection of CSPH (HVPG > or equal to 10 mmHg) by the use of TE79
Table (8):	Age and Gender distribution among the studied patients
Table (9):	Classification of patients according to the onset of the disease
Table (10):	Frequency of inherited procoagulative disorders among studied patients
Table (11):	Frequency of different acquired procoagulative disorders
Table (12):	Status of etiologies of BCS (combined, single and idiopathic) in the studied cases
Table (13):	Frequency of different symptoms and signs in the studied patients 139

Table No.	Title Page No).
Table (14):	Laboratory data of the studied patients (n=216)	1
Table (15):	Baseline results of ascitic sampling of the studied patients	2
Table (16):	Baseline radiological criteria of the studied patients; using duplex U/S	4
Table (17):	Pattern of occlusion of hepatic veins in studied patients	6
Table (18):	Baseline relevant endoscopic findings of the studied patients	7
Table (19):	Presence of other endoscopic findings among the investigated patients (n=120) 14	7
Table (20):	Etiology of GIT bleeding in studied patients (n=39)14	9
Table (21):	Comparison between patients with esophageal varices and those without varices regarding Age and Gender distribution among the studied patients	0
Table (22):	Comparison between patients with esophageal varices and those without varices regarding types of presentation among the studied patients	2
Table (23):	Comparison between patients with esophageal varices and those without varices regarding the etiology of the etiology among the studied patients	3

Table No.	Title	Page No.
Table (24):	Comparison between patients with esc varices and those without varices re the multiplicity of the etiology am- studied patients	egarding ong the
Table (25):	Comparison between patients with esc varices and those without varices re the clinical data among the studied pat	egarding
Table (26):	Comparison between patients with esc varices and those without varices re the laboratory data among the patients	egarding studied
Table (27):	Comparison between patients with esc varices and those without varices re the ascetic fluid samples among the patients	egarding studied
Table (28):	Comparison between patients with esc varices and those without varices re the common fibrosis predictive scores the studied patients	egarding s among
Table (29):	Comparison between patients with esc varices and those without varices re the radiological data among the patients (US with Doppler)	egarding studied
Table (30):	Comparison between patients with esc varices and those without varices re the radiological data among the patients (US)	egarding studied

Table No.	Title	Page No.
Table (31):	Comparison between patients with eso varices and those without varices regard pattern of hepatic veins occlusion am studied patients (US with Doppler)	ding the ong the
Table (32):	Comparison between patients with esophageal varices and small eso varices regarding Age and Gender distrations the studied patients	phageal ribution
Table (33):	Comparison between patients with esophageal varices and those large regarding types of presentation amostudied patients	varices ong the
Table (34):	Comparison between patients with Sn and Large OV regarding the etiology etiology among the studied patients	of the
Table (35):	Comparison between patients with Sn and Large OV regarding multiplicity etiology among the studied patients	of the
Table (36):	Comparison between patients with Sr and Large EV regarding the clinic among the studied patients	al data
Table (37):	Comparison between patients with esophageal varices and those with varices regarding the laboratory data the studied patients	n large among
Table (38):	Comparison between patients with esophageal varices and those with varices regarding the ascetic fluid among the studied patients	n large samples

Table No.	Title Page No.
Table (39):	Comparison between patients with large esophageal varices and those with small varices regarding the common predictive scores among the studied patients
Table (40):	Comparison between patients with small esophageal varices and those with large varices regarding the radiological data among the studied patients (US)
Table (41):	Comparison between patients with small esophageal varices and those with large varices regarding the radiological data among the studied patients (US with Doppler)
Table (42):	Descriptive data for patients with gastric varices (n: 15)
Table (43):	Comparison between patients with PHG and without PHG regarding Age and Gender distribution among the studied patients
Table (44):	Comparison between patients with PHG and without PHG regarding types of presentation among the studied patients
Table (45):	Comparison between patients with PHG and without PHG regarding the etiology of the etiology among the studied patients
Table (46):	Comparison between patients with PHG and without PHG regarding the multiplicity of the etiology among the studied patients
Table (47):	Comparison between patients with PHG and without PHG regarding the clinical data among the studied patients

Table No.	Title	Page No.
Table (48):	Comparison between patients with I without PHG regarding the laborat among the studied patients	tory data
Table (49):	Comparison between patients with I without PHG regarding the asce samples among the studied patients	etic fluid
Table (50):	Comparison between patients with I without PHG regarding the common predictive scores among the studied p	n fibrosis
Table (51):	Comparison between patients with I without PHG regarding the radiolog among the studied patients (US with I	gical data
Table (52):	Comparison between patients with I without PHG regarding the radiolog among the studied patients (US)	gical data
Table (53):	Comparison between patients with I without PHG regarding the pattern of veins occlusion among the studied (US with Doppler)	of hepatic patients
Table (54):	The etiology of BCS in different compared to the current study	
Table (55):	Clinical manifestations of BCS in studies compared to the current study	

List of Figures

Fig. No.	Title	Page No.
Figure (1):	Segmental anatomy of the liver	7
Figure (2):	Vascular anatomy of the liver	11
Figure (3):	Portal circulation	11
Figure (4):	Diagram of the distribution of the for portal veins to the segments of the li the hepatic venous drainage to the vena cava	ver and inferior
Figure (5):	Zones of the liver parenchyma	15
Figure (6):	Thrombus in the middle hepatic vein	39
Figure (7):	Chronic thrombosis of right hepatic v	ein 40
Figure (8):	Web in inferior vena cava. Sagittal sono upper abdomen demonstrates Echoge constricting inferior vena cava (I subdiaphragmatic level	nic web VC) at
Figure (9):	Intrahepatic collateral veins suggested. Budd-Chiari syndrome	
Figure (10):	Hypertrophy of caudate lobe	43
Figure (11):	Inhomogeneous enhancement of liver	45
Figure (12):	Parenchymal changes in Budo syndrome	
Figure (13):	MRI showing intrahepatic collaterals	(MRI)46
Figure (14):	Venogram showing TIPS insertion in patient	
Figure (15):	TIPS insertion after IVC stent place a BCS patient	

List of Figures (Cont...)

Fig. No.	Title Page 1	No.
Figure (16):	Grade II esophageal varices in cirrhotic patient with associated gastric varices and HCC	
Figure (17):	Esophageal varices	91
Figure (18):	A large gastric varix (IGV1) with a recent nipple sign	
Figure (19):	Portal hypertensive gastropathy with the typical "snake skin" pattern in a patient with liver cirrhosis	
Figure (20):	Endoscopic view through the transparent cap mounted at the tip of the endoscope at a ligated varix in the lower esophagus	
Figure (21):	Oesophageal varices after Band ligation	105
Figure (22):	Study group selection.	132
Figure (23):	Classification of the studied 216 patients according to the results of upper GIT endoscopy	
Figure (24):	Gender distribution among the studied patients.	
Figure (25):	Classification of patients according to the onset of the disease.	
Figure (26):	Frequency of inherited procoagulative disorders among studied patients.	
Figure (27):	Frequency of different acquired procoagulative disorders.	
Figure (28):	Status of etiologies of BCS (combined, single, idiopathic) in the studied cases.	

List of Figures (Cont...)

Fig. No.	Title	Page No.
Figure (29):	Frequency of different symptoms in patients.	
Figure (30):	Frequency of different signs in patients.	
Figure (31):	Results of total protein in ascit (n=193).	
Figure (32):	Results of total protein in serum albumin gradient (SAAG) (n=193)	
Figure (33):	Classification of patient according to siz	e of OV148
Figure (34):	Classification of patient according to Varices	
Figure (35):	Classification of patient according to PH	IG149
Figure (36):	Comparison between patients esophageal varices and those without regarding Gender distribution amostudied patients.	varices ong the
Figure (37):	Comparison between patients esophageal varices and those without regarding the clinical data among the patients.	varices studied
Figure (38):	Comparison between patients esophageal varices and those varices regarding PLT.	without
Figure (39):	Comparison between patients esophageal varices and those varices regarding SAAG ratio.	without

List of Figures (Cont...)

Fig. No.	Title	Page No.
Figure (40):	Comparison between patient esophageal varices and those varices regarding LOK score	without
Figure (41):	Roc curve in predicting positive OV	162
Figure (42):	Comparison between patients with evarices and those without varices regradiological data among the studies (US with Doppler)	arding the d patients
Figure (43):	Comparison between patients with evarices and those without varices regradiological data among the studies (US)	arding the d patients
Figure (44):	Comparison between patients with evarices and those without varices regardiological data among the studied regarding ascites	arding the d patients
Figure (45):	Comparison between patients with and Large EV regarding the clin among the studied patients	nical data
Figure (46):	Comparison between patients we esophageal varices and those with lar regarding the radiological data as studied patients (US)	rge varices mong the
Figure (47):	Comparison between patients we esophageal varices and those with lar regarding the radiological data as studied patients regarding ascities	rge varices mong the
Figure (48):	Comparison between patients we esophageal varices and those with lar regarding the radiological data a studied patients (US with Doppler)	rge varices mong the

List of Abbreviations

Abb.	Full term
AASLD	American Association for the Study of Liver Diseases
<i>Alb</i>	Albumin
<i>APCR</i>	Activated Protein C Resistant Assay
<i>APLAS</i>	Anti Phosphto Lipid Antibody Sydrom
<i>APS</i>	Antiphospholipid Antibody Syndrome
<i>ATIII</i>	<u>Antithrombin III</u>
<i>AUC</i>	Area under Curve
<i>BD</i>	Behcet Disease
<i>BUN</i>	Blood Urea Nitrogen
<i>CACLD</i>	Compensated Advanced Chornic Liver Disease
CEL	Chronic Eosinophilic Leukemia
CID	Chronic Liver Disease
<i>Cm</i>	Centimeter
<i>CML</i>	Chronic Myelogenous Leukemia
CNL	Chronic Neutrophilic Leukemia
<i>CSPH</i>	Clinically Significant Portal Hypertension
<i>CT</i>	Computed Tomography
<i>DA</i>	Diagnostic Accuraly
<i>DIPS</i>	Direct Intrahepatic Portocaval Shunt
DVT	Deep Venous Thrombosis
<i>EGD</i>	Esophago-Gastro-Duodenoscopy
ELISA	Enzyme Linked Immunesorbent Essay
<i>ET</i>	Essential Thrombocythaemia
<i>EV</i>	Esophageal Varices
FAB	French American British

List of Abbreviations (Cont...)

Abb.	Full term
FHVP	Free Hepatic Venous Pressure
FVLM	Factor V Leiden Mutation
<i>GERD</i>	Gastro-Esophageal Reflux Disease
<i>GEV</i>	Gastroesophageal Varices
<i>GIT</i>	Gastro-intestinal tract
<i>GPI</i>	Gylcated Phosphatidylinositol
GV	Gastric Varices
HBs AG	Hepatitis B Surface Antigen
HCC	Hepatocellular Carcinoma
HCV	Hepatitic C virus
HES	Hypereosinophilic Syndrome
HRT	Hormonal Replacement Therapy
HV	Hepatic Veins
HVPG	Hepatic Venous Pressure Gradient
<i>IGV</i>	Isolated Gastric Varices
<i>INR</i>	International Normalized Ratio
IU	International Unit
<i>IVC</i>	Inferior Vena Cava
JAK2	Janus Kinase 2
<i>LAC</i>	Lupus Anticoagulant
<i>LHV</i>	Left Hepatic Vein
LL	Lower Limb
<i>MCTE</i>	$Multidetector\ CT\ Esophagography$
<i>MF</i>	Myelo Fibrosis
<i>MHV</i>	Middle Hepatic Vein
<i>mm</i>	melimeter

List of Abbreviations (Cont...)

Abb.	Full term
MPD	Myeloproliferative Disorders
	Magentic Resorance
	Magnetic Resonance Imaging
	Magnetic Resorance Venography
	Methyl Tetra Hydrofolate Reduction Deficeincy
Na	
	Non-Alcoholic Steatohepatitis
<i>NPV</i>	Negative Predictive Value
<i>OV</i>	Oesophageal Varices
<i>PBC</i>	Primary Biliary Cirrhosis
PC	Protein C
<i>PCR</i>	Polymerized Chain Reaction
PGM	Prothrombin Gene Mutation
<i>PHG</i>	Portal Hypertensive Gastropathy
PICA	Phosphatidylinositol Glycan Class A Gene
PIIINP	Amino terminal propeptide of type III procoolagen
Plt	Paltelet
<i>PM</i>	Prothrombin G20210A Mutation
PNH	Paroxysmal Nocturnal Haemoglobinuria
	Portal Pessure Gradient
<i>PPV</i>	Positive Predictive Value
<i>PRV</i>	Poly Thylemia Rubra Vera
<i>PS</i>	
PT	Prothrombin Time
PV	Polycythemia Vera