

REFERENCES

Aaronson OS, Tulipan NB, Cywes R, et al. (2002): Robot-assisted endoscopic intrauterine myelomeningocele repair: a feasibility study. *Pediatric Neurosurgery*, 36: 85-89.

Adams R and Vachha B (2009): Implications of family environment and language development: comparing typically developing children to those with spina bifida. *Child Care Health Dev.*; 35(5):709-16.

Adzick NS, Sutton LN, Crombleholme TM, et al. 1998. Successful fetal surgery for spina bifida. *Lancet* 352: 1675–1676.

Adzick NS, Harrison MR, Glick PL, et al. (2001): Fetal cystic adenomatoid malformation: prenatal diagnosis and natural history. *J Pediatr Surg* ; 20:483–488.

Adzick NS, Thom EA, Spong CY, et al. (2011): A randomized trial of prenatal versus postnatal repair of myelomeningocele. *The New England Journal of Medicine*, 364, 993-1004. Agency for Healthcare Research and Quality. April 2011.

- Albanese CT, Harrison MR, Pack B, et al. (2000):** Surgical therapy for fetal anomalies. In: Callen PW (ed). *Ultrasonography in Obstetrics and Gynecology*. 4th ed. Philadelphia, PA: WB Saunders Co; 763–780.
- Ausili E, Focarelli B, Tabacco F, et al. (2008):** Bone mineral density and body composition in a myelomeningocele children population: effects of walking ability and sport activity. *Eur Rev Med Pharmacol Sci.* ;12(6):349-54.
- Barf HA, Verhoef M, Jennekens-Schinkel A. (2003):** Cognitive status of young adults with spina bifida. *Dev Med Child Neurol.* ;45(12):813-20.
- Bianchid W, Crombleholme TM, D’Alton ME. Fetology (2000):** Diagnosis and Management of the Fetal Patient. New York, NY: McGraw-Hill; 2000.
- Bier JA, Prince A, Tremont M, et al. (2005):** Medical, functional, and social determinants of health-related quality of life in individuals with myelomeningocele. *Dev Med Child Neurol.* ;47(9):609-12.
- Bouchard S, Davey MG, Rintoul N, et al. 2003.** Correction of hindbrain herniation and anatomy of the vermis after in utero repair of myelomeningocele in sheep. *J Pediatr Surg* 38: 451–458.
- Bruner JP, Tulipan NB, Richards WO. 1997.** Endoscopic coverage of fetal open MMC in utero. *Am J Obstet Gynecol* 176: 256–257.
- Bruner JP, Tulipan NB, Paschall RL, et al. 1999.** Intrauterine repair of myelomeningocele, ‘hindbrain restoration’ and the incidence of shunt-dependent hydrocephalus. *J Am Med Assoc* 282: 1819–1825.
- Bruner JP, Tulipan N (2000):** Fetal surgery for spina bifida. Comment in: *Lancet.* ; 353(9150):406-407.

- Bruner JP, Tulipan N. (2005):** Intrauterine repair of spina bifida. *Clin Obstet Gynecol.* ;48(4):942-55.
- Clark TJ, Martin WL, Divakaran TG. (2003):** Prenatal bladder drainage in the management of fetal lower urinary tract obstruction : a systematic review and meta analysis. *Obstet. Gynecol.* ; (2): 367-382.
- Cloutier MM, Schaeffer DA, Hight D. (2001):** Congenital cystic adenomatoid malformation. *Chest*; 103:761–764.
- Coakley F.V. (2001):** Role of magnetic resonance imaging in fetal surgery. *Topics in Magnetic Resonance Imaging*, 12: 39-51.
- Crombleholme TM, Harrison MR, Langer JC, et al.** Early experience with open fetal surgery for congenital hydronephibrosis. *J Pediatr Surg* 1988; 23: 1114–1121.
- Danzer E, Sydorak RM, Harrison MR, et al. (2003):** Minimal access fetal surgery. *European Journal of Obstetrics Gynecology and Reproductive Biology*, 108: 3-13.
- Danzer E, Johnson MP, Bebbington MW, et al. 2007.** Fetal head biometry assessed by fetal magnetic resonance imaging following in utero myelomeningocele repair. *Fetal Diagn Ther* 22: 1–6.
- Danzer E, Radu A, Robinson LE, et al. 2008.** Morphologic analysis of the neuromuscular development of the anorectal unit in fetal rats

with retinoic acid induced myelomeningocele. *Neurosci Lett* 430: 157–162.

Danzer E, Adzick NS, Rintoul NE, et al. Intraductal inclusion cysts following in utero closure of myelomeningocele: clinical implications and followup findings. *J Neurosurg Pediatr* 2008;6:406–13.

Danzer E, Gerdes M, Zarnow DM, et al. Preschool neurodevelopmental outcome of children following fetal myelomeningocele closure. *Am J Obstet Gynecol* 2008;199:S15

Danzer E, Gerdes M, Bebbington MW, et al. Lower extremity neuromotor function and short-term ambulatory potential following in utero myelomeningocele surgery. *Fetal Diagn Ther.* 2009 Jan 28;25(1):47-53.

Danzer E, Gerdes M, Bebbington MW et al. 2010. Preschool neurodevelopmental outcome of children following fetal myelomeningocele closure. *Am J Obstet Gynecol* 202: 450.e1–450.e9.

Danzer E, Zhang L, Radu A, et al. 2011. Amniotic fluid levels of glial fibrillary acidic protein in fetal rats with retinoic acid induced myelomeningocele: a potential marker for spinal cord injury. *Am J Obstet Gynecol* 204: 178.e1–178.e11.

- Danzer, E. & Adzick, N.S. (2011).** Fetal surgery for myelomeningocele: patient selection, perioperative management and outcomes. *Fetal Diagnosis and Therapy*, 30(3) 163-173.
- Detrait ER, George TM, Etchevers HC. (2005):** Human neural tube defects: developmental biology, epidemiology, and genetics. *Neurotoxicol Teratol.*; 27(3):515-24.
- Dias MS. (2005):** Neurosurgical causes of scoliosis in patients with myelomeningocele: an evidence-based literature review. *J Neurosurg.*; 103(1 Suppl):24-35.
- Fichter MA, Dornseifer U, Henke J, et al. (2008):** Fetal spina bifida repair: current trends and prospects of intrauterine neurosurgery. *Fetal Diagn Ther*; 23: 271–86.
- Fletcher JM, Copeland K, Frederick JA, et al. (2005):** Spinal lesion level in spina bifida: a source of neural and cognitive heterogeneity. *J Neurosurg.*; 102(3):268-79..
- Geary MP, Chitty LS, Morrison JJ, et al. (2000):** Perinatal outcome and prognostic factors in prenatally diagnosed congenital diaphragmatic hernia. *Ultrasound Obstet Gynecol* ; 12:107–111.
- Gupta N, Spinner SS, Miesnik SR, et al. (2012):** Maternal fetal and neonatal care in open fetal surgery for myelomeningocele. *J Neurosurg: Pediatrics* 41(3):447-54.
- Hamdan AH, Walsh W, Bruner JP et al. (2004):** Intrauterine myelomeningocele repair: effect on short-term complications of prematurity. *Fetal Diagn. Ther.* 19: 83- 86.

- Harrison MR, Adzick NS, Bullard KM, et al. (2004):** Correction of congenital diaphragmatic hernia in utero, VII: a prospective trial. *J Pediatr Surg.*; 32:1637–1642.
- Harrison MR, Golbus MS, Filly RA. (2000):** Fetal surgery for congenital hydronephrosis. *N Engl J Med*; 306:591–593.
- Hecher K, Lewil L, Gratacos E, et al. (2006):** Twins reversed arterial perfusion : fetoscopic laser coagulation of placenta anastomoses or the umbilical cord ultrasound *Obstet. Gynecol.* ; 28 (5): 688-91.
- Hetherington R, Dennis M, Barnes M. (2006):** Functional outcome in young adults with spina bifida and hydrocephalus. *Childs Nerv Syst.* ;22(2):117-24.
- Jobe AH. (2002):** Fetal surgery for myelomeningocele. *N Engl J Med* ; 347 : 230–1.
- Johnson MP, Sutton LN, Rintoul N. (2003):** Fetal myelomeningocele repair: short-term clinical outcomes. *Am J Obstet Gynecol.* 2003; 189(2):482-7.
- Kinsman SL, Johnston MV. (2007):** Congenital anomalies of the central nervous system. In: Kliegman RM, Behrman RE, Jenson HB, Stanton BF, eds. *Nelson Textbook of Pediatrics*. 18th ed. Philadelphia, Pa: Saunders Elsevier; 2007.
- Lemire RJ, Shurtleff DB. (2001):** Epidemiology, etiologic factors in prenatal diagnosis of open spinal dysraphism. *Neurosurg Clin North Am*; 6:183–193.
- Lewis D, Tolosa JE, Kaufmann M. (2004):** Elective cesarean delivery and long-term motor function or ambulation status in infants with meningocele. *Obstet Gynecol.*; 103(3):469-73.

- Lindquist B, Uvebrant P, Rehn E ,et al. (2009):** Cognitive functions in children with myelomeningocele without hydrocephalus. *Childs Nerv Syst.*; 4:181–189.
- McLone DG (1998):** Care of the neonate with a myelomeningocele. *Neurosurg Clin North Am* 9:111.
- Meeks JJ, Hagerty JA, Chaviano AH, (2009):** Bulbar urethral ligation for managing persistent urinary incontinence in young men with myelomeningocele. *BJU Int.*; 4:162–166.
- Meuli M, Meuli-Simmen C, Yingling CD, et al. 1995.** Creation of myelomeningocele in utero: a model of functional damage from spinal cord exposure in fetal sheep. *J Pediatr Surg* 30: 1028–1032.
- Meuli M, Meuli-Simmen C, Yingling CD, et al. 1996.** In utero repair of experimental myelomeningocele saves neurologic function at birth. *J Pediatr Surg* 31: 397–402.
- Michejda M. 1984.** Intrauterine treatment of spina bifida: primate model. *Z Kinderchir* 39: 259–261.
- Misra D, Pritchard J, Drake DP, et al. (2002):** Markedly improved survival in malignant sacrococcygeal teratomas: 16 years experience. *Eur J Pediatr Surg.*; 7:152–155.
- Oppenheim S.M, Muench M.O, Gutierrez-Adan A, et al. (2001):** Hematopoietic stem cell transplantation in utero produces sheep-goat chimeras. *Blood Cells Mol Dis* 27: 296-308.
- Paek, Bettina W., et al. (2000):** "Advances in Fetal Surgery." *Female Patient* 25, no. 6:15–18.

- Park, H.W. (2001):** Embryological background for fetal surgery. *Yonsei Med J*, 42 (6): 609-614.
- Pilu R, Jeanty P, Ghidini A, et al. (1999):** Prenatal Diagnosis of Congenital Anomalies. Norwalk, CT: Appleton & Lange; 1999.
- Rintoul NE, Sutton LN, Hubbard AM, et al. 2002.** A new look at myelomeningoceles: functional level, vertebral level, shuntin and the implication for fetal intervention. *Pediatrics* 109: 409–413.
- Sepulveda W, Corral E, Ayala C et al. (2004):** Chromosomal abnormalities in fetuses with open neural tube defects: prenatal identification with ultrasound. *Ultrasound Obstet Gynecol* ; 23: 352-356
- Shaer CM, Chescheir N, Schulkin J. (2007):** Myelomeningocele: a review of the epidemiology. Genetics, risk factors for conception, prenatal diagnosis, and prognosis for affected individuals. *Obstet Gynecol Surv* ; 62 : 471 –9.
- Shaer CM, Chescheir, N, Erickson K, et al. (2006):** Obstetrician-Gynecologists' Practice and Knowledge Regarding Spina Bifida. *Am J Perinat*; 23(6): 355-36.
- Sutton LN, Adzick NS, Bilaniuk LT, et al. 1999.** Improvement in hindbrain herniation demonstrated by serial fetal magnetic resonance imaging following fetal surgery for myelomeningocele. *J Am Med Assoc* 282: 1826–1831.

- Sutton LN, Adzick NS. (2004):** Fetal Surgery for myelomeningocele. Clin. Neurosurg. 51: 155-162.
- Sutton LN (2008):** "Fetal surgery for neural tube defects". Best Pract Res Clin Obstet Gynaecol 22 (1): 175–88.
- Tulipan N, Sutton LN, Bruner JP, et al. (2003):** The effect of intrauterine myelomeningocele repair on the incidence of shunt-dependent hydrocephalus. *Pediatr Neurosurg.* ; 38:27-33.
- Tuladhar R, Patole SK, Whitehall JS.** Sacrococcygeal teratoma in the perinatal period. *Postgrad Med J* 2000;76:754–9.
- Deprest JA, Jani J, Ochsenbein-Kolble N, et al.** Fetoscopic surgery: Encouraged by clinical experience and boosted by instrument innovation. *Semin Fetal Neonatal Med* 2006;11(6):398-412.
- Sydorak RM, Hedrick MH, Longaker MT,et al. (2003):** Pathophysiologic patterns influencing fetal surgery. *World Journal of Surgery*, 27: 45-53.
- Sydorak R.M., Albanese C.T. (2003):** Minimal access techniques for fetal surgery. *World Journal of Surgery*, 27: 95-102.
- Thompson DN. (2009):** Postnatal management and outcome for neural tube defects including spina bifida and encephalocoeles. *Prenat Diagn.* Feb. (4) 2009.

Tulipan N, Schulman M, Bruner JP. Reduced hindbrain herniation after intrauterine myelomeningocele repair: A report of four cases. *Pediatr Neurosurg* 1998;29:274e8.

Verhoef M, Barf HA, Post MW. (2006): Functional independence among young adults with spina bifida, in relation to hydrocephalus and level of lesion. *Dev Med Child Neurol.*; 48(2):114-9.

Volcik KA, Blanton SH, Kruzel MC et al. (2002) Testing for genetic associations in a spina bifida population: Analysis of the HOX gene family and human candidate gene regions implicated by mouse models of neural tube defects. *Am J Med Genet* **110**: 203–207.

Walsh WF, Chescheir NC, Gillam-Krakauer M, et al. Maternal-fetal surgical procedures. Technical Brief No. 5. (Prepared by the Vanderbilt Evidence-based Practice Center under Contract No. 290-2007-10065.) AHRQ Publication No. 10(11)-EHC059-EF. Rockville, MD: Agency for Healthcare Research and Quality. April 2011.

Wenstrom KD, Weiner CP, Hanson JW. (1999): A five-year statewide experience with congenital diaphragmatic hernia. *Am J Obstet Gynecol*; 165:838–842.

Sebold CD, Melvin EC, Siegel D et al. (2005) NTD Collaborative Group Recurrence risks for neural tube defects in siblings of patients with lipomyelomeningocele. *Genet Med* **7**: 64–67.

- Klootwijk R, Schijvenaars MM, Mariman EC, et al. (2004)** Further characterization of the genetic defect of the Bent tail mouse, a mouse model for human neural tube defects. *Birth Defects Res Part A Clin Mol Teratol* **70**: 880–884.
- Pinar H (2004)** Postmortem findings in term neonates. *Semin Neonatol* **9**: 289–302.
- Ray JG, Vermeulen MJ, Meier C, et al. (2004)** Risk of congenital anomalies detected during antenatal serum screening in women with pregestational diabetes. *QJM* **97**: 651–653.
- Blanco Munoz J, Lacasana M, Borja Aburto VH, et al. (2005)** Socioeconomic factors and the risk of anencephaly in a Mexican population: A case-control study. *Public Health Rep* **120**: 39–45.
- Dietl J (2005)** Maternal obesity and complications during pregnancy. *J Perinat Med* **33**: 100–105.
- Heffez DS, Aryanpur J, Rotellini NA, et al:** Intrauterine repair of experimental surgically created dysraphism. *Neurosurgery* **32**:1005–1010, 1993
- Copp AJ, Greene ND, Murdoch JN:** The genetic basis of mammalian neurulation. *Nat Rev Genet* **4**:784–793, 2003
- Rintoul NE, Sutton LN, Hubbard AM, et al:** A new look at myelomeningoceles: functional level, vertebral level, shunting, and the implications for fetal intervention. *Pediatrics* **109**:409–413, 2002

Mitchell LE, Adzick NS, Melchionne J, et al: Spina bifida. **Lancet** 364:1885–1895, 2004.

Hutchins GM, Meuli M, Meuli-Simmen C, et al. Acquired spinal cord injury in human fetuses with myelomeningocele. *Pediatr Pathol Lab Med* 1996;16:701–12.

Boulet SL, Yang Q, Mai C, et al. 2008. Trends in the postfortification prevalence of spina bifida and anencephaly in the United States. *Birth Defects Res A Clin Mol Teratol* 82: 527–532.

Maher CO, Goumnerova L, Madsen JR, et al. 2007. Outcome following multiple repeated spinal cord untethering operations. *J Neurosurg* 106: 434–438.

Waitzman NJ, Romano PS, Scheffler RM. 1994. Estimates of the economic cost of birth defects. *Inquiry* 31: 188–205.

McLone DG, Dias MS. 2003. The Chiari II malformation: cause and impact. *Childs Nerv Syst* 19: 540–550.

Acknowledgement

*First of all and above all great thanks to **ALLAH**.*

*It is a great honor to me to express my deepest gratitude, extreme thankfulness and deep appreciation to **Prof. Dr. Sameh Abd EL Hay** Professor of General Surgery, Faculty of Medicine, Ain Shams University for his generous help, continuous guidance and supervision, kind encouragement and valuable advice throughout the work.*

*I would like to express my deepest gratitude and thanks to **Dr. Amr Abd El Hamid**, Lecturer of General Surgery, Faculty of Medicine, Ain Shams University for his close observation, generous guidance, effective help, valuable supervision. He offered me his support and patience, enriching me with his vast experience and continuous advices which helped me to overcome any difficulty.*

*I wish to express my full thanks to **Dr. Khaled El Asmar**, Lecturer of General Surgery, Faculty of Medicine, Ain Shams University for his continuous interest, generous guidance, and for his kind help, that I will remain always remembering.*

Value of Intrauterine Fetal Meningomyelocele Repair

Essay

*Submitted To Partial Fulfillment of Master Degree
In General Surgery*

By

Mamdooh Mohammed Hamed

(M.B., B.Ch)

Supervised by

Prof. Dr. Sameh Abd-Elhay Abd-Elhamid

Professor of General surgery

Faculty of medicine - Ain Shams University

Dr. Amr Abd El- Hamid Zaki

Lecture of General surgery

Faculty of medicine –Ain shams university

Dr. Khaled Mohamed El-Asmar

Lecture of General surgery

Faculty of medicine –Ain shams university

Faculty of medicine

Ain Shams University

2013

LIST OF CONTENTS

Title	Page No.
<i>Introduction.....</i>	<i>1</i>
<i>Aim of the Work</i>	<i>4</i>
<i>Review of Literature</i>	<i>5</i>
<i>Chapter (1) Meningeomylocele</i>	<i>5</i>
<i>Chapter (2) Fetal Surgery</i>	<i>28</i>
<i>Chapter (3) Intrauterine Fetal Meningeomylocele Surgery .</i>	<i>40</i>
<i>Summary</i>	<i>63</i>
<i>References.....</i>	<i>65</i>
<i>Arabic Summary.....</i>	