

ASSESSMENT OF MOTHERS' ROLE IN CARE OF OPHTHALMOLOGICAL PROBLEMS IN THEIR CHILDREN

Thesis

Submitted for the partial fulfillment of
Master's Degree in Pediatric Nursing

Presented by

Enaam El-Metwally Mohammed Mohammed

B.Sc. Nursing

Zagazig University, 2006

A Nursing Specialist at El-Simblawein General Hospital

**Faculty of Nursing
Ain Shams University
2016**

ASSESSMENT OF MOTHERS' ROLE IN CARE OF OPHTHALMOLOGICAL PROBLEMS IN THEIR CHILDREN

Thesis

Submitted for the partial fulfillment of
Master's Degree in Pediatric Nursing

Under Supervision of

Prof. Dr. Eman Amin Mohammed

Professor of Pediatric Department
Faculty of Nursing – Ain Shams University

Assist. Prof. Dr. Zeinab Fathy El-Sayed

Assistant Professor of Pediatric Nursing
Faculty of Nursing – Ain Shams University

**Faculty of Nursing
Ain Shams University**

2016

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

قالوا

لَسْبَدَانِكَ لَا نَعْلَمُ لَنَا
إِلَّا مَا عَلَّمْتَنَا إِنَّكَ أَنْتَ
الْعَلِيمُ الْعَظِيمُ

صدق الله العظيم

سورة البقرة الآية: ٣٢



Acknowledgments

*First and foremost, I feel always indebted to **Allah** the Most Beneficent and Merciful.*

*I wish to express my full thanks to **Dr. Eman Amin Mohammed**, Professor of Pediatric Nursing, Faculty of Nursing – Ain Shams University, for her continued encouragement, motivation and insightful comments. Also, my deep gratitude goes to **Dr. Zeinab Fathy El Sayed**, Assistant Professor of Pediatric Nursing, Faculty of Nursing – Ain Shams University, for her continuous interest, generous guidance, enthusiastic support and patience, enriching me with her vast experience and continuous advices which helped me to overcome any difficulty.*

I extend my thanks to the mothers and children participants of the study and everyone who helped me to achieve this study.

Candidate

 **Enaam El-Metwally**




List of Contents

<i>Subject</i>	<i>Page No.</i>
List of Abbreviations	i
Glossary	ii
List of Tables.....	v
List of Figures	x
Abstract	xii
Introduction and Aim of the Study.....	1
Review of Literature	8
Anatomy of the Eye	8
Physiology of the Eye.....	15
Epidemiology of Eye Diseases	19
Control of Eye Diseases among Children	67
Mother's Role in Caring of a Child with Ophthalmological Disorders	69
Nursing Care Plan for Children with Eye Diseases	86
Subjects and Methods	93
Results.....	99
Discussion	132
Conclusion and Recommendations.....	155
Summary	157
References	165
Appendices	I
Arabic Summary	—




List of Abbreviations


<i>Abbr.</i>	<i>Full-term</i>
AOA	: American Optometry Association
ECHO	: Enteric Cytopathic Human Orphan
ESB	: Eye Care-seeking Behavior
IT	: Intense Trachoma
JRA	: Juvenile Rheumatoid Arthritis
MRI	: Magnetic Resonance Imaging
NIC	: Nursing Interventions Classification
NOC	: Nursing Outcomes Classification
PFV	: Persistent Fetal Vasculature
ROP	: Retinopathy of Prematurity
UK	: United Kingdom
US	: United States
USD	: United States Dollar
VA	: Visual Acuity
VAD	: Vitamin A Deficiency
WHO	: World Health Organization


Glossary

Achromatopsia: A hereditary non-progressive visual disorder characterized by decreased vision, light sensitivity, and the absence of color vision. A person with complete achromatopsia would see only black, white and shades of grey. Additionally, the image would usually be very blurry in brighter light (in the brightest light, effectively invisible), but would be less blurry at very low lighting levels.	
Amblyogenic period: A period during early visual development when the visual neurosensory system is vulnerable to developing amblyopia from blurred retinal image formation, bilateral cortical suppression (as in strabismic amblyopia), or both.	
Angering ancestral spirits: From cultural aspect, some people think that congenital blindness never happens unless it is a result of anger of ancestral (dead people) spirits.	
Behcet disease: A rare disorder that causes blood vessel inflammation throughout the body	

Blepharitis:		
A common eyelid inflammation that sometimes is associated with a bacterial eye infection, symptoms of dry eyes or certain types of skin conditions such as acne rosacea.		
Blepharospasm:		
Involuntary tight closure of the eyelids.		
Bruckner test:		
Bruckner described a different appearance of the red pupil reflex when the eye is not properly fixing. The Enhanced Bruckner Test (EBT) involves viewing the child with a direct ophthalmoscope set on "plano" or zero diopters from a distance of about 2-3 feet.		
Chemosis:		
A sign of eye irritation. The outer surface of the eye (conjunctiva) may look like a big blister. It can also look like it has fluid in it. When severe, the tissue swells so much that you can't close eyes properly. Chemosis is often related to allergies or an eye infection.		
Crusty eyelids or eyelashes:		
Occur when discharge from the eye dries on the lids and lashes.		

Deflection: A turning aside or deviation from a straight line, or the departure of an indicator or pointer from the zero reading on the scale of an instrument.	 gravitational deflection angle $\Delta\delta$ of starlight by Sun (greatly exaggerated)
Dysgenesis: - Dysgenesis (embryology) indicates abnormal organ development during embryonic growth and development. - Anterior segment dysgenesis, a failure of the normal development of the tissues of the anterior segment of the eye. - Hybrid dysgenesis, relates to a high mutation rate in certain <i>Drosophila</i> strains caused by the transposition of P elements. - The study of dysgenics, a theory that deterioration of hereditary qualities can occur in offspring due to survival of or reproduction by less well-adapted individuals.	 FIGURE 3: A: Normal left eye compared to B: Right eye with congenital iris ectropion. Also note glossy smooth iris surface of right eye and normal crypts of left eye.
Epiphora: An overflow of tears onto the face. A clinical sign or condition that constitutes insufficient tear film drainage from the eyes in that tears will drain down the face rather than through the nasolacrimal system.	
Eye prism: Used by eye care professionals as a component of some eyeglass prescriptions.	Bob's RX OD: -2.00 OS: +3.00  OD OS -2.00 lens +3.00 lens 2 mm 2 mm

Esotropia: (From Greek eso meaning "inward" and trope meaning "a turning"), a form of strabismus, or "squint," in which one or both eyes turns inward. The condition can be constantly present, or occur intermittently, and can give the affected individual a "cross-eyed" appearance.	
Gritty eye: An uncomfortable feeling of having sand in the eye. It is listed as a type of or related-symptom for foreign body eye sensation.	
<i>Haemophilus aegyptius:</i> (Hae) is a causative agent of acute and often purulent conjunctivitis, more commonly known as pink eye. It was discovered independently by Koch and Weeks in the 1880s.	
Hyperopia: also known as farsightedness A common type of refractive error where distant objects may be seen more clearly than objects that are near. However, people experience hyperopia differently. Some people may not notice any problems with their vision, especially when they are young.	
Keratitis: The inflammation of the cornea of the eye.	

Keratopathy: A corneal disease derived from the appearance of calcium on the central cornea. This is an example of metastatic calcification, which by definition, occurs in the presence of hypercalcemia.	
Misaligned eye (Strabismus): A condition in which the eyes do not point in the same direction.	
Night blindness (Nyctalopia): The inability to see well at night or in poor light. It is not a disease, but rather a symptom of an underlying disorder or problem, especially untreated nearsightedness.	
Opacity: The measure of impenetrability to electromagnetic or other kinds of radiation, especially visible light. In radiative transfer, it describes the absorption and scattering of radiation in a medium, such as a plasma, dielectric, shielding material, glass, etc.	
Papillae: A small rounded protuberance on a part or organ of the body.	

Particles of floating:	
Eye floaters are caused by age-related changes that occur as the jelly-like substance (vitreous) inside the eyes becomes more liquid. Microscopic fibers within the vitreous tend to clump and can cast tiny shadows on retina, which appears as floaters.	
Philophobia:	
The fear of falling in love or emotional attachment. The risk is usually when a person has confronted any emotional turmoil relating to love in the past but also can be chronic phobia.	
Photophobia:	
Extreme sensitivity to light.	
Presbyopia:	
Long-sightedness caused by loss of elasticity of the lens of the eye, occurring typically in middle and old age.	
Refraction:	
The deflection from a straight path undergone by a light ray or a wave of energy in passing obliquely from one medium (as air) into another (as water or glass) in which its velocity is different.	
Rhinorrhea:	
A condition where the nasal cavity is filled with a significant amount of mucus fluid. The condition, commonly known as a runny nose, occurs relatively frequently.	
Retinoblastoma:	
A rare malignant tumour of the retina, affecting young children.	

Safety hazards:	
Are unsafe working conditions that that can cause injury, illness and death.	
Sarcoidosis (Sarcoid):	
A disease involving abnormal collections of inflammatory cells (granulomas) that can form as nodules in multiple organs of body.	
Tay–Sachs disease:	
A rare autosomal recessive genetic disorder. In its most common variant (known as infantile Tay–Sachs disease), it causes a progressive deterioration of nerve cells and of mental and physical abilities that begins around 7 months of age and usually results in death by the age of four.	
Trapping bacteria (microbes):	
Harmful microbes that can enter the body by air of breathing.	
Usher's syndrome:	
A genetic disease that is characterized by congenital deafness or progressive hearing loss during childhood and by retinitis pigmentosa and that is inherited chiefly as an autosomal recessive trait.	
Veil-like curtain:	
A symptom of retinal detachment characterized by obstruction of decrease in vision as somebody seeing behind curtains.	

(Data extracted from Wikipedia.com, 2016)

List of Tables (In Review)

<i>Table No.</i>	<i>Title</i>	<i>Page No.</i>
Table (1):	Important eye disorders in childhood.....	22
Table (2):	Types of conjunctivitis.....	35
Table (3):	Antimicrobial agents for bacterial conjunctivitis	37
Table (4):	Visual disorders.....	60
Table (5):	Ten key activities for nurses to promote healthy eyes in children.....	62
Table (6):	General nursing care plan by determining interventions and rationale of it	87
Table (7):	Nursing care plan	80

List of Tables (In Results)

<i>Table No.</i>	<i>Title</i>	<i>Page No.</i>
Table (1):	Number and percentage distribution of studied children according to their sociodemographic characteristics.....	99
Table (2):	Number and percentage distribution of studied mothers according to their sociodemographic characteristics.....	101
Table (3):	Number and percentage distribution of studied families according to their sociodemographic characteristics.....	102
Table (4):	Number and percentage distribution of studied mother according to their previous history.	103
Table (5):	Number and percentage distribution of studied children according to their present history.	104
Table (6):	Number and percentage distribution of studied children according to their symptoms.....	105
Table (7):	Number and percentage distribution of studied mothers according to their knowledge about ophthalmological diseases.	106
Table (8):	Number and percentage distribution of studied mothers according to their knowledge about Myopia and Hyperopia.....	107
Table (9):	Number and percentage distribution of studied mothers according to their knowledge about Astigmatism and Cataract.	108