



*Ain Shams University
Faculty of Education
Physics Department*

“Multi-particle Production at High Energy Collisions”

Thesis

*Submitted for the Degree of Doctorate of Teacher's
Preparation in Science (Physics).*

By

Ehab Gamal Abbas Mitwaly AbdelHady
*B.Sc. and Education, Gen. Diploma (Physics), Spec.
Diploma (Physics) and M.Sc. (Physics).*

Supervised By

Prof. Dr. Mahmoud Yasin El Bakry
Prof. of Theoretical Physics
Faculty of Education
Ain Shams University

**Dr. Mohamed Tantawy
Mohamed**
Lect. of Theoretical Physics
Faculty of Education
Ain Shams University

**Dr. Doaa Mahmoud
Habashy**
Lect. of Theoretical Physics
Faculty of Education
Ain Shams University

To

***Physics Department - Faculty of Education
Ain Shams University***

2017

Approval

Title: “***Multi-particle Production at High Energy Collisions***”

Candidate: **Ehab Gamal Abbas Mitwaly AbdelHady**

Degree of Doctorate of Teacher's Preparation in Science
(Physics)

Board of Advisors

Approved by Signature

1. Prof. Dr. / M. Y. El-Bakry

Physics Department, Faculty of Education, Ain Shams University.

Approved

2. Dr. / M.T. Mohamed

Physics Department, Faculty of Education, Ain Shams University.

3. Dr. / D. M. Habashy

Physics Department, Faculty of Sciences, Ain Shams University.

Date of presentation: / / 2016

Post graduate studies :

Stamp:

Date of approval: / / 2017

Approval of Faculty Council: / / 2017

Approval of University Council: / / 2017

ACKNOWLEDGEMENT

*Before all and above all, many thanks to
Allah, the lord of all being.*

The author wishes to express his sincere gratitude to **Prof. Dr./ M. Y. El Bakry**, Head of Physics Department, Faculty of Education, Ain Shams University.

The author indebted with his utmost thanks to **Prof. Dr./ M. Y. El Bakry, Head of Theoretical High Energy Physics Group** for continuous supervision, valuable suggestions, encouragement and fruitful advice through this work.

Deepest gratitude to **Dr. / M. T. Mohamed** for his advice, valuable help and encouragement during this study and successful advice throughout this work.

The author wishes to thank **Dr. / D. M. Habashy** for his valuable help, support and productive guidance during this work.

The author wishes to thank **Dr. / Moaaz Moussa** for his valuable discussion, comments and encouragement during this work.

Finally, the assistance of the staff members and colleagues of theoretical high energy physics group (**Mrs. Reham Abdel-Rohman, Ms. Enas Farouk, and Ms. Shaimaa Farouk**) are highly appreciated.

CONTENTS

Contents

List of Figures.....	i
List of Tables.....	viii
Abbreviations.....	ix
Abstract.....	x
Summary.....	xi
Introduction.....	xiii

Chapter 1: Basic Features of High Energy Collisions

1-1-Introduction.	1
1-2-Strong Interaction.	2
1-3-Standard Model.	3
1-4- High Energy Physics Experiments.	6
1-5-Quark Gluon Plasma (QGP).	9
1-5-1-The Main Features of Quantum Chromodynamics (QCD).	9
1-5-1-New State of Matter.	11
1-6-Hadrons	12
1-7-QCD Phase Transitions.	13
1-7-1-Types of Phase Transitions.	15
1-7-2-QCD Phase Diagram.	17
1-8- System Evolution.	19
1-9- Experimental data for QGP Signals.	23
1-9-1-Strangeness Enhancement.	24
1-9-2- Direct Photons.	27
1-9-3- j/ψ Suppression.	28
1-9-4- Jet Quenching.	30
1-10- Kinematic Variables.	32

Chapter 2: Review of Theoretical Models.

2-1-Introduction.	35
-------------------	----

2-2- Massachusetts Institute of Technology (MIT) Model.	35
2-3-String Model.	38
2-4- Parton Cascade Model.	39
2-5-Color Glass Condensate Model.	40
2-6-Simulation Models for Event Generators.	41
2-6-1-PYTHIA.	41
2-6-2-HIJING.	42
2-6-3-UrQMD.	42
2-7- Lattice QCD.	44
2-8- Hydrodynamic Model.	46
2-9-Statistical Models.	50
2-9-1- History.	50
2-9-2-Thermodynamics of QGP.	54

Chapter 3: Hadron Resonance Gas (HRG) Model

3-1- Introduction.	58
3-2- Hadronization.	59
3-3- Basics of HRG model.	61
3-3-1- Phase Space Dominance.	61
3-3-2- The Interaction Between Particles.	63
3-3-2-i-Repulsive Force.	63
3-3-2-ii-Attractive Force.	63
3-3-3-Conservation laws.	65
3-4- Main Framework.	66
3-4-1-Thermodynamics of Multi-Particle System.	67
3-4-2 Chemical Potentials.	69
3-4-3-Resonance Decay.	71
3-4-3-i-Strong Decay.	71
3-4-3-ii-Weak Decay.	74
3-5- Details of HRG Model.	75
3-5-1-Degree of non-Chemical equilibrium.	76
3-5-2-Hadrons Excluded Volume Correction.	78

3-5-3-System Size of Fireball.	80
3-5-4- Hadron mass spectra and Hagedorn states	83
3-5-5-Particle Decay Width.	85
3-6-Model Versions (SHARE,THERMUS and THERMINATOR).	86
3-6-1-Our Version.	88

Chapter 4: HRG Calculations of Particle Ratios for Au-Au Collisions

4-1-Introduction.	89
4-2- Experimental data for particle ratios for Au-Au at different Energies.	89
4-3- Full Chemical equilibrium case in the framework of HRG model.	91
4-3-1-Effects of Excluded-Volume Correction(EVC)	96
4-3-2-Effects of Including New Resonances	97
4-3-3-Energy Dependence of the Freeze-out Parameters.	98
4-3-4-Centrality dependence of chemical freeze-out parameters.	100
4-3-5-Comparing Results with Other versions of HRG Model.	103
4-4- Partial Chemical equilibrium case using of HRG model.	104
4-4-1 Extracting The Chemical Freeze-out Parameters.	104
4-5- Comparison between Full and Partial Chemical equilibrium case.	108
4-6- Freeze-out insights from Ω/π^- and ϕ/π^- ratios.	113

Chapter 5: Theoretical study of Chemical Freeze-out Conditions using HRG Model

5-1- Introduction.	117
5-2-Stability and Validity of Chemical Freeze-out Conditions.	118
5-2-1-Average Energy per Particle Produced.	119
5-2-2-Baryon and antibaryon Particle Density.	121

5-2-3-Fireball Normalized Entropy Density.	123
5-2-4-Entropy per Particle Produced.	126
5-2-5-Fireball Trace Anomaly.	128
5-3-Theoretical Interrelations Among Chemical Freeze-out Conditions.	131
Conclusions	135
List of Publications	140
References	141
Arabic summary	

List of Figures

List of Figures

- Fig.(1.1):** ALICE experiment^[25]. 8
- Fig.(1.2):** *Left Panel;* summary of measurements of α_s as a function of the respective energy scale Q along with QCD perturbation theory^[30]. *Right Panel;* The quark-quark potential as a function of the distance between the quarks calculated from lattice QCD where a denotes the lattice constant. The points show Monte Carlo (MC) data, and the corresponding fit^[31]. 10
- Fig.(1.3):** Normalized energy density (ε/T^4) as a function of the ratio between temperature and critical temperature, T/T_c . The Stefan-Boltzmann limit is indicated by arrows for each of the three combinations of quark flavours considered^[43]. 14
- Fig.(1.4):** A schematic QCD phase diagram^[46]. 18
- Fig.(1.5):** Schematic representation of the various stages of a heavy-ion collision^[52]. 19
- Fig.(1.6):** *Left:* Two heavy ions before collision with impact parameter b . *Right:* The spectator nucleons remain unaffected while particle production takes place in the participants zone^[53]. 20
- Fig.(1.7):** A lightcone diagram of a collision for a case (a) without a QGP and (b) with a QGP where horizontal axis represents the time and vertical axis represents the beam direction. T_{fo} is an abbreviation for thermal and T_{ch} for chemical freeze-out. Hadronization starts at T_c , the critical temperature^[57]. 23
- Fig.(1.8):** Strangeness enhancements in Pb-Pb collisions at $E_{lab} = 160$ GeV compared to p-Be and p-Pb seen at WA97 (closed symbols) and NA57 (open symbols) as a function of the number of wounded nucleons^[62]. 26
- Fig.(1.9):** Strangeness enhancements in the rapidity range $|y| < 0.5$ as a function of the mean number of participants $\langle N_{part} \rangle$, showing ALICE^[63] (full symbols) at $\sqrt{s_{NN}} = 2.76$ TeV, RHIC and SPS (open symbols) data^[64]. The line