

شبكة المعلومات الجامعية







شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ١٥-٥٠ مئوية ورطوية نسبية من ٢٠-٠٠% To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%



بعض الوثائق

شبكة للعلومات الجامعية O ASUNET



بالرسالة صفحات لم

ترد بالاصل



Psychiatric Disturbances Rheumatoid Arthritis

Thesis submitted for Partial Fulfillment of the Master Degree in Physical Medicine and Rehabilitation

> Ви Naglaa Saad Sanad M.B.B.Ch. Ain Shams University

Under Supervision of

alma (a Prof. Dr. Fatma Kamel Abd El-Motaal

Professor of Physical Medicine and Rehabilitation Faculty of Medicine - Ain Shams University

Prof. Dr. Nehal Ebrahim El-Sheshtawy

Assistant Professor of Physical Medicine and Rehabilitation Faculty of Medicine - Ain Shams University

Prof. Dr. Amany Haroun El-Rasheed

Assistant Professor of Psychiatry Faculty of Medicine - Ain Shams University

> Faculty of Medicine Ain Shams University 2002

To my Family

Acknowledgement

First; thanks are all due to **GOD** for blessing this work until it has reached its end, as a part of His generous help throughout my life.

I would like to extend my utmost gratitude and appreciation to **Prof. Dr. Fatma Kamel Abd El-Motaal**; professor of Physical Medicine and Rehabilitation, Faculty of Medicine, Ain Shams University, for the great guidance and encouragement she gave me throughout this work. It is a great honor to work under her supervision.

I am very thankful to **Prof. Dr. Nehal Ebrahim El-Sheshtawy**; assistant professor of Physical Medicine and Rehabilitation, Faculty of Medicine, Ain Shams University, for her great support, valuable and wise guidance during the whole work.

I would like to thank, **Prof. Dr. Amany Haroun El-Rasheed**; assistant professor of Psychiatry, Faculty of Medicine, Ain Shams University, for her close supervision, continuous help and the great effort she made during the preparation and revision of this work.

Naglaa Saad Sanad

Contents

	Page
• Introduction	1
Aim of the work	3
Review of literatures	5
- Psychiatric disorders	5
- Psychological changes in different types of rheumatic diseases	31
- Psychiatric disorders in rheumatoid arthritis	55
- Rehabilitation of patients with rheumatoid arthritis	76
- The approach to therapy for psychosocial aspects in rheumatoid	
arthritis	78
- The approach to therapy for depression in rheumatoid arthritis	82
Subjects and methods	91
Results	99
• Discussion	151
Summary and conclusion	167
• References	171
• Appendices	.,.
Arabic summary	



List of Tables

Table 1: Rheumatic diseases with primary psychiatric involvement
Table 2: Rheumatic diseases with secondary psychiatric involvement
Table 3: Drug-induced psychiatric manifestations in rheumatic
diseases
Table 4: Proposed laboratory correlates of neuropsychiatric systemic
lupus erythematosus
Table 5: Comparison between RA patients and control group as
regards age
Table 6: Comparison between RA patients and control group as
regards sex.
Table 7: Distribution of RA patients as regards the grade of morning
stiffness duration
Table 8: Distribution of RA patients as regards the grade of pain
Severity
• • • • • • • • • • • • • • • • • • • •
Table 10:Comparison between RA patients and the control group as
regards the mean value of grip strength
Table 11: Distribution of RA patients as regards the grade of Ritchie
articular index
Table 12:Distribution of RA patients as regards the grade of ESR
Table 13:Comparison between RA patients and the control group as
regards the mean value of ESR
Table 14:Distribution of RA patients as regards the grade of
hemoglobin concentration
Table 15:Distribution of RA patients as regards the grade of disease
activity
Table 16:Comparison between RA patients and the control group as
regards the mean value of social readjustment rating scale
Table 17: Comparison between RA patients and the control group as
regards the grades of social readjustment rating scale
Table 18: The prevalence of psychiatric disorders in the two study
groups

Table 19:Comparison between RA patients with different SRRS grades	106
as regards the grades of disease activity	106
Table 20:Comparison between RA patients with different SRRS grades	100
as regards the grades of morning stiffness duration	108
Table 21:Comparison between RA patients with different SRRS grades	110
as regards the grades of pain severity	110
Table 22:Comparison between RA patients with different SRRS grades	
as regards the grades of grip strength	112
Table 23: Comparison between RA patients with different SRRS grades	
as regards the grades of Ritchie articular index	114
Table 24:Comparison between RA patients with different SRRS grades	
as regards the grades of ESR	116
Table 25: Comparison between RA patients with different SRRS grades	
as regards the grades of hemoglobin concentration	118
Table 26: Comparison between RA patients with different SRRS grades	
as regards the mean value of spread severity index	120
Table 27: Comparison between RA patients with different SRRS grades	
as regards the mean value of health assessment questionnaire.	120
Table 28: Comparison between RA patients with and without major	
stressful life events as regards the mean value of disease	
activity	121
Table 29: Comparison between RA patients with and without major	
stressful life events as regards the grades of disease activity	121
Table 30:Comparison between RA patients with and without major	
stressful life events as regards the mean values of SSI and	
HAQ	122
Table 31:Comparison between RA patients with and without death of a	
close relative as regards the mean value of disease activity	122
Table 32:Comparison between RA patients with and without death of a	
close relative as regards the grades of disease activity	123
Table 33: Comparison between RA patients with and without death of a	
close relative as regards the mean value of SSI & HAQ	123
Table 34:Comparison between RA patients with and without	
psychiatric disorders as regards the mean value of disease	
activity score	124
Table 35: Comparison between RA patients with and without	
psychiatric disorders as regards the grades of disease activity	125

Table 36:Comparison between RA patients with and without psychiatric disorders as regards the mean value of morning stiffness duration	126
Table 37:Comparison between RA patients with and without psychiatric disorders as regards the grades of morning stiffness duration	127
Table 38:Comparison between RA patients with and without psychiatric disorders as regards the grades of morning	127
Stiffness duration	128
psychiatric disorders as regards the grades of pain severity Table 40:comparison between RA patients with and without psychiatric	128
disorders as regards the mean value of grip strength	130
disorders as regards the grades of grip strength	130
disorders as regards the mean value of Ritchie articular index. Table 43:comparison between RA patients with and without psychiatric	132
disorders as regards the grades of Ritchie articular index Table 44:comparison between RA patients with and without psychiatric	132
disorders as regards the mean value of ESR	134
disorders as regards the grades of ESR	134
disorders as regards the mean value of Hb% Table 47:comparison between RA patients with and without psychiatric	136
disorders as regards the grades of hemoglobin concentration Table 48:comparison between RA patients with and without psychiatric	136
disorders as regards the mean value of spread severity index Table 49:comparison between RA patients with and without psychiatric	138
disorders as regards the mean value of the health assessment questionnaire	139
Table 50:Comparison between RA patients with and without psychiatric disorders as regards age	140
Table 51:comparison between RA patients with and without psychiatric disorders as regards the marital status	141

disorders as regards joint deformities	142
Table 53:comparison between RA patients with and without psychiatric	
disorders as regards extra-articular manifestations	143
Table 54:comparison between RA patients with and without psychiatric	
disorders as regards rheumatoid factor	144
Table 55:comparison between RA patients with and without psychiatric	
disorders as regards C-reactive protein	145
Table 56:comparison between RA patients with and without psychiatric	
disorders as regards the mean value of the social readjustment	
rating scale	146
Table 57:comparison between RA patients with and without psychiatric	
disorders as regards the grades of SRRS	146
Table 58:comparison between RA patients with and without psychiatric	
disorders as regards major stressful life events	148
Table 59:comparison between RA patients with and without psychiatric	
disorders as regards death of a close relative	148

.

:

List of Figures

Figure 1:	
	regards the grades of disease activity
Figure 2:	Comparison between RA patients with different SRRS as
-	regards the grades of morning stiffness duration
Figure 3:	Comparison between RA patients with different SRRS as regards the grades of pain severity
Figure 4:	Comparison between RA patients with different SRRS as
rigule 4:	regards the grades of grip strength
Figure 5:	Comparison between RA patients with different SRRS as
riguie 3.	regards the grades of Ritchie articular index
Figure 6:	
Tagure o.	regards the grades of ESR
Figure 7.	Comparison between RA patients with different SRRS as
riguic 7.	regards the grades of hemoglobin concentration
Figure 8:	Comparison between RA patients with and without
i iguic o.	psychiatric disorders as regards the grades of disease activity
Figure 9:	Comparison between RA patients with and without
riguic).	psychiatric disorders as regards the grades of morning
	stiffness duration
Figure 10:	Comparison between RA patients with and without
i iguic 10.	psychiatric disorders as regards the grades of pain severity
Figure 11:	Comparison between RA patients with and without
i iguio i i .	psychiatric disorders as regards the grades of grip strength
Figure 12:	Comparison between RA patients with and without
1 16a10 1 2 .	psychiatric disorders as regards the grades of Ritchie
	articular index
Figure 13:	Comparison between RA patients with and without
Bart 15.	psychiatric disorders as regards the grades of ESR
Figure 14.	Comparison between RA patients with and without
	psychiatric disorders as regards the grades of hemoglobin
	concentration
Figure 15:	Comparison between RA patients with and without
1 15010 10.	psychiatric disorders as regards the marital status
Figure 16.	Comparison between RA patients with and without
64.6 .0.	Comparison between 141 patients with and without