

ROLE OF MRI IN DIAGNOSIS OF THE ANKLE IMPINGEMENT SYNDROME

Essay

Submitted for partial fulfillment of M.Sc. degree in

Radiodiagnosis

By:

Ahmed Nabil Abd El-Hady Nassar M.B.B.Ch

Faculty of Medicine - Ain Shams University

Supervised By

Dr.Mervat Tawfik Tantawy

Professor of Radiodiagnosis Faculty of Medicine – Ain-shams University

Dr. Hossam Moussa Sakr

Lecturer of Radiodiagnosis Faculty of Medicine – Ain-shams University

> Ain -Shams University Faculty of Medicine Radiodiagnosis Department 2013



وقل اعْمَلُوا فَسَيَرَى اللهُ عَمَلُوا عَمَلُوا فَسَيَرَى اللهُ عَمَلُكُمْ وَرَسُولُهُ وَالْمُؤْمِنُونِ





First and foremost, thanks are due to Allah, the most beneficent and merciful.

I am so grateful and most appreciative to the efforts of Prof. Dr. Mervat Tawfik Tantawy Professor of Radio-diagnosis, Faculty of Medicine, Ain shams University. No words can express what I owe her for her endless patience and continuous advice and support.

I wish to express my thanks to DR. Hossam sakr Lecturer of Radio-diagnosis, Faculty of Medicine, Ain shams University for his kind assistance and guidance.

I am indebted to my family, my friends and my colleagues for their endless and continuous help and support.



List of Contents

Introduction and aim of the study	1
Chapter 1:	
-Anatomy of the ankle joint	5
Chapter 2:	
- Normal MRI Anatomy of the Ankle	12
Chapter 3:	
- MRI Techniques of ankle examination	26
Chapter 4:	
- MRI manifestations of ankle impingement	
syndromes	37
Chapter 5:	
- Role of other imaging modalities	75
Summary and Conclusion	81
References	84
Arabic Summary	1

Lists of abbreviations

AT	Achilles tendon
ATAF	Anterior talofibular ligament
ATBF	Anterior tibiofibular ligament
CF	Calcaneofibular ligament
CT	Computed tomography
EDL	Extensor digitorum longus
EHL	Extensor hallucis longus
FDL	Flexor digitorum longus
FHL	Flexor hallucis longus
FR	Flexor retinaculum
ICN	Inferior calcaneonavicular
Terv	ligament.
IER	Inferior extensor retinaculum
IPR	Inferior peroneal retinaculum
ITF	Interosseous tibiofibular ligament
LM	Lateral malleolus
MHZ	Mega Hertz
MM	Medial malleolus
MRI	Magnetic resonance imaging
PB	Peroneus brevis
PL	Peroneus longus
PT	Peroneus tertius
PTAF	Posterior talofibular ligament
PTBF	Posterior tibiofibular ligament
SER	Superior extensor retinaculum
SPR	Superior peroneal retinaculum
STAN	superior talonavicular ligament
TA	Tibialis anterior
TC	Tibiocalcaneal ligament
TN	Tibionavicular ligament
TP	Tibialis posterior
TT	Tibiotalar ligament
TTF	Transverse tibiofibular

œ LIST OF FIGURES •

NO.	Title	Page
1	Gross anatomy of the ankle joint	5
2	Posterior view of ankle with syndesmotic ligaments	7
3	Medial ligament of the ankle joint	7
4	Lateral ligament of the ankle joint	8
5	Tarsal tunnel and flexor retinaculum	9
6	Extensor retinacula and Anterior tendon group	10
7	Fibular retinacula	10
8	Ankle tendons	11
9	Sagittal localizer for obtaining axial ankle images	12
10	Axial T1-weighted MRI anatomy	14
11	Midtalus	15
12	Sustentaculum tali	16
13	Axial localizer for sagittal cuts	17
14	Sagittal T1 weighted image of ankle Coronal localizer	17
15	Sagittal section at the middle of talus	18
16	Lateral Sagittal Image	19
17	Sagittal localizer for obtaining coronal ankle images	19
18	Coronal MRI of the ankle	19

19	Normal calcaneofibular and deltoid ligaments	20
20	peroneus quartus muscle	22
21	Ankle variants	23
22	Magic angle phenomenon	25
23	Dedicated foot and ankle coil	27
24	knee coil	28
25	standard imaging planes	29
26	Comparison of T2-weighted, fat-suppressed (A) and inversion recovery	32
27	Peroneus brevis tear in a 62-year-old	33
28	Diagrams illustrate the injection sites for direct ankle joint MR arthrography	35
29	Intact anterior talofibular ligament and Inadvertent injection of air in MR arthrography mimicking a loose body	36
30	Illustration of anterolateral anatomy of the ankle. Anterolateral recess	39
31	Drawings of anterolateral impingement	39
32	T1-weighted axial (A) and coronal, proton density with fat suppression (B) demonstrating anterolateral impingement syndrome	41
33	Axial T2-weighted image shows low-signal-intensity meniscoid-shaped mass	41
34	Anterolateral impingement syndrome. Sagittal STIR MR image shows a low-signal-intensity "meniscoid" mass	42
35	Sagittal T1 MRI images of a normal ankle	43
36	MRI of left ankle with anterolateral soft tissue impingement	43
37	Normal anterolateral recess. Axial proton-density—weighted (a) and coronal T1- weighted fat-suppressed	44

38	Axial T1-weighted fat-suppressed MR arthrogram with Clinical anterolateral impingement	45
39	Drawing of anterior impingement	47
40	Lateral radiograph shows anterior tibiotalar spurs	49
41	28-year-old man with anterior bone and soft-tissue impingement.	50
42	Clinical anterior impingement in a male professional soccer player.	50
43	Drawing illustrates findings encountered in anteromedial ankle impingement	52
44	T1-weighted fat-suppressed (a) and sagittal T2-weighted fat suppressed (b) MR arthrogram in Clinically anteromedial impingement in a male kickboxer	53
45	Axial T1-weighted MR arthrogram image from patient with anteromedial impingement	54
46	Coronal fat-suppressed proton density—weighted image shows thickening and ossification deltoid ligament fibers.	54
47	Drawing illustrates site of posteromedial impingement lesion	56
48	27-year-old woman with posteromedial impingement	57
49	Axial T1-weighted (A) and coronal, fat-suppressed proton- density weighted (B) images demonstrating isointense tissue in the posteromedial region of the ankle.	58
50	Soccer player with clinical posteromedial impingement.	59
51	Diagram shows nutcracker phenomenon of posterior ankle impingement	60
52	Diagrams show osseous anatomic structures involved in posterior impingement	62
53	Clinical posterior impingement in a professional ballet dancer .	64
54	. Sagittal T2-weighted fat-suppressed MR image shows bone marrow edema within an os trigonum	65
55	34-year-old man with posterior impingement.Sagittal T1-weighted MR image of left ankle shows prominent lateral tubercle of talus	65
56	27-year-old female ballet dancer with posterior impingement and os trigonum. A, Sagittal T1-weighted image shows low-	66

	signal-intensity os trigonum	
57	22-year-old male basketball player with posterior impingement A and B, Axial (A) and sagittal (B) fat-suppressed proton density—weighted MR images of right ankle	67
58	Footballer with clinical posterior impingement. Sagittal T1 fat suppressed post intravenous gadolinium MR image shows enhancing posterolateral capsular synovitis	67
59	42-year-old man with posterior impingement. Sagittal fat- suppressed proton density weighted MR image of right ankle	68
60	Normal anatomy of the upper tarsal tunnel Axial spin-echo T1- weighted MR image	71
61	Tarsal tunnel syndrome in a 33 year old man with pain radiating to the plantar aspect of foot and toes	72
62	Axial (A) and sagittal (B) fat-suppressed T2-weighted images Enlarged veins causing tarsal tunnel syndrome	73
63	Sagittal T1-weighted image at the lateral margin of the tarsal sinus near the calcenocuboid articulation	74
64	Sagittal T1-weighted MR image shows Sinus tarsi syndrome in a patient with rheumatoid arthritis.	74
65	25-year-old man with anterior osseous impingement. Lateral radiograph and Axial CT image.	76
66	Thirty-four-year-old male patient presenting with posterior right ankle pain during plantarflexion movements of the foot	77
67	Transversal CT scan of a 41-year-old male presenting with chronic right ankle pain on forced plantarflexion	77
68	Arthroscopically proven anterolateral ankle impingement in 31-year-old man. A and B , Sonogram of ankle in axial plane	79

LISTS OF TABLES

Table	page
1- Summary of the best sequences to evaluate the different ankle impingement syndromes	69
2- Summary of advantages and disadvantages of each imaging modalities	80