Non Motor Manifestations of Parkinson's Disease and their Correlation to the Quality of Life

Thesis
Submitted for Fulfillment of
Master Degree in Neuropsychiatry

By

Mostafa Ahmad El said Abd El Qader

Faculty of Medicine - Ain Shams University

Under Supervision Of

Prof. Dr. Samia Ashour Mohamad

Professor and the Head of Department of Neuropsychiatry Faculty of Medicine – Ain Shams University

Prof.Dr. Nahed Salah ElDeen

Professor of Neurology
Faculty of Medicine – Ain Shams University

Ass.Prof. Ali Soliman Ali Shalash

Assistant professor of Neurology Faculty of Medicine - Ain Shams University

> Faculty of Medicine Ain Shams University 2012



سورة البقرة الآية: ٣٢



First of all, thanks to **Allah** who granted me the ability to accomplish this work.

I am deeply grateful for the support and constructive guidance of many people, whose valuable assistance made this study possible.

First and foremost I would like to express my thanks and deep appreciation to **Professor Dr. Samia Ashour,** Professor and the Head of Department of Neuropsychiatry, Faculty of Medicine Ain Shams University for her tremendous help and keen support, without her help this work would never be completed. I am deeply indebted to her for her scrutiny, valuable comments and deep interest in the subject.

I am eternally grateful to Professor **Dr. Nahed Salah** Professor of Neuropsychiatry, Faculty of Medicine Ain Shams University for encouraging me to develop this subject, and for all the inspiring guidance, valuable supervision and help she has given me since I started this research.

I wish to express my great gratitude and ultimate thank to **Dr.Ali Soliman Ali Shalash**, Lecturer of Neuropsychiatry, Faculty of Medicine Ain Shams University, who has patiently gone through a series of revisions, aiming for the highest degree of lucidity.

I wish to express my great gratitude and ultimate thanks to my family.

Also, I would like to thank all my professors and colleagues for their encouragement, help and support

| | Also I | would | like to | thank al | l my patients | who | participated | in |
|------|--------|-------|---------|----------|---------------|-----|--------------|----|
| this | work | | | | | | | |

List of Contents

| Title | Page |
|--|------|
| List of Abbreviations | II |
| List of Figures | IV |
| List of Tables | V |
| Introduction | 1 |
| Aim of the Work | 3 |
| Review of Literature | |
| Chapter (1): Introduction to Parkinson's Disease | 4 |
| Chapter (2): Non-Motor manifestations of PD | 13 |
| Chapter (3): Treatment of Non-motor Manifestation | 48 |
| Chapter (4): Quality of Life | 30 |
| Patients and Methods | 70 |
| Results | 74 |
| Discussion | 107 |
| Summary | 117 |
| Recommendations | 120 |
| References | 121 |
| Index | |
| Arabic Summary | |

List of Abbreviations

| PD | Parkinson's disease | | |
|-----------|--|--|--|
| QOL | Quality Of Life | | |
| HRQoL | Health related quality of life | | |
| DA | Dopamine Agonist | | |
| PSP | Progressive supranuclear palsy | | |
| MSA | Multiple system atrophy | | |
| CBGD | Cortical-basal ganglionic degeneration | | |
| dPD | Depression in Parkinson's disease | | |
| DSM IV | Diagnostic & Statistical Manual of Therapeutic | | |
| DLBD | Diffuse Lewy body disease | | |
| DLB | Dementia with Lewy bodies | | |
| WHO | World Health Organization | | |
| WHODAS II | Organization Disability Assessment Schedule | | |
| NMS | Non motor symptoms | | |
| LBs | Lewy Bodies | | |
| RBD | rapid eye movement behavior disorder | | |
| MRI | Magnetic Resonance Image | | |
| AD | Alzheimer's disease | | |
| MMSE | Mini-Mental Status Examination | | |
| NREM | Non REM sleep | | |
| STMS | Short Test of Mental Status | | |
| (TTO) | T olfactometer test | | |
| SCOPA-COG | (Scales for Outcomes of Parkinson's disease- | | |
| | COGnition) | | |
| BDI | Beck depression inventory | | |
| HAMD | Hamilton depression scale | | |
| PDQ-39 | Parkinson's disease Questionnaire | | |
| PET | Positron Emission Tomography | | |

| PLM | Periodic Limb Movement | | |
|-------|--|--|--|
| PPN | Pedunculopontine Nucleus | | |
| OSA | obstructive sleep related disorders | | |
| REM | Rapid Eye Movement | | |
| SCID | Structured Standardized clinical interview | | |
| SNc | Substantia Nigra compacta | | |
| SNr | Substantia Nigra reticularis | | |
| SNRI | Serotonin Norepinephrine Reuptake Inhibitor | | |
| DAT | pre-synaptic dopamine transport sites | | |
| SSRI | Selective Serotonin Reuptake Inhibitor | | |
| STN | Subthalamic Nucleus | | |
| TCA | Tricyclic Antidepressant | | |
| UPDRS | Unified Parkinson's Disease Rating Scale | | |
| EDS | Excessive day time sleeping | | |
| RLS | Restless leg syndrome | | |
| HY | Hoehn and Yare | | |
| UPSIT | University of Pennsylvania Smell Identification | | |
| B-SIT | Test and the 12-item Brief Smell Identification Test | | |
| ECT | Electroconvulsive therapy | | |
| TMS | Transcranial magnetic stimulation | | |
| MAO | Mono amine oxidase | | |

List of Figures

| Fig. No. | Title | Page No. |
|-------------|---|-------------|
| 1 | Mean age and duration of illness among studied patients. | 76 |
| 2 | Patient characteristics. | 76 |
| 3 | Motor manifestations of studied patients. | 78 |
| 4 | Non-Motor manifestations of studied patient. | 80 |
| 5 | Most prominent NMS subjectively. | 82 |
| 6 | Beck depression scale, PDQ39 and MMSE assessment of studied patients. | 83 |
| 7 | The domains of the PDQ39. | 84 |
| 8 | Correlation between UPDRS motor examination off and PDQ 39. | 100 |
| 9 | Correlation between Non-Motor (Total) and PDQ39. | 103 |
| 10 | Correlation between Non-Motor (Total) and Beck scale. | 103 |
| 11 | Correlation between Non-Motor (miscellaneous) and PDQ39. | 104 |
| 12 | Correlation between Non-Motor (memory) and Beck scale. | 104 |
| 13 | Correlation between Non-Motor (mood and cognition) and Beck scale. | 105 |

List of Tables

| Table No. | Title | | |
|--------------|---|----|--|
| 1 | Parkinson's disease and related disorders. | 8 | |
| 2 | The importance of the non motor symptoms. | 13 | |
| 3 | Non-motor symptoms of Parkinson disease | 15 | |
| 4 | Treating psychosis in Parkinson's disease. | 50 | |
| 5 | Patient characteristics. | 75 | |
| 6 | Motor manifestations of studied patients. | 77 | |
| 7 | Non-Motor manifestations of studied patients in the non motor scale. | 79 | |
| 8 | Non motor symptoms number and percentage. | 81 | |
| 9 | Most prominent NMS subjectively. | 82 | |
| 10 | Beck depression scale, PDQ39 and MMSE assessment of studied patients. | 83 | |
| 11 | The domains of the PDQ39. | 84 | |
| 12 | Patients characteristics in relation to gender. | 85 | |
| 13 | Motor manifestations in relation to gender. | 86 | |
| 14 | Non-motor manifestations in relation to gender. | 87 | |
| 15 | Beck scale, PDQ39 and MMSE in relation to gender. | 88 | |
| 16 | Patients characteristics in relation to side. | 89 | |
| 17 | Motor manifestations in relation to side. | 90 | |
| 18 | Non-motor manifestations in relation to side. | 91 | |

| 19 | Beck scale, PDQ39 and MMSE in relation to side. | 92 |
|----|--|-----|
| 20 | Patients characteristics in relation to predominance tremors or rigidity. | 93 |
| 21 | Motor manifestations in relation to predominance tremors or rigidity. | 94 |
| 22 | Non-motor manifestations in relation to predominance tremors or rigidity. | 95 |
| 23 | Beck scale, PDQ39 and MMSE in relation to predominance tremors or rigidity. | 96 |
| 24 | Correlation between UPDRS and No-motor presentations among studied patients. | 98 |
| 25 | Correlation between UPDRS, Beck scale, PDQ39 and MMSE among studied patients. | 99 |
| 26 | Correlation between Non-motor manifestations, Beck scale, PDQ39 and MMSE among studied patients. | 102 |
| 27 | The motor and the non motor manifestations as regard the impact on the quality of life. | 106 |



Introduction and Aim of the Work





Review of Literature





Chapter (1)

Introduction to Parkinson's Disease





Chapter (2)

Non Motor Manifestation of Parkinson's Disease





Chapter (3)

Treatment of Non Motor Manifestations





Chapter (4)

Quality of Life

