# Neuropsychiatric complications of chronic hepatitis C infection in Egyptian patients

### **Thesis**

Submitted in Partial Fulfillment for the requirements of MD Degree in Neurology

By

**Al Metwally Aly Youssof** 

M.B., B.Ch, Cairo University
M.sc. neuropsychiatry, Cairo University
Assistant lecturer of Neurology
Cairo University

Supervised by

Prof. Dr. Ahmed Talaat El Ghoneimy
Professor and head of Neurology department,
Faculty of Medicine, Cairo University

Prof. Dr. Gamal Esmat
Professor of tropical medicine,
Faculty of Medicine, Cairo University

Prof. Dr Adel Hassanien
Professor of Neurology,
Faculty of Medicine, Cairo University

Dr. Gihan Ramzy
Lecturer of Neurology,
Faculty of Medicine, Cairo University

Cairo University 2009

### ACKNOWLEDGEMENT

Praise be to **ALLAH**, Lord of world, and may HIS blessings & peace be upon Muhammad, HIS servant and HIS messenger.

"First of all, I am deeply thankful to **ALLAH** by the grace of whom this work was possible"

It gives me pleasure to express my sincere gratitude and thanks to Prof. Dr. **Ahmed Talaat El Ghoneimy**, Professor and head of Neurology department, Faculty of Medicine, Cairo University, for her generous concern, kind supervision and valuable advice and instructions to carry out this work. No words would fulfill my deepest gratitude towards his support. To him I will always be grateful.

I wish to express my sincere gratitude to Prof. Dr. **Gamal Esmat**, Professor of Tropical Medicine, Faculty of Medicine, Cairo University, He patiently gave me much of his time, experience, knowledge, directions, privilege valuable supervision and support that can not be expressed by words.

Special thanks to Prof. Dr. **Adel Hassanien,** Professor of Neurology, Faculty of Medicine, Cairo University, who helped me achieve my goal in this work. Thanks for his support and sincere guidance, supervision and advices. He was always willing to give his time without any delay. Thanks for the inspiration he offers that guided me through many steps till we reached the target. I shall never forget his guidance and support through out the whole work.

I am indebted to Dr. **Gihan Ramzy**, Lecturer of Neurology, Faculty of Medicine, Cairo University, for her sincere supervision, valuable suggestions and continuous cooperation and support saving no effort or time in reading each word in this work.

I must express my sincere gratefulness to Dr. **Mohammed Aly Ezz Alarab**, Consultants of Hepatology and Tropical Medicine, National Hepatology and Tropical Medicine Research Institute (NHTMRI) for his support and sincere guidance for this work

I would like to thank Prof. Dr. **Zeinab Shalaby**, Assistant Professor of Chemical Pathology, Faculty of Medicine, Cairo University, for her help in the laboratory studies throughout this work.

I am greatly thankful to Dr. **Neveen El-fayomy**, Lecturer of Neurophysiology, Faculty of Medicine, Cairo University, for her help in the neurophysiological procedures in this study.

Special thanks to Dr. **Montaser Hegazy,** Lecturer of Neurology, Faculty of Medicine, Cairo University, for his kind assistance & help.

I wish to express my deep thanks to Mr. Ahmed Hassan, Psychometrician, who gave me help & guidance in my study.

I wish to express my sincere thanks to my wife and all my family, without their help and support this work could not be completed.

My deepest thanks go to the patients who are suffering, hoping that this work will give them hope for a better future with a good health.

Last, but not least, I would like to express my gratitude to all members of Neurology department, Faculty of Medicine, Cairo University and to every one who helped me to complete this work.

Al Metwally Aly Youssof January, 2009

# بسم الله الرحمن الرحيم " طيس للانسان الا ما سعى .. وان سعيه " سوف يرى .. ثم يبزاه البزاء الاوفى " سوق النجم الأيات 39-41

To my devoted mother & father

To my dear wife

To my darling kid

To my large family

### **Abstract**

The hepatitis C virus (HCV) epidemic in Egypt is unique in the world and well documented in the international medical scientific literature. We described a wide range of central and peripheral nervous system disorders linked to HCV infection by clinical, laboratory, neurophysiological and imaging. Since there is HCV epidemic in Egypt that is unique in the world and well documented in the international medical scientific literature, hence HCV-related neurological complications should be included in the differential diagnosis of cryptogenic neurological disorders in Egyptian patients.

**Keywords:** Neuropsychiatric, chronic hepatitis C infection, Egyptians, cryoglobulinemia, cognitive impairment, neuropathy

## Contents

List of abbreviations	Page i
List of tables	iii
List of figures	ix
Introduction & aim of the work	1
Review of literature	
<ol> <li>Epidemiology of HCV</li> <li>Virology of HCV</li> <li>The pathogenesis of neuropsychiatric complications of</li> </ol>	3 11
HCV and its treatment	25
4. Central neurological complications of HCV and its treatment	47
5. Peripheral neurological complications of HCV and its treatment	68
6. Treatment of HCV and its neuropsychiatric complications	76
Subjects and methods	103
Results	120
Discussion	207
Summary and conclusion	223
Recommendations	231
Appendixes	232
References	268
الما خور الحري	

### **Abbreviations**

aCL = anticardiolipin antibodies

ANA = anti-nuclear antibodies

APAAP = alkaline phosphatase anti-alkaline phosphatase

aPL= antiphospholipid antibodies

APS = antiphospholipid syndrome

AUC = area under curve

BBB = blood-brain barrier

BCL = B cell non-Hodgkin's lymphoma

B-CLL = B cell chronic lymphocytic leukaemia/small lymphocytic lymphoma

BLyS = B-lymphocyte stimulator

 $\beta_2$ GPI =  $\beta_2$  glycoprotein I

CAMDEX = Cambridge Examination for Mental Disorders of the Elderly.

cDNA = complementary deoxyribonucleic acid

CG = cryoglobulinaemia

CHC = chronic hepatitis C

CIFN = consensus interferon

CMV = cytomegalovirus

CNS = central nervous system

CSF = cerebrospinal fluid

CSPT = cortico-striatial-pallidal-thalamic circuit

CTL = cytotoxic T lymphocytes

EIA = enzyme immunoassay

ELISA = enzyme linked immunosorbent assay

EVR = early virological response

HAI = histopathological activity index

Hb= hemoglobin

HBV = hepatitis B virus

HCV = hepatitis C virus

HCV-MC = HCV related mixed cryoglobulinaemia

5-HIAA = 5-Hydroxy Indol Acetic Acid

HIV = human immunodeficiency virus

HLA = human leukocyte antigen

<sup>1</sup>H MRS = proton magnetic resonance spectroscopy

5-HT = 5-hydroxytryptamine (serotonin)

HVR = hypervariable region

IC = immunocytoma

IFN- $\alpha$  = interferon-alpha

Ig = immunoglobulin

IL = interleukin

IMPDH = inosine monophosphate dehydrogenase

IRES = internal ribosomal entry site

ISDR = interferon-sensitivity-determining region

IVDU = intravenous drug user

LA = lupus anticoagulant

LAC = low antigen content

LCR = locus ceruleus reticulata

LKM antibody = liver, kidney and muscle antibody

MC = mixed cryoglobulinaemia

MHE = minimal hepatic encephalopathy

MLDUS = monotypic lymphoproliferative disorder of undetermined significance

MMPs = matrix metalloproteinases

NHTMRI = National Hepatology and Tropical Medicine Research Institute

NS= non-structural proteins

nt =Nucleotide

NTPase = nucleotide triphosphatase

ORF = open reading frame

PAT = parenteral antischistosomal therapy

PBMCs = peripheral blood mononuclear cells

PCR = polymerase chain reaction

PEG-IFN = pegylated interferon

PM = polymyositis

PN = peripheral neuropathy

PPI = prepulse inhibition

RdRp = RNA-dependent RNA polymerases

RF= rheumatoid factor

RNA= ribonucleic acid

SLE = systemic lupus erythematosus

SSRIs = selective serotonin reuptake inhibitors

SVR = sustained virological response

TIMPs = tissue inhibitors of metalloproteinases

TNF- $\alpha$  = tumor necrosis factor alpha

TW4 = four weeks of therapy

TW12 = 12 weeks of therapy

UTRs = untranslated regions

Vs = versus

WBC= white blood cell count

WMS= Wechsler memory scale-revised

# List of tables

Tables of rev	view of literature	
Table (I)	Demographic, clinicoserological, and virological features of 170	
	patients with mixed cryoglobulinaemia	37
Table (II)	Association between hepatitis C virus (HCV) infection and	
	diseases	40
Table (III)	Studies of cognitive dysfunction in non-cirrhotic patients with	
` ,	hepatitis C virus	53
Table (IV)	Studies of cognitive dysfunction associated with IFN-a therapy in	
1 011010 (11)	patients with HCV	62
Table (V)	Neuropsychiatric changes in patients with chronic hepatitis C,	<b>-</b>
rabic (v)	with or without interferon alpha (IFN- $\alpha$ ) treatment	65
Table (VI)	Reported patients with new onset or worsening neuropathy after	00
Table (VI)	treatment with IFN $\alpha$ for chronic hepatitis C	75
Toble (7777)	· ·	
Table (VII)	Current treatment recommendation for patients with HCV	78
Table (VIII)	Efficacy of hepatitis C treatment with pegylated interferon (PEG-	
T-1:1: (-)0	INF) plus ribavirin	79
Table (IX)	Future drugs for the treatment of hepatitis C	85
Table (X)	Common side effects recorded in major pegylated interferon	
	(PEG-IFN)/ ribavirin trials	86
Table (XI)	Current status of hepatitis C virus (HCV) enzyme inhibitor	
	development	89
Table (XII)	Treatment of neuropathic involvement associated with chronic	
	HCV infection: published studies	95
Table (XIII)	The reference values of the nerve conduction studies	110
Tables of res	sults	
Table (1)	The age and sex distribution in the studied groups	120
Table (2)	The educational level distribution of the subjects of the study	
	groups	121
Table (3)	The diagnoses of neurologically manifested HCV patients	123
Table (4)	The diagnoses of neurologically manifested HCV patients	
	received pegylated interferon (PEG-IFN)/ ribavirin treatment	124
Table (5)	Effect of the pegylated interferon (PEG-IFN)/ ribavirin treatment on	
` ,	the neuropsychiatric disorders in neurologically manifested HCV	
	patients	125
Table (6)	Neuropsychiatric disorders in neurologically asymptomatic HCV	
` '	patients after receiving pegylated interferon (PEG-IFN)/ ribavirin	
	treatment	126
Table (7)	Results of neuropsychological scales in HCV patients and control	
,	group	126
Table (8)	Results of neuropsychological scales in neurologically	
1 41516 (6)	asymptomatic HCV patients and control group	127
Table (9)	Results of neuropsychological scales in neurologically manifested	
Tuble (5)	HCV patients and neurologically asymptomatic HCV patient	127
	Results of neuropsychological scales in HCV patients according to	121
<b>Table (10)</b>	their cryoglobulin status	420
Table (44)	Results of neuropsychological scales in HCV patients according to	129
<b>Table (11)</b>		400
Table (42)	their anticardiolipin antibodies status	129
<b>Table (12)</b>	Results of neuropsychological scales in HCV patients according to	400
	their antinuclear antibodies status	130

<b>Table (13)</b>	Results of neuropsychological scales in cirrhotic HCV patients and	•
	HCV patients with normal liver texture	130
<b>Table (14)</b>	Scores of subscales of the CAMCOG test in HCV patients and	
	control group	131
Table (15)	Scores of subscales of the CAMCOG test in neurologically	
	asymptomatic HCV patients and control group	132
Table (16)	Scores of subscales of the CAMCOG test in neurologically	
	manifested and neurologically asymptomatic HCV patients	133
Table (17)	Scores of subscales of the CAMCOG test in HCV patients	
	according to their cryoglobulin status	134
<b>Table (18)</b>	Scores of subscales of the CAMCOG test in HCV patients	
T-1-1- (40)	according to their anticardiolipin antibodies status	134
<b>Table (19)</b>	Scores of subscales of the CAMCOG test in HCV patients	40=
Table (00)	according to their antinuclear antibodies status	135
Table (20)	Scores of items of the CAMCOG test in HCV patients and control	400
Table (24)	group	136
<b>Table (21)</b>		427
Table (22)	asymptomatic HCV patients and control group  Scores of items of the CAMCOG test in neurologically manifested	137
<b>Table (22)</b>	and neurologically asymptomatic HCV patients	138
<b>Table (23)</b>	Scores of items of the CAMCOG test in HCV patients according to	130
Table (23)	their cryoglobulin status	139
Table (24)	Scores of items of the CAMCOG test in HCV patients according to	139
Table (24)	their anticardiolipin antibodies status	140
Table (25)	Scores of items of the CAMCOG test in HCV patients according to	170
14510 (20)	their antinuclear antibodies status	141
<b>Table (26)</b>	Liver function tests in neurologically manifested & neurologically	
(=0,	asymptomatic HCV patients	142
Table (27)	Liver functions tests in neurologically manifested HCV patients	
` ,	(central versus peripheral nervous system affection)	142
<b>Table (28)</b>	Liver functions tests in cryoglobulin positive and cryoglobulin	
	negative HCV patients	143
<b>Table (29)</b>	Hematological profile in the studied groups	144
<b>Table (30)</b>	Results of abdominal ultrasound in neurologically manifested and	
	neurologically asymptomatic HCV patients	145
<b>Table (31)</b>	Results of modified Knodell score in neurologically manifested and	
	neurologically asymptomatic HCV patients	145
<b>Table (32)</b>	Immunological profile in the in neurologically manifested and	146
<b>-</b> 11 (00)	neurologically asymptomatic HCV patients	•
<b>Table (33)</b>	Immunological profile in the in neurologically manifested HCV	
T-1-1- (0.4)	patients	146
<b>Table (34)</b>	MRI brain changes in the neurologically manifested and	4.40
Toble (25)	asymptomatic patients	148
Table (35)	Results of nerve conduction studies in neurologically manifested	450
Table (26)	and neurologically asymptomatic patients	152
<b>Table (36)</b>	Results of nerve conduction studies in HCV patients according to	450
Table (27)	their cryoglobulin status	153
<b>Table (37)</b>	Results of nerve conduction studies in HCV patients according to	150
Table (20)	their anticardiolipin antibodies status	153
<b>Table (38)</b>	Results of nerve conduction studies in HCV patients according to their antinuclear antibodies status	154
	แบบ ฉานแบบเธลเ ฉานเมบนเธอ อเลเนอ	1 54

<b>Table (39)</b>	Results of nerve conduction studies in cirrhotic HCV patients and	
` '	HCV patients with normal liver texture	155
<b>Table (40)</b>	Correlation between the age and the mean scores of	
	neuropsychological scales of neurologically manifested HCV	
	patients	156
<b>Table (41)</b>	Correlation between the age and the mean scores of	
	neuropsychological scales of neurologically asymptomatic HCV	
	patients	157
<b>Table (42)</b>	correlation between the age and the mean values of the	
	parameters of nerve conduction studies in peripheral nervous	
	system manifested HCV patients	158
<b>Table (43)</b>	correlation between the age and the parameters of nerve	
` '	conduction studies in mixed peripheral & central nervous systems	
	manifested HCV patients	159
<b>Table (44)</b>	Correlation between the fatigue severity scale score and the	
` '	parameters of nerve conduction studies in peripheral nervous	
	system manifested HCV patients	160
<b>Table (45)</b>	Correlation between the fatigue severity scale score and the	
	parameters of nerve conduction studies in mixed peripheral &	
	central nervous systems manifested HCV patients	160
<b>Table (46)</b>	Correlation between the fatigue severity scale score and the mean	
	scores of neuropsychological scales of neurologically manifested	
	HCV patients	161
<b>Table (47)</b>	Correlation between the fatigue severity scale score and the mean	
	scores of neuropsychological scales of neurologically	
	asymptomatic HCV patients	162
<b>Table (48)</b>	Correlation between the Hamilton depression scale score and the	
	mean scores of neuropsychological scales of neurologically	
	manifested HCV patients	162
Table (49)	Correlation between the Hamilton depression scale score and the	
	mean scores of neuropsychological scales of neurologically	163
	asymptomatic HCV patients	
Table (50)	Correlation between the mean values of AST and ALT enzymes	
	and the mean scores of neuropsychological scales of	
	neurologically manifested HCV patients	163
<b>Table (51)</b>	Correlation between the mean values of HCV viral load and the	
	mean scores of neuropsychological scales of neurologically	404
T-1-1- (50)	manifested HCV patients	164
<b>Table (52)</b>	Correlation between the mean values of HCV viral load and the	
	mean scores of neuropsychological scales of neurologically	405
Table (F2)	asymptomatic HCV patients	165
<b>Table (53)</b>	Correlation between the mean values of HCV viral load and the	
	mean values of the parameters of nerve conduction studies in	460
Table (FA)	peripheral nervous system manifested HCV patients	166
<b>Table (54)</b>	Correlation between the mean values of HCV viral load and the	
	mean values of the parameters of nerve conduction studies in	
	mixed peripheral and central nervous systems manifested HCV	467
Table (55)	patients  Correlation between the mean values of HCV viral load and the	167
Table (55)		167
	immunological status of neurologically manifested HCV patients	167

<b>Table (56)</b>	Correlation between the mean values of HCV viral load and the	
	MRI brain changes and EEG abnormalities of neurologically manifested HCV patients	167
<b>Table (57)</b>	Correlation between the mean values of ESR and the MRI brain	107
,	changes and EEG abnormalities of neurologically manifested HCV	
	patients	168
Table (58)	Correlation between the mean values of ESR and the mean	
	values of the parameters of nerve conduction studies in peripheral	400
Table (59)	nervous system manifested HCV patients  Correlation between the mean values of ESR and the mean	169
Table (59)	values of the parameters of nerve conduction studies in mixed	
	peripheral & central nervous systems manifested HCV patients	170
Table (60)	Correlation between the immunological status and the MRI brain	
` ,	changes and EEG abnormalities of neurologically manifested HCV	
	patients	170
<b>Table (61)</b>	Correlation between the immunological status and the mean	
	values of the parameters of nerve conduction studies in peripheral	171
Table (62)	nervous system manifested HCV patients  Correlation between the immunological status and the mean	
<b>Table (62)</b>	values of the parameters of nerve conduction studies in mixed	
	peripheral and central nervous systems manifested HCV patients	172
<b>Table (63)</b>	Correlation between the mean values of modified Knodell score	
, ,	and the MRI brain changes and EEG abnormalities of	
	neurologically manifested HCV patients	173
<b>Table (64)</b>	Correlation between the modified Knodell score and the mean	474
	values of the parameters of nerve conduction studies in peripheral nervous system manifested HCV patients	174
<b>Table (65)</b>	Correlation between the modified Knodell score and the mean	
14510 (00)	values of the parameters of nerve conduction studies in mixed	
	peripheral and central nervous systems manifested HCV patients	175
<b>Table (66)</b>	Correlation between the modified Knodell score and the mean	
	values of the neuropsychological scales in neurologically	
T-1-1- (07)	manifested HCV patients	175
<b>Table (67)</b>	HCV treatment dosage in neurologically manifested and neurologically asymptomatic HCV patients received treatment	176
<b>Table (68)</b>	Results of neuropsychological scales before and after treatment in	170
14510 (00)	neurologically manifested HCV patients	177
<b>Table (69)</b>	Results of CAMCOG subscales before and after treatment in	
	neurologically manifested HCV patients	177
Table (70)	Results of CAMCOG items before and after treatment in	
Table (74)	neurologically manifested HCV patients	178
<b>Table (71)</b>	Results of neuropsychological scales before and after treatment in neurologically asymptomatic HCV patients	179
<b>Table (72)</b>	Results of CAMCOG subscales before and after treatment in	179
. 4510 (12)	neurologically asymptomatic HCV patients	179
<b>Table (73)</b>	Results of CAMCOG items before and after treatment in	
, ,	neurologically asymptomatic HCV patients	180
<b>Table (74)</b>	Comparison between the mean of the treatment induced changes	
	in the scores of neuropsychological scales in neurologically	
	manifested and neurologically asymptomatic HCV	181
	patients	101

<b>Table (75)</b>	Comparison between the mean of the treatment induced changes	
	in the scores of CAMCOG subscales in neurologically manifested	101
<b>Table (76)</b>	and neurologically asymptomatic HCV patients  Comparison between the mean of the treatment induced changes	181
Table (70)	in the scores of CAMCOG items in neurologically manifested and	
	neurologically asymptomatic HCV patients	182
Table (77)	Effect of HCV treatment on liver function tests in neurologically	
	manifested and neurologically asymptomatic HCV patients	183
<b>Table (78)</b>	Effect of HCV treatment on hematological profile and ESR in	
	neurologically manifested and neurologically asymptomatic HCV	
Table (70)	patients	184
Table (79)	MRI brain changes before and after treatment neurologically manifested and neurologically asymptomatic HCV patients	184
Table (80)	EEG changes before and after treatment neurologically	
(00)	manifested and neurologically asymptomatic HCV patients	185
<b>Table (81)</b>	Results of nerve conduction studies before and after treatment in	
(0.1)	neurologically manifested HCV patients	187
<b>Table (82)</b>	Results of nerve conduction studies before and after treatment in	187
	neurologically asymptomatic HCV patients	101
Table (83)	Correlation between the treatment dosage values and the mean of	
	treatment induced changes in the scores of the	
	neuropsychological scales in neurologically manifested HCV patients	190
Table (84)	Correlation between the treatment dosage values and the mean of	190
(0.1)	treatment induced changes in the scores of the CAMCOG	
	subscales in neurologically manifested HCV patients	190
Table (85)	Correlation between the treatment dosage values and the mean of	
	treatment induced changes in the scores of the CAMCOG items in	
Table (96)	neurologically manifested HCV patients	191
Table (86)	Correlation between the treatment dosage values and the mean of treatment induced changes in the scores of the	
	neuropsychological scales in neurologically asymptomatic HCV	
	patients	194
<b>Table (87)</b>	Correlation between the treatment dosage values and the mean of	
	treatment induced changes in the scores of the CAMCOG	
<b>T.I.</b> (20)	subscales in neurologically asymptomatic HCV patients	195
<b>Table (88)</b>	Correlation between the treatment dosage values and the mean of	
	treatment induced changes in the scores of the CAMCOG items in neurologically asymptomatic HCV patients	196
<b>Table (89)</b>	Correlation between the age of neurologically manifested HCV	130
(00)	patients and the mean of treatment induced changes in the scores	
	of the neuropsychological scales	197
Table (90)	Correlation between the age of neurologically asymptomatic HCV	
	patients and the mean of treatment induced changes in the scores	
Table (04)	of the neuropsychological scales	198
Table (91)	The diagnoses of neurologically manifested HCV patients	199
Table (92)	The diagnoses of neurologically manifested HCV patients received pegylated interferon (PEG-IFN)/ ribavirin treatment	200
<b>Table (93)</b>	Effect of the pegylated interferon (PEG-IFN)/ ribavirin treatment on	_00
( /	the neuropsychiatric disorders in neurologically manifested HCV	
	patients	201

<b>Table (94)</b>	Neuropsychiatric disorders in neurologically asymptomatic HCV	
	patients after receiving pegylated interferon (PEG-IFN)/ ribavirin treatment	202
<b>Table (95)</b>	Summary of comparison between neurologically manifested and	
	neurologically asymptomatic patients	202
<b>Table (96)</b>	Summary of comparison between cryoglobulin positive and	
	negative HCV patients	203
Table (97)	Summary of comparison between anticardiolipin antibodies	
	positive and negative HCV patients	204
Table (98)	Summary of comparison between antinuclear antibodies positive	
(00)	and negative HCV patients	204
Table (99)	Summary of correlative results in neurologically manifested and	
14.515 (55)	asymptomatic patients	205
T. I. I. (400)		
<b>Table (100)</b>	Summary of effect of treatment on HCV patients received treatment	206