



Role of Multislice CT in Diagnosis of Lower Gastrointestinal Bleeding

Essay

*Submitted for partial fulfillment of master degree in
Radiodiagnosis*

Presented by

Amr Salama Abd El-Baset Salah
M.B.B.Ch

Under supervision of

Prof. Dr. Sherif Hamed Abou Gamrah

*Professor of Radiodiagnosis
Faculty of medicine
Ain shams university*

Dr. Remon Zaher Elia

*Lecturer of Radiodiagnosis
Faculty of Medicine
Ain Shams University*

**Faculty of Medicine
Ain Shams University**

٢٠١٣



دور الأشعة المقطعية متعددة المقاطع في تشخيص نزيف الجهاز الهضمي السفلي

رسالة توطئة للحصول على درجة الماجستير في الأشعة التشخيصية
مقدمة من الطبيب

عمرو سلامه عبد الباسط صلاح
بكالوريوس الطب والجراحة

تحت إشراف
الأستاذ الدكتور/ شريف حامد أبو جمرة
أستاذ الأشعة التشخيصية
كلية الطب – جامعة عين شمس

دكتور/ ريمون زاهر إيليا
مدرس الأشعة التشخيصية
كلية الطب – جامعة عين شمس

كلية الطب
جامعة عين شمس
٢٠١٣

List of Contents

	<i>Page</i>
- Introduction and Aim of Work.....	۱
- Chapter I:	
Gross and Radiological Anatomy of Bowel Loops.....	۲
- Chapter II:	
Pathology of lower gastrointestinal bleeding.....	۳۱
- Chapter III:	
Physics of Multislice CT.....	53
- Chapter IV:	
Multidetector CT in lower GIT bleeding.....	۷۱
- Chapter V:	
Illustrative Cases	۱۰۱
- Summary.....	۱۱۵
- References.....	۱۱۸

- Arabic summary.....

List of tables

<i>NO.</i>	<i>Subject</i>	<i>Page</i>
١	Arterial supply of intestine	١٣
٢	Causes of lower gastrointestinal bleeding	٣١
٣	Classification of colorectal polyps	٣٥
٤	AJCC (American Joint Committee on Cancer) staging of colorectal cancer staging	٤٢
٥	Clinical types of acute bowel ischemia	٤٩
٦	Comparison of Imaging Techniques for Gastrointestinal Bleeding	٨٠
٧	Summary of CT scanning parameters and contrast media protocols	٨٤

List of Figures

<i>Figure</i>	<i>Page</i>
Figure (١): Duodenum and its relationship.....	٥
Figure (٢): Differences in the arterial supply to the small intestine	٧
Figure (٣): Illustration of the large intestine	٩
Figure (٤): Celiac trunk and its branches	١١
Figure (٥): Arterial Supply to the Intestines	١٢
Figure (٦): Venous drainage of abdominal portion of gastrointestinal tract	١٥
Figure (٧): Use of positive intraluminal contrast medium. Contrast material-enhanced MSCT scans of the abdomen obtained	١٦
Figure (٨): CT of abdomen at T12 showing first and second part of the duodenum	١٧

Figure (١): Axial CT of abdomen showing loops of ileum on right side and loop of jejunum on left side..... ١٨

Figure (١٠): ٣٠-year-old woman with normal CT findings at enterography. Coronal reformatted image of small bowel..... ١٩

Figure (١١): (A & B) Axial and coronal reformatted CT of small bowel showing ileocecal junction20

Figure (١٢): Contrast enhanced MSCT axial image showing a normal air filled appendix21

Figure (١٣): Coronal reformatted CT showing parts of small and large intestines22

Figure (١٤): A& B Axial CT abdomen showing transverse colon, hepatic and splenic flexures ٢٣

Figure (١٥): CT pelvis in female showing sigmoid colon ٢٤

Figure (١٦): Coronal 3D multi-detector row CT scan demonstrates the normal anatomy and branching pattern of the SMA ٢٥

Figure (١٧): Coronal 3D multi-detector row CT scan demonstrates the normal anatomy and branching pattern of the SMA26

Figure (١٨): Axial multi-detector row abdominal CT scans obtained at different levels demonstrate the normal appearance of the jejunal arteries٢٧

Figure (١٩): Three-dimensional multi-detector row CT scan demonstrates a normal variant anastomotic pathway between the ileocolic and middle colic arteries27

Figure (٢٠):Coronal 3D MDCT scan demonstrates the normal appearance of the SMV٢٨

Figure (٢١): reformatted CT showing IMA with its left colic branch29

Figure (٢٢):(A & B) Sagittal and coronal 3D MDCT demonstrates the normal anatomy of the IMA30

Figure (٢٣): Coronal 3D multi-detector row CT scan demonstrates IMV variants.....30

Figure (٢٤): Diverticular disease of colon٣٢

Figure (٢٥): Angiodysplasia in the ascending colon٣٣

Figure (٢٦): Familial adenomatous polyposis ٣٩

Figure (٢٧): Obstructing carcinoma of the sigmoid colon ٤١

Figure (٢٨): Crohn's disease of the colon. Terminal ileum is normal but there is cobblestone appearance in the caecum and ascending colon..... ٤٤

Figure (٢٩): Photograph of the resected surgical specimen shows a hemorrhagic Meckel diverticulum ٤٧

Figure (٣٠): Diagram showing a variety of hemorrhoid..... ٥١

Figure (٣١): Beam collimation in 16-section CT A: narrow and B: wide collimation.....55

Figure (٣٢): Section collimation in MDCT A: narrow and B: wide collimation.....56

Figure (٣٣): Oblique view of a CT gantry with an x-ray tube, an x-ray fan, and detectors for a single-section scanner (a) and a multisection scanner (b)59

Figure (٣٤): A-D Flexible use of detectors in 4-slice MSCT scanners61

Figure (٣٥): MPR. Coronal reformatted image abdominal CT of a patient with bowel ischemia related to systemic lupus erythematosus vasculitis	٦٣
Figure (٣٦): Curved planar reconstruction shows distance between ileocecal valve and lipoma	٦٤
Figure (٣٧): Perspective volume rendering of the airways	65
Figure (٣٨): Orthographic volume rendering of the airways..	66
Figure (٣٩): SSD and volume-rendered images of IVC filter overlying the spine	٦٧
Figure (٤٠): (A-F) Effects of MIP slab thickness on a coronal image of the abdomen.....	69
Figure (٤١): (A-C) Coronal slab image of the thorax (slab thickness = 20 mm) created with MinIP, AIP, and MIP.....	70
Figure (٤٢): Intraluminal accumulation of radiotracer activity in a man who with intermittent bright rectal bleeding RBCs.....	73
Figure (٤٣): (a & b) Transverse unenhanced CT and transverse arterial phase MDCT image demonstrates a jet of extravasated contrast material (arrow) in the small bowel lumen.....	75

Figure (٤٤): Porto-venous phase CT image obtained after positive oral contrast agent administration. Active hemorrhage cannot be detected**81**

Figure (٤٥): Portal-venous phase CT image demonstrates a circumscribed area of hyperattenuation (Oral pharmaceutical) within the small bowel, mimicking contrast material extravasation**٨٢**

Figure (٤٦): (A & B) Axial and coronal shows CM extravasation with an attenuation of **332** HU in the descending colon.....**86**

Figure (٤٧): Curved arterial phase CT image shows Subtotal occlusion of the right common iliac artery at its origin..... **87**

Figure (٤٨): (a, b) Axial and coronal CT angiograms demonstrate active contrast material extravasation into the sigmoid colon **(c)** IMA angiogram confirm active sigmoid bleeding**89**

Figure (٤٩): (A & B) Axial MDCT pre-contrast and arterial phase shows active bleeding in cecum. C Oblique reformation of MDCT scan with (MIP) shows active bleeding (arrow) in cecum.....**91**

Figure (٥٠): MIP MDCT scan of abdomen shows long consistent with persistent vitellointestinal artery from ileal branch of SMA..... **92**

Figure (٥١): **A** Axial **B** Coronal scan with (MIP) **C** Sagittal with MIP algorithm shows shows heterogeneous mass in sigmoid colon consistent with cancer.....**94**

Figure (٥٢): (A-D) MDCT shows extravasation of iodinated contrast material indicating active jejunal bleeding.....**96**

Figure (٥٣): **(A & B)** Transverse and Coronal MDCT image shows relatively low attenuation level of the extravasated CM**97**

Figure (٥٤): Suture material in a woman with acute GI bleeding. Arterial phase CT image demonstrates a focal area of high attenuation**98**

Figure (٥٥): (A-D) MDCT shows cone beam artifact.....**٩٩**

Figure (٥٦): (A-D) MDCT shows Mucosal enhancement**100**

Figure (٥٧): Case
No.1.....**101**

Figure (٥٨): Case
No.2.....**102**

Figure (٥٩): Case
No.3.....**104**

Figure (٦٠): Case
No.4.....**106**

Figure (٦١): Case
No.5.....**108**

Figure (٦٢): Case
No.6.....**110**

Figure (٦٣): Case
No.7.....**112**

Figure (٦٤): Case
No.8.....**114**

List of Abbreviations

2D	Two dimension
3D	Three dimension
AJCC	American Joint Committee on Cancer
AIP	Average Intensity Projection
CA	Celiac Artery
CD	Crohn's Disease
CT	Computed tomography
CTA	Computed tomography Angiography
DSA	Digital subtraction angiography
GI	Gastro Intestinal
GIT	Gastro Intestinal Tract
IBD	Inflammatory Bowel Disease
HU	Hounsfield
IMA	Inferior mesenteric artery
IMV	Inferior mesenteric vein
IVC	Inferior Vena Cava
MDCT	Multiple detector row computed tomography
MinIP	Minimum Intensity projection
MIP	Maximum intensity projection
MPR	Multiplaner reformation
MSCT	Multislice computed tomography
PACS	Picture Archiving and Communication System
RBC	Red Blood Cells
SMA	Superior mesenteric artery
SMV	Superior mesenteric vein
SSD	Shaded surface display
UC	Ulcerative Colitis
VR	Volume rendering
TC-99m	Technetium-99m

Acknowledgment

First and foremost, I feel always indebted to Allah, the most kind and the most merciful.

I would also like to express my great thanks and gratitude to Prof. Dr. Sherif Hamed Abou Gamrah, Professor of Radio-diagnosis, Faculty of Medicine, Ain Shams University, for his generous help and continuous encouragement. he provided me with invaluable comments, knowledge, experience and hand necessary for achieving this work.

I would like to express my deepest thanks and gratitude to Dr. Remon Zaher Elia, lecturer of Radio-diagnosis, Faculty of Medicine, Ain Shams University, for his kind support, guidance and valuable remarks.

I would also like to thank my beloved family for their tenderness, love and care.

Amr Salama Salah