

Genetic Evaluation and Cytogenetic Study in patients With Unexplained mental retardation

Thesis

Submitted for Partial Fulfillment of
M.D Degree in pediatrics

Presented by

Riham Mohammed El-Hossiny Abdel Basir

M.B.B.Ch.M.Sc

Assistant lecturer of pediatrics

Ain Shams University

Supervised by

Prof. Dr. Rabah Mohammed Shawky

Professor of pediatrics and genetics

Faculty of medicine Ain Shams University

Prof.Dr.Farida Elbaz

Professor of pediatrics

Faculty of medicine Ain Shams University

Prof.Dr.Ezzat Sayed Elsobky

Assistant professor of genetics

Faculty of medicine Ain Shams University

Dr.Solaf Mohammed Elsayed

Lecturer of genetics

Faculty of medicine

Ain Shams University

List of abbreviation

ABR	: Auditory Brain Response
ABS	: Adaptive Behavior Scale
ADA	: American Disability Act
ADHD	: Attention Deficit Hyperactivity disorder
ALL	: Acute lymphocytic leukemia
AML	: Acute myeloid leukemia
ASD	: Atrial septal defect
BSID	: Bayley Scales of infant development
C T	: Computerized tomography
Cen	: Centromere
CGH	: Comparative genomic hybridization
CML	: Chronic myeloid leukemia
CMV	: Cytomegalovirus
CNS	: Central nervous system
DAPI	: DiaminoPhenyle Indol
Del	: Deletion
DSM IV	: Diagnostic and statistical manual of mental

Disorders

Dup	: Duplication
EEG	: Electroencephalography
FCS	: Fetal calf serum
FH	: Family history
FISH	: Fluorescence in situ hybridization
FUDR	: Fluorodeoxyuridine
HIV	: Human immune deficiency virus
HRB	: High resolution banding
ICD	: International classification of diseases
ICF	: International classification of functioning,

Disability and Health

IDEA	: Individuals with Disabilities Education Act
------	---

Amendments

IEP	: Individualized Education Program
IFSP	: Individualized family support plan
IMR	: Idiopathic mental retardation
Ins	: Insertion

Inv	: Inversion
IQ	: Intelligence quotient
Ish	: In situ hybridization
IUGR	: Intra uterine growth retardation
LTFF	: Low temperature fast FISH
MAPH	: Multiplex Amplification Probe Hybridization
MDI	: Mental Developmental Index
MLPA	: Multiplex ligation probe amplification
MM	: Multiple Myeloma
MR	: Mental retardation
MRI	: Magnetic resonance image
MTX	: Methotrexate
PCR	: Polymerized chain reaction
PDI	: Psychomotor development index score
PRINS	: Primed in situ labeling
SD	: Standard deviation
SSC	: Standard saline citrate
Ter	: Terminal

TORCH :Toxoplasma, Rubella, CMV, Herpes

VABS : VineLand Adaptive Behavior Scale

VSD : Ventricular septal defect

WCP : Whole chromosome paint

WCPP : Whole chromosome painting probe

WHO : World health organization

WISC : Wechsler intelligence scale

WPSI-R : Wechsler preschool and primary scale
of intelligence -Revised

List of contents

List of abbreviations	
List of tables	
List of figures	
Introduction	۱
Aim of the work	۲
Review of literature	۳
Mental retardation	۳
-Definition	۳
-Etiology	۴
-Epidemiology	۱۰
-Pathology / pathogenesis	۱۰
-Classification systems	۱۱
-Clinical manifestations	۱۶
-Laboratory findings	۱۷
-Etiological diagnosis	۲۳

-Diagnosis and D.D	٣٠
-Treatment	٣٥
-Prevention	٤٢
-Prognosis	٦٤
Unexplained mental retardation	٥٠
-Definition	٥٠
-Incidence	٥٠
-Etiology	٥٠
-Diagnosis	٥١
Chromosomal Nomenclature	٧٠
Fluorescent in situ hybridization (FISH)	٧٣
-Principle of FISH	٧٣
-Probes of FISH	٧٤
-Applications of FISH	٨١
-Advantages of FISH	٨٨
-Limitations of FISH	٨٩
-Modifications of FISH	٩٠

Subjects and methods	٩٧
Results	١١
٧	
Discussion	١٧٢
Summary	١٨٥
Conclusion	١٨٦
Recommendations	١٨٧
References	١٨٨
Arabic summary	---

List of tables

Table	Subject	Page
Table (١)	Risk factors for mental retardation	٩
Table (٢)	ICD-٩-CM Classification of mental retardation	١٣
Table (٣)	ICD-١٠- coding for mental retardation	١٥
Table (٤)	Hypotheses and strategies for assessing Etiologic risk factors	٢٨
Table (٥)	A multifactorial and intergenerational model of mental retardation etiology and prevention	٤٤
Table (٦)	Relating etiology to prevention and support	٤٥
Table (٧)	Different etiologies of mental retardation and percentages of each	٤٩
Table (٨)	Chicklist for patients with submicroscopic subtelomeric rearrangements	٥٥
Table (٩)	Submicroscopic deletions and duplications identified by Multiplex Ligation Probe Amplification (MLPA)	٦٧
Table (١٠)	Symbols used in describing a karyotype	٧٢
Table (١١)	Microdeletion syndromes and percentages of cases resolved by FISH	٨٤
Table (١٢)	Clinical data in the studied group	١١٨
Table (١٣)	Family history in the studied group	١١٩
Table (١٤)	Antenatal, natal and postnatal history in the studied group	١٢٠
Table (١٥)	Clinical abnormalities in the studied group	١٢٢

Table (١٦)	Neuropsychaitric disorders in the studied groups	١٢٢
Table (١٧)	Data concerning history, examination and investigation of all cases	١٢٤
Table (١٨)	Data concerning clinical examination of all the cases.	١٢٦
Table (١٩)	Result of conventional karyotype in the studied group.	١٤٨
Table (٢٠)	Number of the patients in the study according to the degree of MR	١٤٨
Table (٢١)	Result of high resolution banding in the studied group..	١٥٣
Table(٢٢)	Different percentages of abnormal Karyotype in all patients according to the degree of mental retardation	١٥٤
Table(٢٣)	Origin and site of chromosomal abnormalities detected in the study.	١٥٤

List of figures

Figure	Subject	Page
Fig. (١)	Different photographs for various patients with subtelomeric deletions.	٥٣
Fig. (٢)	Derivation of inherited chromosomal abnormalities.	٥٩
Fig. (٣)	An X chromosome showing the short and long arms each subdivided into regions and bands.	٧١
Fig. (٤)	FISH of interphase nuclei with a chromosome ٢١ centromeric repeat probe showing three signals consistent with trisomy ٢١.	٧٦
Fig. (٥)	WCP probe for chromosome (٧) (yellow)	٧٨
Fig. (٦)	Locus specific probes: The long arrow shows normal ch. ٧, while the short arm shows deletion at the Williams syndrome locus.	٨١
Fig. (٧)	٢٤- color FISH	٩٢
Fig. (٨)	FISHA family pedigree of one of the studied patients Showing repeated abortion.	١٢١
Fig. (٩)	Photos for patient with dysmorphic Features.	١٢٨
Fig. (١٠)	Photos for patient with dysmorphic Features.	١٢٩
Fig. (١١)	Photos for a patient with dysmorphic Features	١٣٠
Fig. (١٢)	Echocardiography for the previous patient	١٣١
Fig. (١٣)	Photos for patient with dysmorphic Features	١٣٢

Fig. (١٤)	Photos for patient with dysmorphic Features	١٣٣
Fig. (١٥)	The left hand of the previous patient showing Inclino-dactyly.	١٣٣
Fig. (١٦)	Hands of one of the patients showing simian crease.	١٣٣
Fig. (١٧)	Photos for the patient with dysmorphic features.	١٣٤
Fig.(١٨)	Normal CT brain for the previous patient	١٣٥
Fig. (١٩)	Photos for the patient with dysmorphic features	١٣٦
Fig. (٢٠)	Photos for the patient with dysmorphic features.	١٣٧
Fig. (٢١)	Photos for the patient with dysmorphic features	١٣٨
Fig. (٢٢)	Photos for the patient with dysmorphic features	١٣٩
Fig. (٢٣)	Hands of the previous patient showing contractures in both hands	١٤٠
Fig. (٢٤)	A three generation pedigree for the patient	١٤٠
Fig (٢٥)	.Photos for the patient with dysmorphic features	١٤١
Fig. (٢٦)	Photos for the patient with dysmorphic features	١٤٢
Fig. (٢٧)	Hands of the previous patients showing digitalized thumbs	١٤٣
Fig. (٢٨)	A three generation pedigree for the patient.	١٤٣
Fig. (٢٩)	Photos for the patient with dysmorphic features.	١٤٤
Fig. (٣٠)	A three generation pedigree for the	١٤٥

	patient	
Fig.(૩૧)	Photos for the patient with dysmorphic features	૧૬૬
Fig.(૩૨)	Normal G- banding karyotype.	૧૬૭
Fig.(૩૩)	Photos for the patient with ૬૬, XY, del (૧૮)(p૧૧,૨).	૧૦૧
Fig.(૩૪)	A three generation pedigree for the patient with ૬૬, XY, del (૧૮)(p૧૧,૨)	૧૦૧
Fig.(૩૫)	G-banding karyotype showing ૬૬, XY, del (૧૮)(p ૧૧,૨).	૧૦૨
Fig.(૩૬)	HRB showing normal female karyotype (૬૬, XX).	૧૦૦
Fig.(૩૭)	HRB showing normal male karyotype (૬૬, XY)	૧૦૬
Fig.(૩૮)	A photo for the ૧ st patient showing facial dysmorphic features	૧૦૮
Fig.(૩૯)	A three generation pedigree for the ૧ st patient.	૧૦૮
Fig.(૪૦)	HRB karyotype for the ૧ st patient, showing ૬૬,XY, Dup (૧૧)(p૧૩,૨).	૧૦૭
Fig.(૪૧)	A metaphase spread with a normal ch. (૧૧).	૧૬૦
Fig.(૪૨)	A metaphase spread with an abnormal Ch. (૧૧) short arm dup (૧૧)(p૧૩,૨), Confirmed by FISH	૧૬૧
Fig.(૪૩)	A three generation pedigree for the second patient.	૧૬૩
Fig.(૪૪)	HRB for the second patient, showing ૬૬,	૧૬૪

	XY, del(2)(q36,1-q36,3).	
Fig.(45)	A metaphase spread showing normal ch 2	165
Fig.(46)	A metaphase spread with abnormal ch. (2). long arm deleted (2)(q36,1-q36,3) Confirmed by FISH.	166
Fig. (47)	A three generation pedigree for the 3 rd patient	168
Fig.(48)	HRB karyotype showing 46,XX, ins (7;?) (q22;?).	169
Fig.(49)	A metaphase spread with painted ch. (7) by FISH using WCP	170

Acknowledgement

First and foremost, thanks are all to Allah.

I find no words by which I can express my extreme thankfulness and deep Appreciation and profound gratitude to **Prof.Dr. Rabah Mohammed Shawky**, professor of pediatrics and genetics, faculty of medicine, ain Shams University, for giving me the privilege of working under her supervision and for her generous help, guidance and advice during this work.

Extreme thankfulness and deep appreciation are conveyed to **Prof. Dr. Farida Elbaz Mohammed**, professor of pediatrics, faculty of medicine, Ain Shams University, for her meticulous supervision, kind encouragement and great advice during supervision of this work.

I am greatly honored to express my sincere appreciation and gratitude to **Prof. Dr. Ezzat Sayed Elsobky**, Professor of genetics, faculty of medicine, Ain Shams University, for his kind supervision, enthusiastic guidance, constant support, illuminating discussion and valuable time he spent adding valuable suggestions and remarks.