

Women's College for Arts, Science & Education Home Economics Department

Submitted Thesis for Requirements of Ph D (Home Economics-Textile and Clothing)

Entitled

Seamless Shaped Garments and Articles with Predetermined Dimensions Using Tubular Fabrics



Heba Zakaria Mohamed Abou Hashish

Supervised By

Prof. Dr. Eng. Abdel Fattah M. Seyam


Department of Textile and Apparel, Technology and Management College of Textiles, NC State University, Raleigh, North Carolina, USA

Dr. Eng. Sanaa S. Saleh

Assistant Professor of Textiles, Home Economics Department, Women's College for Arts, Science & Education, Ain Shams University

Dr. Eng. Mamdouh Y. Sharkas

Assistant Professor of Weaving Technology, Home Economics Department, Women's College for Arts, Science & Education, Ain Shams University





Biography

Heba Z. Abou Hashish entered Women's Faculty – Ain Shams
University in 1998 and accomplishes the Bachelor of Science of
Textiles and Clothing in 2002. Upon graduation, she was
appointed as a demonstrator in the Home Economics Department
in 2003. She continued her master education and completed a
M.Sc. in Textiles and Clothing in 2008. In the same year, she
became an Assistant Lecturer in the Home Economics Department
then she pursued her Ph.D. in Textile Technology. Finally, she
completed her Ph.D. Program requirements in Autumn 2013.

ACKNOWLEDGMENTS

I would like to give special thanks to *Prof. Dr. Eng. Abdel Fattah M.*Seyam of College of Textile, NC State University, USA, for giving me the opportunity to be one of his students and for his guidance during this study.

I would like to express my gratitude to my advisors *Dr. Eng. Sanaa S. Saleh and Dr. Eng. Mamdouh Y. Sharkas* for their invaluable guidance, support, encouragement and time they spent with me throughout this study.

I extend my appreciation to *Eng. M Moheb Salah Elden*, the Chairman of Misr Helwan Spinning and Weaving Company for allowing me to use the weaving and dyeing and finishing facilities that were used to accomplish this work.

I extend my sincere thanks and gratitude to *Eng. Mohamed Abdel Reheim* and *Eng. Amal Basiouny* for their great assistance and help they gave to me to achieve my practical work which made it a great learning experience.

Special thanks to *My Parents* and *My Husband, Hani.* Without their love, support and encouragements this work would not have been possible. Last, my little *Kady,* her arrival into this world was my biggest incentive to succeed.

PUBLICATIONS FROM THE THESIS

"Development of Seamless Woven Garments with Desired Shapes and Sizes"

Journal of Scientific Research in Science

Faculty of Women for, Arts, Science and Education

Quarterly Refereed Journal

J. Sci. Res, Vol (30), 2013

Accepted in 3 June 2013

"Shaped Seamless Woven Garments"

Research Journal of Textile and Apparel (RJTA)

By Hong Kong Institution of Textile and Apparel (HKITA)

Accepted in 11 June 2013

CONTENTS

<u>Title</u>			Page
Contents			I
List of l	List of Figures		
List of	Γables		VIII
Summ	Summary		
Introd	uction		1
<u>Chapt</u>	er 1: Lit	<u>erature Review</u>	3
1.1.	SEAMLE	SS FEATURES AND BENEFITS	5
	1.1.1.	Design possibilities	5
	1.1.2.	Moderate price	6
	1.1.3.	Fitting	6
	1.1.4.	Comfort	7
	1.1.5.	Quality and durability	7
1.2.	DOUBLE	CLOTH TUBULAR WOVEN FABRICS	7
1.3.	SHUTTL	E WEAVING	8
1.4.	SHUTTL	E WEAVING OF TUBULAR WOVEN FABRICS	10
1.5.	APPLICA	TION FIELDS OF SEAMLESS WOVEN TECHNOLOGY	11
	1.5.1.	Seamless technology for garment applications	11
	1.5.2.	Seamless technology for medical applications	12
	1.5.3.	Seamless technology for protective applications	12
1.6.	PRODUC	TION TECHNIQUES OF SEAMLESS WOVEN GARMENTS	
	AND ART	TICLES	13
	1.6.1.	Trials to produce seamless woven articles	14
	1.6.2.	Trials to produce seamless woven garments	19

Contents

1.7.	WOVE	N FABRICS SHRINKAGE	24
1.8.	THE STRUCTURAL PARAMETERS AFFECTING SEAMLESS		
	WOVE	N SHAPES	27
	1.8.1.	Weave structure	28
	1.8.2.	Pick density	29
	1.8.3.	Yarn tension	30
	1.8.4.	Yarn count	32
	1.8.5	Yarn material	33
<u>Cha</u> j	<u>pter 2: A</u>	aim of the Work	35
<u>Cha</u> j	oter 3: E	Experimental and Discussion	37
3.1.	EXPER	IMENTAL PROCEDURES	37
	3.1.1.	Materials and design of experiment	37
	3.1.2.	Fabric formation	39
	3.1.3.	Fabric finishing	41
	3.1.4.	Fabrics Width Shrinkage Percentages	41
<u>Cha</u>	pter 4: R	Results and Discussion	45
4.1.	THE EI	FFECT OF FABRIC CONSTRUCTION PARAMETERS ON THI	E
	FABRIC	C SHRINKAGE	45
	4.1.1.	The effect of changing weave structures on the fabric width	
		shrinkage	54
	4.1.2.	The effect of changing pick densities on the fabric width and	d
		length shrinkages	54
		4.1.2.1. The effect of changing the pick densities on the	
		fabric widthwise shrinkage	56
		4.1.2.2. The effect of changing the pick densities on the	
		fabric lengthwise shrinkage	59
	4.1.3.	The effect of changing weft tension on the fabric width	
		shrinkage	63

Contents

	4.1.4.	The effect of changing weft yarn count on the fabric width	
		and length shrinkages	66
		4.1.4.1. The effect of changing weft yarn count on the	
		fabric widthwise shrinkage	66
		4.1.4.2. The effect of changing weft yarn count on the	
		fabric lengthwise shrinkage	69
4.2.	FABRIC	CS RANKING FOR GARMENTS DESIGN	71
4.3.	DESIGN	N SEAMLESS WOVEN GARMENTS WITH DESIRED SHAPES	
	AND SI	ZES	74
4.4.	DESIGN	N SEAMLESS WOVEN GARMENTS WITH PRECISE FIT TO	
	BODYL	INE FOR WOMEN'S WEAR	81
CONC	CLUSION		91
Char	oter 5: A	pplication	95
			,,
5.1.	STITCH	IES, SEAMS AND SEWING MACHINES	97
	5.1.1.	Stitch types	97
	5.1.2.	Seam types	99
	5.1.3.	Sewing machines types	100
5.2.	FABRIC	CDYING	101
5.3.	SEAML	ESS WOVEN DESIGNS FOR WOMEN'S OUTER WEAR	102
	5.3.1.	Design (1)	103
	5.3.2.	Design (2)	107
	5.3.3.	Design (3)	111
	5.3.4.	Design (4)	115
	5.3.5.	Design (5)	118
	5.3.6.	Design (6)	121
	5.3.7.	Design (7)	124
	5.3.8.	Design (8)	128
	5.3.9.	Design (9)	131
	5.3.10	Design (10)	134
	5.3.11.	Design (11)	136

Contents

5.3.12	Design (12)	138	
5.3.13.	Design (13)	139	
5.3.14.	Design (14)	141	
5.3.15	Design (15)	143	
5.3.16	Design (16)	145	
CONCLUSION		146	
Chapter (6): Overall Conclusion And Suggestion For Future			
Studies		147	
References			
Arabic Summary			

List of Figures

Figure No.	Figure Name	Page No.
(1-1)	Double cloths without stitching threads	8
(1-2)	Classification of weaving machines	9
(1-3)	Shuttle with a quill	9
(1-4)	Tapered Cylinder, Mandrel, Oven and Finished Sleeve	14
(1-5)	A -Straight Tube, B -Cut Tube, and C -Sutured Tube to Create Taper	15
(1-6)	Process of Disengaging Warp Yarns	16
(1-7)	Examples of Tapered Shapes	16
(1-8)	Bifurcated and Trifurcated Graft	16
(1-9)	Disengaged Warp Ends	17
(1-10)	Dome Shapes ("Woven 3-D Shapes")	18
(1-11)	Gathers Created by Utilizing Non-Elastic and Elastic Yarns	19
(1-12)	Gathers Created by Utilizing Non-Elastic and Elastic Yarns	20
(1-13)	Sketch of shaped dress, unfinished dress, and dress after six hand washings	21
(1-14)	Samples of woven shaped textiles for seamless fashion	23
(1-15)	Samples of woven shaped textiles for seamless fashion	24
(1-16)	Fabric shrinkage mechanism due to wetting.	27
(3-1)	A schematic diagram of the tubular double cloth fabric formation	39
(3-2)	The tubular double cloth fabric	39
(3-3)	Double cloth weave designs	40
(4-1)	Widthwise Shrinkage Percentage for Different Weaves Using non elastic wefts	49

(4-2)	Widthwise Shrinkage Percentage for Different Weaves Using	
	Elastic Wefts of 15/1 Cotton-Spandex (94.7 – 5.3 %)	52
(4-3)	Widthwise Shrinkage Percentage for Different Weaves Using	
	Elastic Wefts of 20/1 Cotton-Spandex (93.3 $-$ 6.7 %)	53
(4-4)	Widthwise Shrinkage Percentage for Different Weaves using 26/1	
	Cotton-Spandex (96.9 $-$ 3.1 %), 20 picks/cm and high tension.	53
(4-5)	Widthwise Shrinkage Percentage for Different Weaves at	
	Different Pick Densities	58
(4-6)	Widthwise Shrinkage Percentage for Twill 1/3 at Different Picks	
	Densities Using $26/1$ Cotton-Spandex ($96.9-3.1$ %) and Medium	
	Tension	60
(4-7)	Widthwise Shrinkage Percentage for Different Weaves at	
	Different Picks Densities Using 15/1 Cotton-Spandex (94.7 – 5.3	
	%) and Medium Tension	60
(4-8)	Lengthwise Shrinkage Percentage for Different Weave Structures	
	at Different Pick Densities	63
(4-9)	Lengthwise Shrinkage Percentages for Twill 1/3 Weave Structure	
	at Different Pick Densities Using 26/1 Cotton-Spandex (96.9 – 3.1	
	%) and Medium Tension	65
(4-10)	Lengthwise Shrinkage Percentage for Different Weave Structures	
	at Different Pick Densities Using 15/1 Cotton-Spandex (94.7 – 5.3	
	%) and High Tension	65
(4-11)	Widthwise shrinkage Percentage different Weave Structures at	
	different weft tensions using 16/1 Cotton-Polyester (50 – 50 %)	
	and 18 picks/cm	67
(4-12)	Widthwise Shrinkage Percentage for different weave structures at	
	different weft tensions using 15/1 Cotton-Spandex (94.7 – 5.3 %)	
	and 20 Picks/cm	68
(4-13)	Widthwise Shrinkage Percentage for different weave structures	
	using Cotton 100% with different yarn counts	72
(4-14)	Lengthwise Shrinkage Percentage for different weave structures	
	using Cotton 100% with different yarn counts	75
(4-15)	Fabrics ranking versus finished width (cm)	77

List of Figures

(5-1)	The standard body measurements chart	102
(5-2)	Fabric design of garment (1)	110
(5-3)	Garment (1)	111
(5-4)	Fabric design of garment (2)	114
(5-5)	Garment (2)	115
(5-6)	Fabric design of garment (3)	118
(5-7)	Garment (3)	119
(5-8)	Fabric design of garment (4)	122
(5-9)	Garment (4)	123
(5-10)	Fabric design of garment (5)	125
(5-11)	Garment (5)	126
(5-12)	Fabric design of garment (6)	128
(5-13)	Garment (6)	129
(5-14)	Fabric design of garment (7)	132
(5-15)	Garment (7)	133
(5-16)	Fabric design of garment (8)	136
(5-17)	Garment (8)	136
(5-18)	Fabric design of garment (9)	138
(5-19)	Garment (9)	139
(5-20)	Garment (10)	141
(5-21)	Garment (11)	143
(5-22)	Garment (12)	144
(5-23)	Garment (13)	145
(5-24)	Garment (14)	148
(5-25)	Garment (15)	150
(5-26)	Garment (16)	151

List of Tables

Table No.	Table Name	Page No.
[3-1]	Warp yarn specifications	38
[3-2]	Weft yarn specifications (yarn number, yarn type and blend	0.0
[4-1]	proportions) Fabrics' specifications and width before and after finishing of	38
[4-2]	fabrics from non elastic weft yarns Fabrics' specifications and width before and after finishing of	46
[4-3]	fabrics from weft yarns containing spandex Group (1) of fabrics used to study the effect of changing weave	47
[4-4]	structures on the fabric width shrinkage Group (2) of fabrics used to study the effect of changing pick	48
[4-5]	density on the fabric width shrinkage Group (2) of fabrics used to study the effect of changing pick	56
[4-6]	density on the fabric length shrinkage Group (3) of fabrics used to study the effect of changing weft	62
	tension on the fabric width shrinkage.	67
[4-7]	Group (4) of fabrics used to study the effect of changing weft count on the fabric width shrinkage.	69
[4-8]	Group (4) of fabrics used to study the effect of changing weft count on the fabric length shrinkage.	74
[4-9]	Fabrics ranking according to finished width (cm)	78
[4-10]	Design (1) construction parameters for different sizes	82
[4-11]	Design (2) construction parameters for different sizes	83
[4-12]	Design (3) construction parameters for different sizes	83
[4-13]	Design (4) construction parameters for different sizes	84
[4-14]	Design (5) construction parameters for different sizes	84
[4-15]	Design (6) construction parameters for different sizes	85

List of Tables

[4-16]	Design (7) construction parameters for X Large size	88
[4-17]	Design (8) construction parameters for Medium size	89
[4-18]	Design (9) construction parameters for Small size	90
[4-19]	Design (10) construction parameters for Large size	93
[4-20]	Design (11) construction parameters for X Large size	94
[4-21]	Design (12) construction parameters for Medium size	95
[5-1]	Women's Sizing according to the standard BS EN 13402-3	103
[5-2]	The Used Stitches	104
[5-3]	The Used Seam Classes	105
[5-4]	The Used Sewing Machines	106
[5-5]	Polyester dyeing method	107
[5-6]	Cotton dyeing method	108
[5-7]	Design of garment (1)	109
[5-8]	Design of garment (2)	113
[5-9]	Design of garment (3)	117
[5-10]	Design of garment (4)	121
[5-11]	Design of garment (5)	124
[5-12]	Design of garment (6)	127
[5-13]	Design of garment (7)	130
[5-14]	Design of garment (8)	134
[5-15]	Design of garment (9)	137