

شبكة المعلومات الجامعية







شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ١٥-٥٠ مئوية ورطوبة نسبية من ٢٠-٠٠% To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%



بعض الوثائـــق الإصليــة تالفــة



بالرسالة صفحات لم ترد بالإصل

PHOTOGEOLOGICAL AND STRUCTURAL STUDIES OF EAST SOHAG AREA, NILE VALLEY, EGYPT

THESIS

SUBMITTED TO THE FACULTY OF SCIENCE, ALEXANDRIA UNIVERSITY

BY

RIFAT MOHRIZ MOHAMED HASSANEIN B. Sc., GEOLOGY

IN PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR M. Sc. DEGREE (GEOLOGY)

Supervised by

Prof.Dr. M.A. El SHINNAWI and Dr. M.R. MOHAMMED

Emer. Prof., Geol.Dept.,

Assist.Prof.,Geol.Dept.,

Fac. Sci., Alexandria Univ.

Fac.Sci., Alexandria Univ.

ALEXANDRIA UNIVERSITY FACULTY OF SCIENCE GEOLOGY DEPARTMENT

NOTE

Beside the research work materialized in this thesis, the candidate Rifat Mohriz Mohamed HASSANEIN has successfully passed the final qualification eexaminations of the following post-graduate courses, in partial fulfillment of the M.Sc. Degree:-

- 1) Geology of Egypt,
- 3) Structural geology,
- 5) Field geology,
- 7) Computer,

- 2) Petrology (Igneous & Metamorphic),
- 4) Photogeology,
- 6) Statistics,
- 8) German language.

Prof. Dr. A.M. ABDEL REHIM

Aly. M. Abold Reham. 6 June 1996 Head of Geology Department

Fac. Sci., Alexandria Univ.

ACKNOWLEDGEMENTS

The candidate express his deep thanks to the head of Geol. Dept., Fac. Sci., Alex. Univ., Prof. Dr. A.M. ABD EL REHIM, for helps offered to accomplish the present study.

This study has been carried out under the keen supervision of Emer. Prof. Dr. M.A. EL SHINNAWI and Assist. Prof. Dr. M.R. MOHAMMAD, Geol. Dept., Fac. Sci., Alex. Univ., to whom the candidate is deeply indebted for their eager guidance and help in all steps of the study. The candidate wishes to express his deep gratitude to Dr. M.R. MOHAMMAD for his guidance in the field and to Prof. Dr. M.A. EL SHINNAWI for critically reading and correcting the manuscript and for his great efforts which brought up this thesis to its present form.

The candidate is greatly thankful to all staff-members of Geol. Dept., particularly, Assist. Prof. Dr. A.M. SAMIR, for their valuable helps to accomplish this thesis.

CONTENTS

		Page
A(CKNOWLEDGEMENTS	1
I.	INTRODUCTION	2
	Previous work.	13
	Scope of present study.	14
	Methods of study.	17
II.	GEOMORPHOLOGIC SETTING	19
	Escarpment sinuosity index.	21
	Main valleys.	23
	Morphologic drainage patterns.	23
	Drainage basin analysis.	27
	Basin area.	27
	Basin elongation ratio	28
	Drainage density	29
	Stream frequency	31
	Drainage order	31
	Stream junction angle,	40
	Drainage bifurcation ratio	41
	Summary	53
IJ.	AIRPHOTO LINEATIONS.	56
	Linear analysis (brachylinears).	58

	Page
Azimuth-frequency diagrams	62
Frequency curves.	73
Discussion.	75
IV. STRUCTURAL STUDIES	83
Folding.	86
At Nagh Hussein Ebeid	86
At Wadi Siflag	97
At Nagh Ahmed Ismail	103
Summary,	114
Fractures:	116
Faults	117
Directional analysis of faults.	
Predominant fault sets.	132
Discussion	143
Summary,	146
Joints:	147
Directional analysis of joints.	152
Summary	165
SUMMARY AND CONCLUSIONS	168

APPENDICES:	
	177
Appendix A: 5°-orientation classes of minor category of traced brachylinears	177
Appendix B: 5°-orientation classes of medium category of traced brachylinears	178
Appendix C: 5°-orientation classes of major category of traced brachylinears	179
Appendix D: Field measurements of minor faults	180
Appendix E: Field measurements of major faults	182
Appendix F: Field measurements of major joints	183
Appendix G: Field measurements of medium and small joints	187
REFERENCES	198
	130

ARABIC SUMMARY AND CONCLUSIONS.

LIST OF TABLES

	Page
1) Correlation of some previous stratigraphic setting of the Lower Eocene rock succession.	9
2) Calculated sinuosity index of the Lower Eocene escarpment front in the study area.	20
 Quantitative data of seven drainage basins of the study area (Area; Max. dist.; high stream order; total number of streams; total length of stream; elongation ratio of basin; stream frequency and drainage density). 	32
4) Number of tributaries (N), average length (L, Km) of tributaries of each stream order of the studied drainage basins.	36
 Bifurcation ratios (Rb) and weighted mean bifurcation ratios (WRb) between the s tream orders of the studied drainage basins. 	43
6) Trends of the azimuth frequency peaks of the studied brachylinear categories.	67
7) Trends of the statistically significant peaks (at the 95% significance level) of the frequency distribution curves of the studied brachylinear categories.	74
8) Comparison of brachylinear trends with lineations of other localities.	78
9) The attitudes of the mean planes of faults as deduced from poles-contour diagrams of the measurements at the seven stations of the study area.	123
10) Comparison between deduced mean planes of fault sets.	142
11) Relative abundance of the three joint categories in the different rock types of the study area.	154
12) The attitudes of the mean planes of major joints as deduced from poles-contour diagrams of the measurements at the eight stations of the study area.	155
13) The attitudes of the mean planes of medium + small joints as deduced from poles-contour diagrams of the measurements at the eight stations of the study area.	161
14) A record of mean planes of fractures representing attitudes of the most common joint sets (J1-4) in comparison with those of fault sets (F1-5).	166

LIST OF FIGURES

	Page
1) Location and geological sketch map of the study area.	3
2) Drainage map of the study area.	22
3) Semi-annular pattern of distribution of main stems of drainage system.	25
4) Some morphologic drainage patterns recognized in the area.	26
5 a) Horton's (1932) method of stream ordering; 5 b) Strahler's (1952) modification of Horton's stream ordering.	34
6) Binary relations of stream number/stream order and cumulative average stream length/stream order of the studied seven drainage basin.	46
 Stream ordering and some parameters of W. Nuzeiza and W. El Kiman drainage basins. 	47
8) Stream ordering and some parameters of W. Abu Gilbana drainage basin.	48
9) Stream ordering and some parameters of W. Siflag drainage basin.	49
10) Stream ordering and some parameters of W. El Ahaywa drainage basin.	50
11) Stream ordering and some parameters of W. Tal'et Ammar drainage basin.	51
12) Stream ordering and some parameters of W. Bir El Ain drainage basin.	52
13) Airphoto of minor and medium brachylinears of the study area.	60
14) Airphoto of major brachylinears of the study area.	61
15) 5°-orientation-frequency (rose) diagrams of airphoto minor brachylinears (<250 m long).	64
16) 5°-orientation-frequency (rose) diagrams of airphoto medium brachylinears (<250-500 m long).	65
17) 5°-orientation-frequency (rose) diagrams of airphoto major brachylinears (>500 m-<2 Km long).	66

19) 100 - 1 - 4 - 4	
18) 10°-orientation-frequency curves of airphoto minor brachylinears category.	7 0
19) 10°-orientation-frequency curve of airphoto medium brachylinears category.	71
20) 10°-orientation-frequency curve of airphoto major brachylinears category.	72
21) Poles-contour diagram of bedding planes of the area.	85
 22 a) Panorama of minor folds near the Primary School of Nagh Hussein Ebied; b) Enlarged part of the panorama; c) Poles-contour diagrams and mean planes of the attitudes of bedding planes of the folded structure. 	88-89
23 a) Panorama at about 1.5 Km to the East of Nagh Hussein Ebeid, showing broad, gently undulated Lower Eocene limestone bedrock; b) Poles-contour diagram and mean planes of the surface undulations.	95 [']
24) Panorama showing a symmetrical anticline at the entrance of W. Siflag.	99
 25 a) Panorama representing faulted minor folds of laminated and/or thin bedded marly limestone succession exposed at about 2 Km to the East of Nagh Ahmed Ismail; b) Poles-contour diagram of measured attitudes of bedding planes of panorama. 	105
26 a) Photo showing an irregular, brecciated deformation crush-surface; b) Photo showing asymmetric open unsymmetric minor folding; c) Photo showing inclined asymmetric folding of thin bedded marly limestone.	106
27) Simplified representation of the orientation of the deduced compressive forces and the theoritical trends of their assumed shear planes.	111
28) Main fracture lines traced from aerial mosaics (1:40,000).	119
29) Poles-contour diagrams with mean planes of faults measured at seven stations (St. 1-7) of the study area.	121
30) Collective poles-contour diagram with mean planes of (190) minor fault planes of all stations of the study area.	122
31) Photo showing a nearly vertical, minor tensional fault near the mouth of W. Siflag.	125
32) Photo showing an almost vertical, rather sinuous, minor tension fault, East Nagh Mahdi.	126
33) Photo showing tilted, normally faulted beds at W. El Kiman.	127
34) Photo showing tight minor reverse fault (N 70°E / 75°SSE) above Nagh El Ahaywa.	128

	Page
35) Photo showing tilted, normally faulted beds with secondary refilled tension zone by carbonates debris and clay "carbonate dyk, N 45°W / 75°SW East Nagh Mahdi.	129
36) Photo showing an almost vertical tight minor fault plane with traces of vertical sliken- sides, at the East of Nagh Hussein Ebeid (St. 1).	130
37) Photo showing a nearly vertical, tight minor reverse fault plane (N 65°W / 85°W), with traces of slightly oblique-slip slikensides, inclined towards SW, at the East of Nagh Ismail (St. 3).	131
38) Collective poles-contour diagram with mean planes of 95 large fault planes of all stations of the study area.	133
39) Collective poles-contour diagram with mean planes of 285 minor and large fault planes of all stations of the study area.	134
40) A photocopy of a part of conventional airphoto (1:40,000; no. 88, Strip 26, P. 15, Asyut), showing order of relative sequence of faults, bordering and intersecting a nearly triangular fault block at the East of Nagh Mahdi.	137
41) Panorama, looking NE and extending ESE-WNW, along the NE- face of the SW-side wall of W. Aiyub (St. 5).	140
42 a) Photo showing type of major joints category in massive limestone, south of Nagh El Ahaywa (St. 7); b) Photo showing type of major joints category (master joints= 2 almost perpendicular sets at right angles to bedding planes) in relatively thick bedded limestone, at W. Bir El Ain (St. 4).	149
43 a) Photo showing type of medium joints category in limestone of medium thickness, at W. Siflag (St. 2); b) Photo showing type of medium joints category, in limestone of medium thickness, at W. Bir El Ain (St. 4).	150
14 a) Photo showing type of small joints category in relatively thin bedded limestone, at Nafaq El Ahaywa (St. 7); b) Photo showing type of small joints category in laminated marly limestone, at Nafaq El Ahaywa (St. 7).	151
Poles-contour diagrams with mean planes of major joints for 8 stations of the study area.	153
 Collective poles-contour diagram with mean planes of 410 planes of the total major joints of all stations of the study area. 	157