

# EVALUATION OF HESPERIDIN [FLAVONOID] AS A DIRECT PULP CAPPING MATERIAL

#### **A Thesis**

Submitted to the Faculty of Dentistry, Ain Shams University, in Partial Fulfillment of Requirements of Doctor's Degree in **Endodontics** 

By

#### Ebtesam Osama Hassan Abo El-Mal

B.D.S Misr University for Science and Technology (MUST)
M.Sc. in Endodontics Cairo University

Faculty of Dentistry, Ain Shams University 2017

### **SUPERVISORS**

# Prof. Dr.

### Salma Hassan El-Ashry

Professor of Endodontics Endodontics Department Faculty of Dentistry Ain Shams University

#### Prof. Dr.

## Ashraf Mohamed Abdel-Rahman Abu-Seida

Professor of Surgery, Anesthesiology & Radiology
Department of Surgery, Anesthesiology & Radiology
Faculty of Veterinary Medicine
Cairo University



# تقييم الهسبردين [فلاقينويد] كتغطية مباشرة للب الأسنان

رسالة

مقدمة لكلية طب الأسنان - جامعة عين شمس توطئة لاستكمال المتطلبات للحصول على درجة الدكتوراه في علاج الجذور

# مقدمة من الطبيبة / إبتسام أسامة حسن أبو المال

بكالوريوس طب وجراحة الأسنان، جامعة مصر للعلوم والتكنولوجيا ماجستير علاج الجذور كلية طب الفم والأسنان, جامعة القاهرة

كلية طب الأسنان جامعة عين شمس 2017

## المشرف ون

أ.د./ سلمى حسن العشرى أستاذ بقسم علاج الجذور كلية طب الأسنان جامعة عين شمس

أ.د. أشرف محمد عبد الرحمن أبو سعدة

أستاذ بقسم الجراحة والتخدير والأشعة كلية الطب البيطرى جامعة القاهرة

### **Dedication**

To my loving father, mother, my brother's family who always have confidence in me, and give me unconditional support and love, and to my little heart and adorable smile Malek.

# Acknowledgement

First of all thank GOD for being by my side to finish my work.

Many people deserve my sincere thanks for the integral roles they played in making this dissertation possible. I must thank my role model **Prof. Dr. Salma Hassan El-Ashry**, for her relentless encouragement and endless support during many years of guidance and research collaboration. Her insight advice and theoretical vision inspired and improved this work in countless ways.

I would also like to thank **Prof. Dr. Ashraf Abdel-Rahman Abu** Seida for the support and opportunities for working in the Faculty of Veterinary Medicine, Cairo University.

I am deeply grateful to my idol Prof. Dr. Amal Hassan Abd El-Rahman – Professor of Oral Pathology, Vice-Dean Faculty of Dentistry, ACU University- who was always there when I needed either academic and/or personal advice or help.

Special thanks to **Prof. Dr. Dalia El-Roby** for helping me in the statistics for the study, and thankfulness must extend to **Dr. Mohamed Mokhtar** for his valuable help.

My sincere gratitude to my lovely friend and sister Marwa Hamada and my colleagues Mohamed Sami, Walaa Samir and Mona Kamal for their help and sincere efforts.

I am also very grateful to my friends, colleagues at MUST and family for the unwavering support and patience they have granted while I have been finishing my dissertation.

# LIST OF CONTENTS

INTRODUCTION	1
REVIEW OF LITERATURE	3
I] Physical properties of pulp capping materials	
II] Pulp capping procedures	
AIM OF THE STUDY	. 38
MATERIALS AND METHODS	. 39
Materials	. 39
Part I: Evaluation of some physical properties of Hesperidine powder and MTA-Angelus	41
11csperaine powaer and 11111-11ngeus	. 71
Part II: Histological analysis of dogs dental pulp tissue	
capped with the materials	. 54
Statistical Analysis	. 64
RESULTS	. 65
I] Physical properties of the materials	. 65
II] Histological analysis of dogs dental pulp tissue capped	
with the materials	
DISCUSSION	113
SUMMARY & CONCLUSIONS	126
RECOMMENDATIONS	130
BIBLIOGRAPHY	131
ARABIC SUMMARY	

## LIST OF TABLES

Table No.	Table	Page
1	Tested materials and their composition according the manufacturers.	•
2	Mean values of initial and final setting time comparison between groups (ANOVA test)	
3	Comparing initial and final setting times in each grou	ıp 67
4	Mean values of radiopacity and comparison between groups (ANOVA test)	
5	Mean values of percentage of mass change comparison between groups (ANOVA test)	
6	Mean values of different pH and comparison we the same group (ANOVA test)	
7	Mean values of pH at different evaluation per between groups (ANOVA test)	
8	Inflammatory score between different subgroups a same observation period (Chi square test)	
9	Inflammatory score between different time interwithin the same subgroup (Chi square test)	
10	Hard tissue (dentinal bridge) and histological fear grades in 2 weeks (Group I), and significance difference between subgroups (Chi square test)	e of
11	Hard tissue (dentinal bridge) and histological fear in 4 weeks (Group II), and significance of differ between subgroups (Chi square test)	ence
12	Hard tissue (dentinal bridge) and histological fear in 8 weeks (Group III), and significance of differ between subgroups (Chi square test)	ence

Table No.	Table	Page
13	Hard tissue (dentinal bridge) and histological feature of Hesperidin (subgroup A), and significance with different observation periods (Chi square test)	hin
14	Hard tissue (dentinal bridge) and histological feature of MTA (subgroup B), and significance with different observation periods (Chi square test)	hin
15	Hard tissue (dentinal bridge) and histological feature of Dycal (subgroup C), and significance with different observation periods (Chi square test)	hin

## LIST OF FIGURES

Fig.	Figure Page
1	Classification of samples evaluating the physical properties
2	Ring mold used for determination of the setting time 45
3a	Gillmore needle for determination of initial setting time
<b>3</b> b	Gillmore needle for determination of final setting time 45
4	Acrylic plate used for radiopacity
5	The assembly of the acrylic plates with the tested materials (yellow arrow) and aluminum step-wedge (black arrow) infront of the digital phosphor plate (blue arrow)
6	Acrylic device for positioning the phosphor plate at standardized object-to-focus distance
7	Ring molds used for determination of solubility 52
8	Discs of capping materials hung in distilled water to measure solubility
9	Classification of samples evaluating histopathological response
10	Column chart showing mean values of initial and final setting times in different groups
11	Column chart showing mean values of initial and final setting times in each group
12	Column chart showing mean values of radio-opacity in different groups

Fig.	Figure Page
13	Column chart showing mean values of % of mass change in different groups
14	Column chart showing mean values at different pH evaluation period within the same group
15	Column chart showing mean pH values of different groups at each evaluation period
16	H&E Photomicrograph of Gp IA showing moderate inflammation localized directly beneath the exposure site
17	Higher magnification to the previous figure of Gp IA showing moderate inflammation scattered to some extent in the pulp tissue
18	H&E Photomicrograph showing mild inflammatory infiltrate, focal necrotic areas (blue arrow) around the exposure site and a massive vascular dilatation (yellow arrow) in non-necrotic areas
19	H&E photomicrograph of Gp IB showing moderate inflammation localized directly beneath the exposure site
20	H&E photomicrograph of Gp IB showing moderate inflammation scattered to some extent in the pulp tissue
21	H&E photomicrograph of Gp IC showing severe inflammation directly beneath the exposure site
22a	H&E photomicrograph of Gp IC showing severe inflammation scattered in the pulp tissue

Fig.	Figure Pa	ge
22b	Higher magnification of the previous figure of Gp IC showing severe peri-vascular inflammation in the pulp tissue	80
23	H&E photomicrograph of Gp IIA showing mild amount of scattered chronic inflammatory cells in the pulp with disappearance of most of the focal necrotic areas and vascular dilatation	81
24	H&E photomicrograph of Gp IIB showing persistence of moderate amount of inflammatory infiltrate and partially healed necrotic areas	82
25	H&E photomicrograph of Gp IIC showing persistence of moderate amount of inflammatory infiltrate with micro abscess formation	82
26	H&E photomicrograph of Gp IIIA showing mild inflammatory cell infiltration in the coronal pulp	83
27	H&E photomicrograph of Gp IIIB showing mild inflammatory cell infiltration in the coronal pulp with focal necrotic areas	84
28	H&E photomicrograph of Gp IIIC showing moderate inflammatory cell infiltration in the coronal pulp with focal necrotic areas	84
29	Column chart showing percentage of inflammatory scores in different groups	86
30	Column chart showing the effect of time on inflammatory scores in each subgroup according to the percentages of samples	88
31	Column chart showing hard tissue (dentinal bridge) features of different subgroups in 2 weeks	91

Fig.	Figure Page
32	Column chart showing histological features of different subgroups in 2 weeks
33	H&E photomicrograph of Gp IB showing no calcific bridge formation
34	H&E photomicrograph of Gp IA showing material pushed in the pulp space (yellow arrow) with dystrophic calcification around (blue arrow)
35	Column chart showing the hard tissue (dentinal bridge) features of different subgroups in 4 weeks 95
36	Column chart showing the histological features of different subgroups in 4 weeks
37	H&E photomicrograph of Gp IIA showing a dense moderately thick structure of an amorphous, non-tubular interrupted material (yellow arrows) with scattered calcified deposits (blue arrows)
38	H&E photomicrograph of Gp IIA showing cellular inclusions similar to that of lacunae found in the bone 96
39	H&E photomicrograph of Gp IIB showing thin structure of an amorphous and non-tubular interrupted material
40	H&E photomicrograph of Gp IIB, the arrow showing the extension between old and new calcific bridge.  Note the space occupied with atubular dentin
41	H&E photomicrograph of Gp IIB showing disorganized interrupted odontoblastic layer (blue arrow).  Note the interrupted atubular dentin layer (yellow arrow)

Fig.	Figure Page
42	H&E Photomicrograph of Gp IIC showing a very narrow interrupted zone of condensed hard deposit 98
43	Column chart showing the hard tissue (dentinal bridge) features of different subgroups in 8 weeks 101
44	Column chart showing the histological features of different subgroups in 8 weeks
45a	H&E photomicrograph of Gp IIIA showing dentine bridge formation with a recognizable continuous thick thickness
45b	Higher magnification of the previous figure of Gp IIIA showing dentine bridge formation with a recognizable thick thickness
<b>46</b> a	H&E photomicrograph of Gp IIIA showing a hyperplastic dis-organized odontoblast-like cell layer with tubular dentin, complete resolution of necrosis and normal vascularity
46b	Higher magnification of the previous figure showing tubular dentin (yellow arrow) and hyperplasia of odontoblast-like cell layer (blue arrow)
47a	H&E Photomicrograph of Gp IIIB showing randomly organized odontoblast-like cell layer with irregular tubular dentin
47b	Higher magnification of the previous figure of Gp IIIB showing randomly organized odontoblast-like cell layer (blue arrow) with irregular tubular dentin (yellow arrow)
48	H&E photomicrograph of Gp IIIC showing wide interrupted zone of condensed hard deposit

Fig. No.	Figure Page
49	Column chart showing the hard tissue (dentinal bridge) features of Hesperidin within different observation periods
50	Column chart showing the histological features of Hesperidin within different observation periods
51	Column chart showing the hard tissue (dentinal bridge) features of MTA within different observation periods
52	Column chart showing the histological features of MTA within different observation periods
53	Column chart showing the hard tissue (dentinal bridge) features of Dycal within different observation periods
54	Column chart showing the histological features of MTA within different observation periods