



شبكة المعلومات الجامعية

شبكة المعلومات الجامعية
@ ASUNET





شبكة المعلومات الجامعية



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد اعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



شبكة المعلومات الجامعية



بالرسالة صفحات

لم ترد بالأصل

**PREDICTIVE VALUE OF COLOR DOPPLER
ULTRASOUND IN GESTATIONAL
TROPHOBLASTIC DISEASES**

Thesis Submitted For The Partial Fulfillment Of M.D.
Degree In Obstetrics And Gynecology

By

Mohamed Mohamed Saeed

*M.B., B. Ch, M. Sc. (Ain Shams University)
Assistant Lecturer in Obstetrics and Gynecology
Faculty of Medicine-Ain Shams University*

Supervisors

Prof. Ali Elyan Khalafalla

*Professor of Obstetrics and Gynecology
Faculty of Medicine-Ain Shams University*

Prof. Hazem Amin El Zenieny

*Professor of Obstetrics and Gynecology
Faculty of Medicine- Ain Shams University*

Prof. Sameh Mahmoud Amin Abdel Hafez

*Professor of Obstetrics and Gynecology
Faculty of Medicine, Ain Shams University*

Prof. Omar Hussein Omar

*Professor of Radiodiagnosis
Faculty of Medicine-Ain Shams University*

**Faculty of Medicine
Ain Shams University**

2001

B O N E Y

ACKNOWLEDGEMENT

ACKNOWLEDGEMENT

Before and above all, thanks to ALLAH to whom I always pray to bless my work.

It is a great honor to express my sincere and deepest gratitude to Prof. Ali Elyan Khalafalla, Professor of Obstetrics and Gynecology, Ain Shams University for his kind attitude, guidance, close supervision and expert advice which made me able to complete this work.

I am much grateful to Prof. Hazem Amin El Zenieny, Professor of Obstetrics and Gynecology, Ain Shams University for his sincere support, guidance and valuable suggestions.

I would also like to express my endless appreciation to Prof. Sameh Mahmoud Amin Abdel Hafez, Professor of Obstetrics and Gynecology, Ain Shams University for his sincere guidance, meticulous supervision and valuable instructions and suggestions.

I am particularly grateful to Prof. Omar Hussein Omar Professor of Radiodiagnosis, Ain Shams University for his much support and valuable knowledge that he taught me.

My thanks and appreciation go also to all my professors and colleagues who helped me in my work especially Prof. Saeed el-Tuhamy Professor of Obstetrics and Gynecology, Ain Shams University, Dr. Farid Negm, Dr. Khalid Kamal, Dr. Hany el-Sokkary and Dr. el-Sayed el-Okda. Finally I would like to thank my patients who so willingly help me to achieve this work.



*To my parents for their endless love and to my
wife for her unfailing support, understanding,
and forbearance*

Mohamed M. Saeed

2001

Contents

| | |
|---|------------|
| Abstract | 1 |
| Introduction | 3 |
| Aim of the work | 5 |
| Review of literature: | |
| I-Gestational trophoblastic tumor: | 7 |
| Historical review..... | 8 |
| Epidemiology..... | 10 |
| Genetics..... | 13 |
| Histopathological classification..... | 15 |
| Presentation..... | 27 |
| Investigations..... | 34 |
| Classification and staging..... | 42 |
| Management of molar pregnancy..... | 48 |
| Management after molar evacuation..... | 54 |
| Chemotherapy for GTN..... | 57 |
| Surgical management of malignant GTD..... | 71 |
| Recurrent GTN..... | 74 |
| II-Clinical applications of transvaginal Doppler in GTD: | 76 |
| Transvaginal color Doppler imaging..... | 84 |
| The diagnosis of GTN by ultrasonography..... | 88 |
| The aid of transvaginal color-Doppler Duplex.. | 94 |
| Methodology | 97 |
| Results | 105 |
| Discussion | 157 |
| Conclusions and Recommendations | 173 |
| Summary | 177 |
| References | 185 |
| Illustrated Cases | |
| Arabic Summary | |

LIST OF FIGURES

| | |
|--|-----|
| 1-Complete hydatidiform mole | 17 |
| 2-Theca Lutein Cysts | 17 |
| 3-Partial hydatidiform mole | 18 |
| 4-Invasive mole | 18 |
| 5-Choriocarcinoma | 25 |
| 6-Metastases of choriocarcinoma | 25 |
| 7-Placental site trophoblastic tumor | 26 |
| 8-Pulmonary nodules from metastatic GTN | 26 |
| 9-Transvaginal ultrasound probe | 78 |
| 10-Endovaginal imaging of non-gravid uterus and the flow velocity waveforms | 78 |
| 11-The uterine artery-pulsed Doppler | 79 |
| 12-Transvaginal color Doppler of the uterine artery | 83 |
| 13-Hydatidiform mole | 91 |
| 14-Early partial mole, blighted ovum and theca-lutein cyst | 92 |
| 15-Comparison between benign and PTT patients regarding mean age | 108 |
| 16-Comparison between benign and PTT patients regarding mean parity | 110 |
| 17-Comparison between benign and PTT patients regarding mean number of abortions | 111 |
| 18-Comparison between benign and PTT patients regarding mean latency period | 112 |
| 19-Comparison between benign and PTT patients regarding the nature of antecedent pregnancy | 114 |
| 20-Comparison between benign and PTT patients regarding mean gestational age | 115 |
| 21-Comparison between benign and PTT patients regarding mean uterine size | 117 |
| 22-Difference in uterine size and GA in GTD patients | 118 |
| 23-Comparison between benign and PTT patients regarding the presence of theca lutein cysts | 120 |
| 24-The presenting symptom in GTD patients | 121 |
| 25-Descriptive data of PTT patients regarding metastasis | 123 |
| 26-Results of histopathology in GTD patients | 124 |
| 27-Comparison between benign and PTT patients regarding mean pre-evacuation beta-hCG | 128 |

| | |
|---|-----|
| 28-Comparison between benign and PTT patients regarding initial uterine RI | 129 |
| 29-Comparison between benign and PTT patients regarding initial uterine PSV | 130 |
| 30-Comparison between benign and PTT patients regarding initial arcuate RI | 131 |
| 31-Comparison between benign and PTT patients regarding initial arcuate PSV | 132 |
| 32-Scattergram of pre-evacuation β -hCG in benign and PTT patients | 133 |
| 33-Scattergram of initial uterine RI in benign and PTT patients | 134 |
| 34-Scattergram of initial uterine PSV in benign and PTT patients | 135 |
| 35-Scattergram of initial arcuate RI in benign and PTT patients | 136 |
| 36-Scattergram of initial arcuate PSV in benign and PTT patients | 137 |
| 37-Change in beta-HCG for benign & PTT patients | 142 |
| 38-Changes in uterine resistance index in benign and PTT patients | 145 |
| 39-Changes in uterine PSV in benign and PTT patients | 146 |
| 40-Changes in arcuate RI in benign and PTT patients | 150 |
| 41-Changes in arcuate PSV in benign and PTT patients | 151 |

LIST OF TABLES

| | |
|---|-----|
| 1-Histologic types of GTD..... | 16 |
| 2-The change in classic symptoms of complete mole..... | 29 |
| 3-FIGO staging for gestational trophoblastic tumors | 43 |
| 4-International society for the study of trophoblastic neoplasms: staging system for GTD..... | 44 |
| 5-WHO scoring system based on prognostic factors for GTD..... | 45 |
| 6-Prognostic group clinical classification for GTT..... | 46 |
| 7-Different regimens of single agent chemotherapy, used in the treatment of non-metastatic trophoblastic diseases..... | 58 |
| 8-The management of single agent chemotherapy and criteria of toxicity..... | 59 |
| 9-Treatment protocol for stage II and III GTT (NETDC)..... | 61 |
| 10-Multiple-agent chemotherapeutic regimens in treatment of PTT..... | 63 |
| 11-Treatment protocol for high-risk metastatic GTD (NETDC)..... | 66 |
| 12-Recurrences in GTN..... | 74 |
| 13-Results of treatment (Duke University)..... | 75 |
| 14-Results of PI found by Long et al. (1990)..... | 94 |
| 15-Comparison between benign and PTT patients regarding the Socio- demographic and clinical data | 107 |
| 16-Chi-square test for benign and PTT patients regarding Antecedent pregnancy..... | 113 |
| 17-Chi-square test for benign and PTT patients regarding difference in Uterine size and GA | 116 |
| 18-Chi-square test for benign and PTT patients regarding theca lutein cysts..... | 119 |
| 19- Chi-square test for benign and PTT patients regarding presenting symptoms..... | 122 |
| 20-Comparison between benign and PTT patients regarding the initial Doppler indices | 126 |
| 21-Paired sample t-test for changes in β -hCG in benign patients..... | 139 |
| 22-Paired sample t-test for changes in β -hCG in PTT patients..... | 140 |
| 23-Comparison between benign and PTT patients regarding the time - required (in weeks) to reach End-decline value..... | 141 |
| 24-The changes in Uterine RI in benign and PTT patients..... | 144 |
| 25-The changes in Uterine PSV in benign and PTT patients | 147 |
| 26-The changes in Arcuate RI in benign and PTT patients..... | 148 |
| 27-The changes in Arcuate PSV in benign and PTT patients | 149 |