USEFULNESS OF THE QTC INTERVAL IN PREDICTING MYOCARDIAL ISCHEMIA IN PATIENTS UNDERGOING EXERCISE STRESS TEST

Thesis
Submitted for Partial Fulfillment of Master Degree in
Cardiology

By

Ashraf Salah Mohammed Shahin

M.B,B.Ch.; Cairo University

Under the supervision of

Prof. Dr. Khaled Abd Ellatif Almeniawy

Professor of Cardiology, Faculty of Medicine, Ain shams University

Dr. Hanan Hafez Zeidan

Assistant Professor of Cardiology Faculty of Medicine, Ain shams University

Dr. Walid Abdelazim Elhammady

Assistant Professor of Cardiology Faculty of Medicine, Ain shams University

> Faculty of Medicine Ain Shams University

Acknowledgment

Thanks to God who made me accomplish this work.

I wish to present my heartfelt gratitude to Prof. Dr. Khaled Almeniawy, Professor of Cardiology, Faculty of Medicine, Ain Shams University for his sincere concern and encouragement, guidance keen supervision, cooperation and kindness without which this work would have been impossible.

I am greatly indebted to my dear Dr. Hanan Hafez, Lecturer of Cardiology, Faculty of Medicine, Ain Shams University for her remarkable ideas, for her time and effort in the supervision of this work.

Definitely I would like to extend my sincerest thanks to Dr. Waleed Hammady, Lecturer of Cardiology, Faculty of Medicine, Ain Shams University for his generous supportive guidance, extreme unlimited cooperation, understanding and direct supervision.

All thanks and love to my mother for all of her support and love and hard work which without I wouldn't have finished this work or any other work.



	Page
Introduction	. 1
Aim of the work	. ٣
Review of literature	
Mthods of detection of ischemic heart diseases	. દ
Introduction	. ٤
History and Examination	. ξ
Electrocardiography	. 0
Exercise Stress Testing	. 7 £
Echocardiography	. ٤٣
Cardiovascular Magnetic Resonance	. 0 {
Computed Tomography of the Heart	. 7٣
Coronary Angiography	. 77
Nuclear Cardiology	. Y•
$QT\ Interval$. 1.7
Patients and methods	. 179
Results	. ۱۳۸
Discussion	. 177
Summary	. ۱۸٤
Conclusion	
Recommendation	. ۱۸۸
References	. 119
Arabic summary	

List of Tables

Table No.	Title	Page				
Review of literature tables:						
١	Differential diagnosis of ST segment elevation	٩				
۲	Speed of the treadmill in different stages	۲۸				
٣	Indications for terminating exercise testing	۲۹				
٤	Complications of myocardial infarction detected by echocardiography	01				
٥	Risks of cardiac catheterization	79				
٦	Comparison between perfusion agents imaging protocols	٨٢				
Result	ts table:					
٧	Demographic, clinical characters and drug intake of the studied patients	١٣٨				
٨	Analysis of the ST segment changes during stress EGG	١٤١				
٩	Outcome of the stress ECG test by standard criteria	1 2 7				
١.	Team findings in the studied group	١٤٣				

List of Tables_(Cont..)

Table No.	Title	Page
11	Classification of abnormal Team findings	1 2 4
17	Relationship between the QTc prolongation at peak exercise and the outcome of stress ECG	1 20
١٣	Clinical observations in the two studied groups	١٤٨
١٤	Comparing the results of stress ECG using the standard criteria among the studied groups	101
10	Comparing the results of stress ECG using the standard criteria among the studied groups	100
١٦	Prolonged QTc at peak exercise in the two studied groups	100
١٧	The specificity and sensitivity of the positive and negative predictive value of prolonged QTc interval at peak exercise for the detection of myocardial ischemia.	١٥٧
١٨	Results of stress ECG and/or QTc prolongation in the two studied groups	١٥٨

List of Tables_(Cont..)

Table No.	Title	Page
19	The specificity and sensitivity, the positive and negative predictive value of using stress ECG and/or QTc prolongation in detection of myocardial ischemia.	١٦٠
۲.	Results of using both Stress ECG and QTC prolongation in the two studied groups	171
۲۱	The specificity and sensitivity, positive and negative predictive value of using both Stress ECG and QTC prolongation in detection of myocardial ischemia	178
**	Extent of myocardial ischemia detected by Tcaam study and its relation to QTc prolongation	178

List of Figures

Figure No.	Title	Page
Revieu	v of Literature Figures	
1	Electrocardiogram (ECG)	٦
۲	Pathophysiology of ischemic ST elevation	١٢
٣	A oo year old man with & hours of "crushing" chest pain	١٣
٤	A va year old man with a hours of chest pain	١٣
٥	A or year old man with ischaemic heart disease	10
٦	Giant TU Fusion Waves-KH	١٨
٧	The ST-segment deviation vector	77
٨	Direction of the ST-Segment Deviation Vector in Different Occlusion Sites in the LAD	75
٩	Behavior of the ST-segment deviation vector in infero-posterior MI	۲ ٤
١.	Stress test	70
))	Magnified ischemic exercise- induced electrocardiographic pattern	٣١

Figure No.	Title	Page
١٣	Apical two-chamber view of a patient with a remote inferior myocardial infarction	٤٦
١٤	An abnormal echocardiogram	
10	Normal Doppler ultrasound	٥.
١٦	An echocardiogram showed a circumscribed pseudoaneurysm of the lateral wall of the left ventricle	01
١٧	Y-D parasternal short-axis view of the papillary muscle level showing a large inferior pseudoaneurysm	07
١٨	Assessment of myocardial infarction and viability	٥٦
19	Cardiac MRI picture shows the & chambers of the heart using what is called a "bright blood" technique	٥٧
۲.	Cardiovascular magnetic resonance (CMR) stresses ventriculography in a patient with left circumflex stenosis	71

MRI looking at myocardial contractility... ٦٢

Figure No.	Title	Page
**	Cardiac CT is especially useful in evaluating the myocardium, coronary arteries, pulmonary veins, thoracic aorta, pericardium, and cardiac masses, such as thrombus of the left atrial appendage	٦٤
۲۳	Computed tomography (CT)	70
۲ ٤	The TD and TD MDCT	70
40	Severe stenosis of the distal left main coronary artery	70
۲٦	A Coronary angiogram that shows the left coronary circulation	٦٧
**	Coronary angiogram. The arrow indicates a blockage in the right coronary artery	۸۶
47	Abnormal single-photon emission computed tomography images of different extent and severity	79
79	Planar v. Tl scans in anterior	
	projection with exercise (left) and rest images (right) in patient with inferior myocardial infarction	٧٣
٣.	Rest-redistribution Y. Tl image	٧٨

٣١	Stress	٩٩m	Tc-	tetrofosm	in/rest	, ,	$\cdots Tl$		
	images	in	a	patient	with	a	low		
	likelihoo	od of	CA	D				٧٨	

Figure No.	Title	Page
٣٢	TD and TD quantitative display of stress, rest and reversibility	91
٣٣	Three-dimensional display used to evaluate global and regional wall motion. The gated short-axis slices are used to generate these images	1.1
Result	ts Figures	
٣٤	Sex distribution in the study group	1.7
40	Risk factor in the study group	١٤.
٣٦	Drug intake in the study group	١٤.
٣٧	Analysis of the ST segment changes during stress EGG in the studied group	١٤.
٣٨	Outcome of the stress ECG test by standard criteria in the studied group	١٤١
٣٩	Team findings in the studied group	1 £ Y
٤٠	Classification of abnormal Tcaam findings	1 £ 7
٤١	Relationship between the QTc prolongation at peak exercise and the outcome of stress ECG in the studied group.	1 { {

Figure No.	Title	Page
٤٢	Mean age value in the two studied groups	١٤٦
٤٣	Sex distribution in the two studied groups	10.
٤٤	Incidence of risk factor in the two studied groups	١0.
٤٥	Mean duration of exercise (minutes)	101
٤٦	Percentage of positive and negative during stress ECG using the standard criteria among the studied groups	107
٤٧	Comparison of QTc interval at rest and at peak exercise in the two studied groups	102
٤٨	Comparison of QTc interval at rest and at peak exercise in the two studied groups	107
٤٩	Specificity and sensitivity of the positive and negative predictive value of prolonged QTc interval at peak exercise for the detection of myocardial ischemia.	١٥٧

	List of Figures _(Cont)	
	prolongation among patients of group I and group II	109
٥,	Results of the stress ECG and/or QTc	

Figure No.	Title	Page
01	Specificity and sensitivity ,the positive and negative predictive value of using stress ECG and/or QTc prolongation in detection of myocardial ischemia	١٦.
04	Results of using both Stress ECG and QTC prolongation among patients of group I and group II	171
٥٣	Specificity and sensitivity, positive and negative predictive value of using both Stress ECG and QTC prolongation in detection of myocardial ishcemia	175
0 £	Extent of myocardial ischemia detected by Tcaam study and its relation to QTc prolongation	178