



# **Clinical and Histopathological Evaluation of Regenerative Potential of Immature Permanent Teeth with Necrotic Pulp After Different Dentin Surface Treatments**

*Thesis*

Submitted in partial fulfillment for Doctor's Degree in  
**Endodontics**

By

**Amr Ahmed Bayoumi**

**B.D.S. M.Sc.**

**Faculty of Dentistry – Ain-Shams University**

**Faculty of Dentistry  
Ain-Shams University  
2014**

# **Supervisors**

**PROF. DR.**

**SALMA HASSAN EL ASHRY**

Professor of Endodontics  
Endodontics Department  
Faculty of Dentistry  
Ain-Shams University

**PROF. DR.**

**AHMED ABDELRAHMAN HASHEM**

Professor of Endodontics  
Endodontics Department  
Faculty of Dentistry  
Ain-Shams University

**PROF. DR.**

**ASHRAF MOHAMED**

**ABDELRAHMAN ABU-SEIDA**

Professor of Surgery, Anesthesiology & Radiology  
Department of Surgery, Anesthesiology & Radiology  
Faculty of Veterinary Medicine,  
Cairo University

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

" قَالُوا سُبْحَانَكَ لَا عِلْمَ لَنَا إِلَّا مَا عَلَّمْتَنَا  
إِنَّكَ أَنْتَ الْعَلِيمُ الْحَكِيمُ "

صدق الله العظيم

(سورة البقرة - الآية ٣٢)

# Acknowledgment

I would like to express my deep gratitude to

**PROF. DR.**

**SALMA HASSAN EL ASHRY**

The mother of Endodontics in Ain-Shams University for her tremendous effort and wisdom throughout my academic and clinical work. I was really lucky to have her as my supervisor.

My sincere appreciation to

**PROF. DR.**

**AHMED ABDELRAHMAN HASHEM**

for his valuable supervision and unlimited support.

My deep appreciation to

**PROF. DR.**

**ASHRAF MOHAMED ABDELRAHMAN ABU-SEIDA**

for his sincere help , cooperation and encouragement during this study.

Special thanks to

**DR. SHAIMAA MUSTAFA MASLOUB**

Assistant lecturer in Oral Pathology Department,  
Faculty of Dentistry, Ain-Shams University

# **Dedication**

To my Dearest Father ...

...To my Great Mother

To my Lovely Wife...

...To my Sweet Sister

To my little Kid...

# LIST OF CONTENTS

<b>INTRODUCTION .....</b>	<b>1</b>
<b>REVIEW OF LITERATURE.....</b>	<b>3</b>
• Regenerative procedures of immature non-vital teeth.....	4
• Effect of different medicaments and irrigating solutions on regenerative procedures.....	30
<b>AIM OF THE STUDY .....</b>	<b>46</b>
<b>MATERIALS AND METHODS .....</b>	<b>47</b>
• Animal part.....	47
• Human part.....	71
<b>RESULTS .....</b>	<b>85</b>
• Animal part.....	85
○ Histopathologic evaluation.....	85
○ Radiographic evaluation.....	115
• Human part.....	131
○ Clinical evaluation.....	131
○ Radiographic evaluation.....	132
<b>DISCUSSION .....</b>	<b>152</b>
<b>SUMMARY AND CONCLUSION .....</b>	<b>170</b>
<b>REFERENCES .....</b>	<b>176</b>
<b>ARABIC SUMMARY .....</b>	<b>-</b>

# LIST OF TABLES

<b>Table No.</b>	<b>Title</b>	<b>Page</b>
<b>1</b>	The mean, standard deviation (SD) values for the inflammatory scores and statistical analysis among different subgroups and time periods .....	<b>89</b>
<b>2</b>	The mean, standard deviation (SD) values for the inflammatory cell count and statistical analysis among different subgroups and time periods .....	<b>93</b>
<b>3</b>	Frequencies (n), percentages and results of Chi-square test for prevalence of bone resorption among different subgroups and time periods.....	<b>97</b>
<b>4</b>	The mean, standard deviation (SD) values for the vital tissues scores and statistical analysis among different subgroups and time periods.....	<b>103</b>
<b>5</b>	The mean, standard deviation (SD) values for the hard tissue formation scores and statistical analysis among different subgroups and time periods .....	<b>108</b>
<b>6</b>	Frequencies (n), percentages and results of Chi-square test for prevalence of apical closure among different subgroups and time periods.....	<b>113</b>
<b>7</b>	The mean, standard deviation (SD) values for the percent changes in root length and statistical analysis among different subgroups and time periods .....	<b>118</b>
<b>8</b>	The mean, standard deviation (SD) values for the percent changes in root thickness and statistical analysis among different subgroups and time periods .....	<b>122</b>
<b>9</b>	The mean, standard deviation (SD) values for the apical closure percent changes and statistical analysis among different subgroups and time periods .....	<b>126</b>

<b>Table No.</b>	<b>Title</b>	<b>Page</b>
<b>10</b>	The mean, standard deviation (SD) values for the percent changes in root length and statistical analysis among different groups and time periods.....	<b>134</b>
<b>11</b>	The mean, standard deviation (SD) values for the percent changes in root thickness and statistical analysis among different groups and time periods.....	<b>138</b>
<b>12</b>	The mean, standard deviation (SD) values for the apical closure percent changes and statistical analysis among different groups and time periods.....	<b>142</b>
<b>13</b>	The mean, standard deviation (SD) values for the bone density percent changes and statistical analysis among different groups and time periods.....	<b>146</b>



# LIST OF FIGURES

<b>Fig. No.</b>	<b>Title</b>	<b>Page</b>
1	Showing intravenous administration of general anesthesia.....	51
2	Showing pulp extirpation using hand file size #25.....	51
3	Showing injection of triple antibiotic paste into the canal .....	52
4	Schematic diagram for samples classification.....	55
5	Showing application of MTAD solution inside the root canal.....	67
6	A: Showing induction of bleeding using hand file size #35. B: Showing blood clots inside the root canals.....	67
7	A: Showing collagen scaffold. B: Showing collagen scaffold placed incrementally to fill the canal space.....	68
8	Showing sealing of access cavity using glass ionomer restoration .....	68
9	Showing dissected jaw blocks .....	69
10	Showing samples embedded in paraffin blocks .....	69
11	Showing steps for analyzing inflammatory cell count .....	70
12	Showing fractured incisal edge.....	80
13	Showing access cavity preparation.....	80
14	Showing blood clot induced to level of canal orifice .....	81
15	Showing collagen scaffold inside the canal.....	81
16	Showing MTA orifice plug.....	82
17	Showing coronal restoration using composite resin .....	82
18	Showing digital measurement of root length in pre and post-operative radiographs using image-J software .....	83
19	Showing digital measurement of root thickness at the apical third in pre and post-operative radiographs using image-J software .....	83
20	Showing digital measurement of the apical diameter in pre and post-operative radiographs using image-J software .....	84

<b>Fig. No.</b>	<b>Title</b>	<b>Page</b>
<b>21</b>	Showing measurement of bone density using Digora for windows software .....	<b>84</b>
<b>22</b>	Histogram representing mean inflammatory scores between different subgroups and time periods .....	<b>89</b>
<b>23</b>	Photomicrograph showing dense inflammatory cell infiltration, numerous dilated blood vessels and edema spaces (score 3) in group I subgroup (D) (X400).....	<b>90</b>
<b>24</b>	Photomicrograph showing moderate inflammatory cell infiltration (score 2) in group I subgroup (B) (X400).....	<b>90</b>
<b>25</b>	Photomicrograph showing mild inflammatory cell infiltration (score 1) in group II subgroup (A) (X400).....	<b>90</b>
<b>26</b>	Photomicrograph showing no inflammatory cell infiltration (score 0) in group III subgroup (E) (X400). ....	<b>90</b>
<b>27</b>	Histogram representing mean inflammatory cell count between different subgroups and time periods .....	<b>93</b>
<b>28</b>	Histogram representing prevalence of bone resorption between different subgroups and time periods .....	<b>97</b>
<b>29</b>	Photomicrograph showing tissue in-growth with apical root resorption group II subgroup (F) (X100).....	<b>98</b>
<b>30</b>	Photomicrograph showing apical root resorption group III subgroup (D) (X100) .....	<b>98</b>
<b>31</b>	Photomicrograph of a representative sample for group II subgroup (B); A: apical root resorption (X200). B: higher magnification showing multinucleated giant cells (X400).....	<b>99</b>
<b>32</b>	Histogram representing mean vital tissues scores between different subgroups and time periods .....	<b>103</b>
<b>33</b>	Photomicrograph of a representative sample for group II subgroup (B); A: tissue in-growth up to apical third of the canal (X40). B: higher magnification for the regenerated tissue showing dense fibrous connective tissue and numerous blood vessels (X100) .....	<b>104</b>
<b>34</b>	Photomicrograph of a representative sample for group III subgroup (E); A: tissue in-growth up to middle third of the canal (X40). B: higher magnification for the regenerated tissue (X100).....	<b>104</b>

<b>Fig. No.</b>	<b>Title</b>	<b>Page</b>
<b>35</b>	Photomicrograph of a representative sample for group III subgroup (C); A: tissue in-growth up to middle third of the canal (X40). B: higher magnification for the regenerated tissue showing dense fibrous connective tissue, fibroblasts and numerous blood vessels (X400) .....	<b>105</b>
<b>36</b>	Photomicrograph of a representative sample for group III subgroup (D); A: tissue in-growth up to middle third of the canal (X40). B: higher magnification for the regenerated tissue showing dense fibrous connective tissue, fibroblasts and numerous blood vessels (X400) .....	<b>105</b>
<b>37</b>	Histogram representing mean hard tissue formation scores between different subgroups and time periods .....	<b>108</b>
<b>38</b>	Photomicrograph of a representative sample for group III subgroup (C); A: hard tissue deposition (X100). B: higher magnification for the newly deposited hard tissue (X200).....	<b>109</b>
<b>39</b>	Photomicrograph of a representative sample for group III subgroup (E); A: hard tissue deposition (X100). B: higher magnification for the newly deposited hard tissue (X200).....	<b>109</b>
<b>40</b>	Photomicrograph showing newly deposited hard tissue in group III subgroup (B) (X400).....	<b>110</b>
<b>41</b>	Photomicrograph showing newly deposited hard tissue in group III subgroup (D) (X400).....	<b>110</b>
<b>42</b>	Histogram representing prevalence of apical closure between different subgroups and time periods.....	<b>113</b>
<b>43</b>	Photomicrograph showing apical closure in group III subgroup (A) (X40).....	<b>114</b>
<b>44</b>	Photomicrograph showing apical closure in group III subgroup (D) (X100).....	<b>114</b>
<b>45</b>	Histogram representing mean percent increase in root length between different subgroups and time periods.....	<b>118</b>
<b>46</b>	Histogram representing mean percent increase in root thickness between different subgroups and time periods.....	<b>122</b>
<b>47</b>	Histogram representing mean apical closure percent between different subgroups and time periods.....	<b>126</b>

<b>Fig. No.</b>	<b>Title</b>	<b>Page</b>
<b>48</b>	Showing a representative sample of subgroup (A) Blood Clot; A: pre-operative radiograph. B: radiograph two weeks following treatment. C: radiograph six weeks following treatment. D: radiograph three months following treatment.....	<b>127</b>
<b>49</b>	Showing a representative sample of subgroup (B) Blood Clot + Collagen; A: pre-operative radiograph. B: radiograph two weeks following treatment. C: radiograph six weeks following treatment. D: radiograph three months following treatment.....	<b>127</b>
<b>50</b>	Showing a representative sample of subgroup (C) Blood Clot + EDTA; A: pre-operative radiograph. B: radiograph two weeks following treatment. C: radiograph six weeks following treatment. D: radiograph three months following treatment.....	<b>128</b>
<b>51</b>	Showing a representative sample of subgroup (D) Blood Clot + EDTA + Collagen; A: pre-operative radiograph. B: radiograph two weeks following treatment. C: radiograph six weeks following treatment. D: radiograph three months following treatment .....	<b>128</b>
<b>52</b>	Showing a representative sample of subgroup (E) Blood Clot + MTAD; A: pre-operative radiograph. B: radiograph two weeks following treatment. C: radiograph six weeks following treatment. D: radiograph three months following treatment.....	<b>129</b>
<b>53</b>	Showing a representative sample of subgroup (F) Blood Clot + MTAD + Collagen; A: pre-operative radiograph. B: radiograph two weeks following treatment. C: radiograph six weeks following treatment. D: radiograph three months following treatment.....	<b>129</b>
<b>54</b>	Showing a representative sample of subgroup (G) positive control; A: pre-operative radiograph. B: two weeks radiograph. C: six weeks radiograph. D: three months radiograph.....	<b>130</b>
<b>55</b>	Showing representative sample of subgroup (H) negative control; A: pre-operative radiograph. B: two weeks radiograph. C: six weeks radiograph. D: three months radiograph.....	<b>130</b>
<b>56</b>	Histogram representing mean percent increase in root length between different groups and time periods.....	<b>135</b>

<b>Fig. No.</b>	<b>Title</b>	<b>Page</b>
<b>57</b>	Histogram representing mean percent increase in root thickness between different groups and time periods.....	<b>139</b>
<b>58</b>	Histogram representing mean percent of apical closure between different groups and time periods.....	<b>143</b>
<b>59</b>	Histogram representing mean bone density percent between different groups and time periods.....	<b>146</b>
<b>60</b>	Showing representative case in group IV “Blood Clot + EDTA + Collagen”; A: pre-operative radiograph. B: three-month follow-up radiograph. C: six-month follow-up radiograph. D: 12-month follow-up radiograph. E: 18-month follow-up radiograph.....	<b>147</b>
<b>61</b>	Showing representative case in group II “Blood Clot + Collagen”; A: pre-operative radiograph. B: three-month follow-up radiograph. C: six-month follow-up radiograph. D: 12-month follow-up radiograph. E: 18-month follow-up radiograph.....	<b>147</b>
<b>62</b>	Showing representative case in group I “Blood Clot”; A: pre-operative radiograph. B: three-month follow-up radiograph. C: six-month follow-up radiograph. D: 12-month follow-up radiograph. E: 18-month follow-up radiograph.....	<b>148</b>
<b>63</b>	Showing representative case in group III “Blood Clot + EDTA”; A: pre-operative radiograph. B: three-month follow-up radiograph. C: six-month follow-up radiograph. D: 12-month follow-up radiograph. E: 18-month follow-up radiograph.....	<b>148</b>
<b>64</b>	Showing representative case in group V “Blood Clot + MTAD”; A: pre-operative radiograph. B: three-month follow-up radiograph. C: six-month follow-up radiograph. D: 12-month follow-up radiograph. E: 18-month follow-up radiograph.....	<b>149</b>
<b>65</b>	Showing representative case in group II “Blood Clot + Collagen”; A: pre-operative radiograph. B: three-month follow-up radiograph. C: six-month follow-up radiograph. D: 12-month follow-up radiograph. E: 18-month follow-up radiograph.....	<b>149</b>

<b>Fig. No.</b>	<b>Title</b>	<b>Page</b>
<b>66</b>	Showing representative case in group III “Blood Clot + EDTA”; A: pre-operative radiograph. B: three-month follow-up radiograph. C: six-month follow-up radiograph. D: 12-month follow-up radiograph. E: 18-month follow-up radiograph.....	<b>150</b>
<b>67</b>	Showing representative case in group VI “Blood Cot + MTAD + Collagen”; A: pre-operative radiograph. B: three-month follow-up radiograph. C: six-month follow-up radiograph. D: 12-month follow-up radiograph. E: 18-month follow-up radiograph.....	<b>150</b>
<b>68</b>	Showing representative case in group V “Blood Clot + MTAD”; A: pre-operative radiograph. B: three-month follow-up radiograph. C: six-month follow-up radiograph. D: 12-month follow-up radiograph. E: 18-month follow-up radiograph.....	<b>151</b>
<b>69</b>	Showing representative case in group IV “Blood Clot + EDTA + Collagen”; A: pre-operative radiograph. B: three-month follow-up radiograph. C: six-month follow-up radiograph. D: 12-month follow-up radiograph. E: 18-month follow-up radiograph.....	<b>151</b>



---

# INTRODUCTION

---